

Home Search Collections Journals About Contact us My IOPscience

# Theory of radiation pressure on magneto-dielectric materials

This content has been downloaded from IOPscience. Please scroll down to see the full text.

2015 New J. Phys. 17 063027

(http://iopscience.iop.org/1367-2630/17/6/063027)

View the table of contents for this issue, or go to the journal homepage for more

Download details:

IP Address: 90.194.28.243

This content was downloaded on 31/08/2015 at 15:15

Please note that terms and conditions apply.

# **New Journal of Physics**

The open access journal at the forefront of physics



Published in partnership with: Deutsche Physikalische Gesellschaft and the Institute of Physics



# OPEN ACCESS

#### RECEIVED

18 February 2015

#### REVISED

24 April 2015

ACCEPTED FOR PUBLICATION 18 May 2015

10 11lay 2015

PUBLISHED 23 June 2015

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOL



### **PAPER**

# Theory of radiation pressure on magneto-dielectric materials

## Stephen M Barnett<sup>1,3</sup> and Rodney Loudon<sup>2</sup>

- School of Physics and Astronomy, University of Glasgow, Glasgow G12 8QQ, UK
- <sup>2</sup> Computer Science and Electronic Engineering, University of Essex, Colchester CO4 3SQ, UK
- 3 Author to whom any correspondence should be addressed.

E-mail: stephen.barnett@glasgow.ac.uk and loudr@essex.ac.uk

Keywords: radiation pressure, magneto-dielectrics, optical momentum

#### Abstract

We present a classical linear response theory for a magneto—dielectric material and determine the polariton dispersion relations. The electromagnetic field fluctuation spectra are obtained and polariton sum rules for their optical parameters are presented. The electromagnetic field for systems with multiple polariton branches is quantized in three dimensions and field operators are converted to 1—dimensional forms appropriate for parallel light beams. We show that the field—operator commutation relations agree with previous calculations that ignored polariton effects. The Abraham (kinetic) and Minkowski (canonical) momentum operators are introduced and their corresponding single—photon momenta are identified. The commutation relations of these and of their angular analogues support the identification, in particular, of the Minkowski momentum with the canonical momentum of the light. We exploit the Heaviside—Larmor symmetry of Maxwell's equations to obtain, very directly, the Einsetin—Laub force density for action on a magneto—dielectric. The surface and bulk contributions to the radiation pressure are calculated for the passage of an optical pulse into a semi—infinite sample.

# 1. Introduction

At the heart of the problem of radiation pressure is the famous Abraham–Minkowski dilemma concerning the correct form of the electromagnetic momentum in a material medium [1–4]; a problem which, despite of its longevity, continues to attract attention [5–9]. The resolution of this dilemma lies is the identification of the two momenta, due to Abraham and Minkowski, with the kinetic and canonical momenta of the light, respectively [10]. It serves to indicate, moreover, why the different momenta are apparent in different physical situations [9]. In this paper we shall be concerned with manifestations of optical momentum in radiation pressure on media and, in particular, on magneto–dielectric media.

Most existing work on the theory of radiation pressure, as reviewed in [5–9], treated non-magnetic materials but there has been recent progress in the partial determination of the effects of material magnetization. The rise of interest in metamaterials and in particular those with negative refractive index adds urgency to addressing this point [11].

We consider magneto—dielectric materials in which both the electric permittivity  $\varepsilon$  and the magnetic permeability  $\mu$  are isotropic functions of the angular frequency  $\omega$ . The quantum theory of the electromagnetic field for such media is now well—developed, with analyses in the literature based on Green's functions [12, 13] and also on Hopfield—like models based on coupling to a harmonic polarization and magnetization field [14–17]. The approach we shall adopt is to work with the elementary excitations within the medium, which are polarition coupled—modes of the electromagnetic field with the electric and magnetic resonances. The classical linear—response theory in section 2 allows direct calculations of the electric and magnetic field—fluctuation spectra. The corresponding quantized field operators are expressed in terms of the polariton creation and destruction operators and we show that these satisfy the required standard commutation relations. We use these to construct the Minkowski and Abraham momentum operators and also the corresponding angular momenta, and show how the commutators of these with the vector potential facilitate the interpretation of the rival momenta [10]. The known form of the magnetic Lorentz force is confirmed and used to explore the momentum

transfer from light to a half–space sample and so provide the extension to permeable media of earlier work on dielectrics [18].

# 2. Classical theory

The original calculations by Abraham and Minkowski determined the electromagnetic momentum in transparent media, as has the great majority of the subsequent literature referenced here. We accordingly assume a real permittivity and permeability. These arise naturally from the dispersion relations in a Hopfield–type model in which the electromagnetic field is coupled to harmonic polarization and magnetization fields associated with the host medium [19]. Including absorption losses presents no fundamental difficulties [12–17] but adds significantly to the technical nature of the analysis; a feature that might obscure the simplicity of the underlying physics.

#### 2.1. Linear response

The relative permittivity and permeability of a (lossless) magneto–dielectric at angular frequency  $\omega$  may be written in the simple forms [20]

$$\varepsilon(\omega) = \prod_{e=1}^{n_e} \frac{\omega_{Le}^2 - \omega^2}{\omega_{Te}^2 - \omega^2}$$

$$\mu(\omega) = \prod_{m=1}^{n_m} \frac{\omega_{Lm}^2 - \omega^2}{\omega_{Tm}^2 - \omega^2},$$
(1)

where  $n_e$  and  $n_m$  are the numbers of electric and magnetic dipole resonances in the medium, associated with longitudinal and transverse frequencies indicated by the subscripts L and T. It follows that the values of the permittivity and permeability at zero and infinite frequencies are

$$\varepsilon(0) = \prod_{e=1}^{n_e} \frac{\omega_{Le}^2}{\omega_{Te}^2}, \qquad \varepsilon(\infty) = 1$$

$$\mu(0) = \prod_{m=1}^{n_m} \frac{\omega_{Lm}^2}{\omega_{Tm}^2}, \qquad \mu(\infty) = 1,$$
(2)

in accord with the generalized Lyddane-Sachs-Teller relation [21]. The phase refractive index is

$$\eta_{\mathbf{p}}(\omega) = \sqrt{\varepsilon(\omega)\mu(\omega)}, \qquad (3)$$

as usual [22].

We consider a magneto-dielectric medium in the absence of free charges and currents, so that our electric and magnetic fields are governed by Maxwell's equations in the form

$$\nabla \cdot \mathbf{D} = 0$$

$$\nabla \cdot \mathbf{B} = 0$$

$$\nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}$$

$$\nabla \times \mathbf{H} = \frac{\partial \mathbf{D}}{\partial t}.$$
(4)

The electromagnetic fields described by these propagate as transverse plane—waves, with an evolution described by the complex factor  $\exp(i\mathbf{k} \cdot \mathbf{r} - i\omega t)$ , with  $k = |\mathbf{k}|$  and  $\omega$  related by the appropriate dispersion relation. The four complex electric and magnetic fields are related by [22]

$$\mathbf{D}(\omega) = \varepsilon_0 \mathbf{E}(\omega) + \mathbf{P}(\omega) = \varepsilon_0 \varepsilon(\omega) \mathbf{E}(\omega)$$

$$\mathbf{B}(\omega) = \mu_0 \Big[ \mathbf{H}(\omega) + \mathbf{M}(\omega) \Big] = \mu_0 \mu(\omega) \mathbf{H}(\omega),$$
(5)

where **P** and **M** are, respectively, the medium's polarization and magnetization. Henceforth, for the sake of brevity, we omit explicit reference to the frequency from our fields, permittivities and permeabilities.

Now suppose that external stimuli  $\mathbf{p}$  and  $\mathbf{m}$  with the same frequency are applied parallel to  $\mathbf{E}$  and  $\mathbf{H}$  respectively, so that the relations (5) become

$$\mathbf{D} = \varepsilon_0 \varepsilon \mathbf{E} + \mathbf{p}$$

$$\mathbf{B} = \mu_0 \mu \mathbf{H} + \mu_0 \mathbf{m}.$$
(6)

It is convenient to introduce 6-component field and stimulus variables defined to be

$$\mathbf{f} = (\mathbf{E}, Z_0 \mathbf{H})$$

$$\mathbf{s} = V(\mathbf{p}, \mathbf{m}/c), \tag{7}$$

where  $Z_0 = \sqrt{\mu_0/\epsilon_0}$  is the usual free-space impedance and V is a suitably chosen sample volume. The energy of interaction between the field and the stimulus components is then

$$I = -\sum_{i=1}^{6} f_i s_i = -V \left( \mathbf{E} \cdot \mathbf{p} + \mu_0 \mathbf{H} \cdot \mathbf{m} \right).$$
 (8)

The solutions for the field components obtained by substitution of (6) into Maxwell's equations can be written

$$f_i = \sum_{j=1}^6 T_{ij} s_j, \tag{9}$$

where the linear response matrix is

$$\mathbf{T} = \frac{1}{\varepsilon_0 V \text{Den}} \begin{pmatrix} \omega^2 \mu & 0 & 0 & 0 & \omega c k_z & -\omega c k_y \\ 0 & \omega^2 \mu & 0 & -\omega c k_z & 0 & \omega c k_x \\ 0 & 0 & \omega^2 \mu & \omega c k_y & -\omega c k_x & 0 \\ 0 & -\omega c k_z & \omega c k_y & \omega^2 \varepsilon & 0 & 0 \\ \omega c k_z & 0 & -\omega c k_x & 0 & \omega^2 \varepsilon & 0 \\ -\omega c k_y & \omega c k_x & 0 & 0 & 0 & \omega^2 \varepsilon \end{pmatrix},$$
(10)

with the common denominator

$$Den = c^2 k^2 - \varepsilon \mu \omega^2, \tag{11}$$

the zeroes of which give the dispersion relation for the field. The elements of the matrix **T** agree with and extend partial results obtained previously for non-magnetic media [23, 24].

### 2.2. Field fluctuations

The frequency and wave–vector fluctuation spectra at zero temperature are obtained from the Nyquist formula [23, 25]

$$\left\langle f_i f_j \right\rangle_{\omega, \mathbf{k}} = \frac{\hbar}{\pi} \operatorname{Im} \left( T_{ij} \right),$$
 (12)

where the required imaginary parts occur automatically in magneto–dielectric models that include damping mechanisms or, in the limit of zero damping, by the inclusion of a vanishingly small imaginary part in  $\omega$ . In the latter case, which applies to our model, we find

$$\operatorname{Im}\left(\frac{1}{\operatorname{Den}}\right) \to \frac{\pi}{2kc^2} \left[ \delta\left(k - \frac{\omega\eta_{\rm p}}{c}\right) - \delta\left(k + \frac{\omega\eta_{\rm p}}{c}\right) \right]. \tag{13}$$

The total fluctuations are obtained by integration

$$\left\langle f_i f_j \right\rangle = \int_0^\infty d\omega \left\langle f_i f_j \right\rangle_\omega = \int_0^\infty d\omega \frac{V}{(2\pi)^3} \int d\mathbf{k} \left\langle f_i f_j \right\rangle_{\omega, \mathbf{k}},\tag{14}$$

where the frequency  $\omega$  and the three–dimensional (3D) wave vector  $\mathbf{k}$  are taken as continuous and independent variables.

Consider plane—wave propagation parallel to the z-axis in a sample of length L and cross—sectional area A. The frequency fluctuation spectra are then obtained from the one–dimensional (1D) version of (14) as

$$\left\langle f_i f_j \right\rangle_{\omega} = \frac{\hbar L}{2\pi^2} \int_0^{\infty} dk \operatorname{Im} \left( T_{ij} \right).$$
 (15)

The contributions of the component x- and y-polarized waves give

$$\left\langle E_{x}^{2} \right\rangle = \left\langle E_{y}^{2} \right\rangle = \frac{\hbar \omega}{4\pi A} \left( \frac{\mu_{0} \mu}{\varepsilon_{0} \varepsilon} \right)^{1/2}$$

$$\left\langle B_{y}^{2} \right\rangle = \left\langle B_{x}^{2} \right\rangle = \frac{\hbar \omega}{4\pi A} \left( \varepsilon_{0} \varepsilon \mu_{0}^{3} \mu^{3} \right)^{1/2},$$

$$\left\langle D_{y}^{2} \right\rangle = \left\langle D_{x}^{2} \right\rangle = \frac{\hbar \omega}{4\pi A} \left( \varepsilon_{0}^{3} \varepsilon^{3} \mu_{0} \mu \right)^{1/2},$$

$$\left\langle H_{y}^{2} \right\rangle = \left\langle H_{x}^{2} \right\rangle = \frac{\hbar \omega}{4\pi A} \left( \frac{\varepsilon_{0} \varepsilon}{\mu_{0} \mu} \right)^{1/2},$$

$$(16)$$

with the use of (10) and (13). The *E* and *H* spectra, of course, have the usual relative magnitude for a magneto-dielectric material. The total fluctuations are obtained by integration of the spectra over  $\omega$  as in (14).

#### 2.3. Polariton modes

The combined excitation modes of the material dipoles and the electromagnetic field are the polaritons [26]. The transverse polaritons for a material of cubic symmetry, as assumed here, are twofold degenerate corresponding to the two independent polarization directions. Their dispersion relation is determined by the poles in the linear response function, the components of which are given in (10). The vanishing denominator (Den) gives

$$c^2k^2 = \varepsilon\mu\omega^2 = \eta_p^2\omega^2,\tag{17}$$

which is the desired transverse dispersion relation. For our relative permittivity and permeability, there are  $n_e+n_m+1$  transverse polariton frequencies for each wave vector and these are independent of the direction of  ${\bf k}$ . They jointly involve all of the resonant frequencies in the electric permittivity and the magnetic permeability. It is convenient to enumerate the transverse polariton branches by a discrete index u, and there is no overlap in frequency  $\omega_{{\bf k}u}$  between the different branches. There are also  $n_e+n_m$  longitudinal modes at frequencies  $\omega_{{\bf L}_e}$  and  $\omega_{{\bf L}_m}$ , independent of the wave vector. These contribute, for example, to Raman spectra at non-zero scattering angles [20,23,27,28] but they can be ignored here as they do not interact directly with a unidirectional transverse electromagnetic wave.

Subsequent calculations involve the polariton group index  $\eta_e$ , defined in terms of the phase index  $\eta_p$ :

$$\eta_{\rm g} = c \frac{\mathrm{d}k}{\mathrm{d}\omega} = d \frac{\left(\omega \eta_{\rm p}\right)}{\mathrm{d}\omega}$$
(18)

for  $\eta_p = ck/\omega$ . The two refractive indices satisfy a variety of sum rules over the branches, given by [29–31]

$$\sum_{u} \left( \frac{\eta_{\rm p}}{\eta_{\rm g}} \right)_{ku} = 1$$

$$\sum_{u} \left( \frac{1}{\eta_{\rm p} \eta_{\rm g}} \right)_{ku} = 1 \tag{19}$$

and by [32]

$$\sum_{u} \left( \frac{\varepsilon}{\eta_{p} \eta_{g}} \right)_{ku} = 1$$

$$\sum_{u} \left( \frac{\mu}{\eta_{p} \eta_{g}} \right)_{ku} = 1,$$
(20)

where all of the optical variables are evaluated at frequency  $\omega_{\mathbf{k}u}$ , so the sums run over every frequency  $\omega_{\mathbf{k}u}$  that is a solution of the dispersion relation (17) for a given wave vector  $\mathbf{k}$ .

# 3. Quantum theory

#### 3.1. Field quantization

The polaritons are bosonic modes, quantized by standard methods in terms of creation and destruction operators with the commutation relation

$$\left[\hat{a}_{\mathbf{k}u}, \hat{a}_{\mathbf{k}'u'}^{\dagger}\right] = \delta(\mathbf{k} - \mathbf{k}')\delta_{u,u'}.$$
(21)

The Dirac and Kronecker delta functions have their usual properties. The electromagnetic field quantization derived previously for dispersive dielectric media [33] can be adapted for our magneto—dielectric medium by insertion of polariton branch labels and by conversion to SI units and continuous wave vectors. It is convenient to write all of the field operators in the form

$$\hat{\mathbf{A}}(\mathbf{r}, t) = \hat{\mathbf{A}}^{(+)}(\mathbf{r}, t) + \hat{\mathbf{A}}^{(-)}(\mathbf{r}, t),$$
 (22)

where the second term is the Hermitian conjugate of the first. The deduced form of the transverse (or Coulomb gauge) vector potential operator is then given by

$$\hat{\mathbf{A}}^{(+)}(\mathbf{r},t) = \left(\frac{\hbar}{16\pi^3 \varepsilon_0}\right)^{1/2} \sum_{u} \int d\mathbf{k} \left(\frac{\mu}{\omega \eta_{\rm p} \eta_{\rm g}}\right)_{\mathbf{k}u}^{1/2} \hat{a}_{\mathbf{k}u}(t) e^{i\mathbf{k}\cdot\mathbf{r}} \mathbf{e}_{\mathbf{k}},\tag{23}$$

where

$$\hat{a}_{\mathbf{k}u}(t) = \hat{a}_{\mathbf{k}u} \exp(-\mathrm{i}\omega_{\mathbf{k}u}t). \tag{24}$$

The unit polarization vector  $\mathbf{e_k}$  is assumed to be the same for all of the polariton branches at wave vector  $\mathbf{k}$ . The two transverse polarizations for each wave vector are not shown explicitly here but they are important for the simplification of mode summations [34] and they need to be kept in mind. For non-magnetic materials, with  $\mu = 1$ , the vector potential (23) agrees with equation (5) from [35] and also with equation (A12) in [36] when the summation over polariton branches is removed.

The electric field, **E**, and magnetic flux density or induction, **B**, field operators are readily obtained from the vector potential as

$$\hat{\mathbf{E}}^{(+)}(\mathbf{r}, t) = -\frac{\partial}{\partial t} \hat{\mathbf{A}}^{(+)}(\mathbf{r}, t)$$

$$= i \left( \frac{\hbar}{16\pi^3 \varepsilon_0} \right)^{1/2} \sum_{u} \int d\mathbf{k} \left( \frac{\omega \mu}{\eta_p \eta_g} \right)_{\mathbf{k}u}^{1/2} \hat{a}_{\mathbf{k}u}(t) e^{i\mathbf{k}\cdot\mathbf{r}} \mathbf{e}_{\mathbf{k}} \tag{25}$$

and

$$\hat{\mathbf{B}}^{(+)}(\mathbf{r}, t) = \nabla \times \hat{\mathbf{A}}^{(+)}(\mathbf{r}, t)$$

$$= i \left( \frac{\hbar}{16\pi^{3} \varepsilon_{0}} \right)^{1/2} \sum_{u} \int d\mathbf{k} \left( \frac{\mu}{\omega \eta_{p} \eta_{g}} \right)_{\mathbf{k}u}^{1/2} \hat{a}_{\mathbf{k}u}(t) e^{i\mathbf{k}\cdot\mathbf{r}} \mathbf{k} \times \mathbf{e}_{\mathbf{k}}.$$
(26)

The remaining field operators, the displacement field  $\bf D$  and the magnetic field  $\bf H$ , follow from the quantum equivalents of (5) as

$$\hat{\mathbf{D}}^{(+)}(\mathbf{r},t) = i \left(\frac{\hbar}{16\pi^3 \varepsilon_0}\right)^{1/2} \sum_{u} \int d\mathbf{k} \left(\frac{\omega \varepsilon \eta_p}{\eta_g}\right)_{\mathbf{r}u}^{1/2} \hat{a}_{\mathbf{k}u}(t) e^{i\mathbf{k}\cdot\mathbf{r}} \mathbf{e}_{\mathbf{k}}$$
(27)

and

$$\hat{\mathbf{H}}^{(+)}(\mathbf{r},t) = i \left( \frac{\hbar}{16\pi^3 \varepsilon_0} \right)^{1/2} \sum_{u} \int d\mathbf{k} \left( \frac{1}{\omega \mu \eta_p \eta_g} \right)_{\mathbf{k}u}^{1/2} \hat{a}_{\mathbf{k}u}(t) e^{i\mathbf{k}\cdot\mathbf{r}} \mathbf{k} \times \mathbf{e}_{\mathbf{k}}.$$
 (28)

The above four operator expressions are consistent with previous work [33]. The field quantization for a magneto-dielectric medium has also been performed in a quantum-mechanical linear-response approach [12, 13] that assumes arbitrary complex forms for the permittivity and permeability. The resulting expressions for the E and E0 operators contain the polariton denominator (11) in their transverse parts. A theory along these lines has been further developed by a more microscopic approach in which the explicit forms of the electric and magnetic susceptibilities are derived [14, 15].

# 3.2. Field commutation relations

The validity of the field operators derived here (or at least their self–consistency) is demonstrated by the confirmation that they satisfy the required equal–time commutation relations [34, 37]. Thus it follows from the forms of our operators, given above, that

$$\left[\hat{A}_{i}(\mathbf{r}), -\hat{D}_{j}(\mathbf{r}')\right] = \frac{\mathrm{i}\hbar}{16\pi^{3}} \sum_{u} \int d\mathbf{k} \left(\frac{\eta_{\mathrm{p}}}{\eta_{\mathrm{g}}}\right)_{\mathbf{k}u} \left[e^{\mathrm{i}\mathbf{k}\cdot(\mathbf{r}-\mathbf{r}')} + e^{\mathrm{i}\mathbf{k}\cdot(\mathbf{r}'-\mathbf{r})}\right] e_{\mathbf{k}i} e_{\mathbf{k}j} 
= \frac{\mathrm{i}\hbar}{8\pi^{3}} \int d\mathbf{k} e^{\mathrm{i}\mathbf{k}\cdot(\mathbf{r}-\mathbf{r}')} e_{\mathbf{k}i} e_{\mathbf{k}j} 
= \mathrm{i}\hbar\delta_{ij}^{\perp}(\mathbf{r}-\mathbf{r}'),$$
(29)

with recognition that the two exponents in the first step give the same contributions and a crucial use of the first sum rule from equation (19). The transverse delta function,  $\delta_{ij}^{\perp}(\mathbf{r} - \mathbf{r}')$ , in the final step [34, 37, 38] relies on the implicit summation of the contributions of the two transverse polarizations. The common time t is omitted from the field operators in the commutators here and subsequently as it does not appear in the final results. An alternative canonical commutator is that for the vector potential and the electric field:

$$\left[\hat{A}_{i}(\mathbf{r}), -\varepsilon_{0}\hat{E}_{j}(\mathbf{r}')\right] = \frac{\mathrm{i}\hbar}{8\pi^{3}} \sum_{u} \int d\mathbf{k} \left(\frac{\mu}{\eta_{p}\eta_{g}}\right)_{\mathbf{k}u} e^{\mathrm{i}\mathbf{k}\cdot(\mathbf{r}-\mathbf{r}')} e_{\mathbf{k}i} e_{\mathbf{k}j}$$

$$= \mathrm{i}\hbar\delta_{ii}^{\perp}(\mathbf{r} - \mathbf{r}'), \tag{30}$$

with the use of a sum rule from equation (20). It follows from the operator form of the first relation in equation (5) that the vector potential and the polarisztion commute:

$$\left[\hat{A}_i(\mathbf{r}), \hat{P}_j(\mathbf{r}')\right] = 0. \tag{31}$$

This is most satisfactory as the two operators are associated with properties of different physical entities: the electromagnetic field and the medium respectively. We note that the commutator in equation (29) has been given previously [10] for non–magnetic dielectric media.

The remaining non-vanishing field commutators are

$$\begin{bmatrix}
\hat{E}_{i}(\mathbf{r}), \, \hat{B}_{j}(\mathbf{r}') \, \end{bmatrix} = \frac{\hbar}{8\pi^{3} \varepsilon_{0}} \sum_{u} \int d\mathbf{k} \left( \frac{\mu}{\eta_{p} \eta_{g}} \right)_{\mathbf{k}u} e^{i\mathbf{r}\cdot(\mathbf{r}-\mathbf{r}')} \varepsilon_{ijh} k_{h}$$

$$= i \frac{\hbar}{\varepsilon_{0}} \varepsilon_{ijh} \nabla_{h}' \delta(\mathbf{r} - \mathbf{r}')$$

$$\begin{bmatrix}
\hat{E}_{i}(\mathbf{r}), \, \hat{H}_{j}(\mathbf{r}') \, \end{bmatrix} = \frac{\hbar}{8\pi^{3} \mu_{0} \varepsilon_{0}} \sum_{u} \int d\mathbf{k} \left( \frac{1}{\eta_{p} \eta_{g}} \right)_{\mathbf{k}u} e^{i\mathbf{r}\cdot(\mathbf{r}-\mathbf{r}')} \varepsilon_{ijh} k_{h}$$

$$= i \frac{\hbar}{\mu_{0} \varepsilon_{0}} \varepsilon_{ijh} \nabla_{h}' \delta(\mathbf{r} - \mathbf{r}')$$

$$\begin{bmatrix}
\hat{D}_{i}(\mathbf{r}), \, \hat{B}_{j}(\mathbf{r}') \, \end{bmatrix} = \frac{\hbar}{8\pi^{3}} \sum_{u} \int d\mathbf{k} \left( \frac{\eta_{p}}{\eta_{g}} \right)_{\mathbf{k}u} e^{i\mathbf{r}\cdot(\mathbf{r}-\mathbf{r}')} \varepsilon_{ijh} k_{h}$$

$$= i \hbar \varepsilon_{ijh} \nabla_{h}' \delta(\mathbf{r} - \mathbf{r}')$$

$$\begin{bmatrix}
\hat{D}_{i}(\mathbf{r}), \, \hat{H}_{j}(\mathbf{r}') \, \end{bmatrix} = \frac{\hbar}{8\pi^{3} \mu_{0}} \sum_{u} \int d\mathbf{k} \left( \frac{\varepsilon}{\eta_{p} \eta_{g}} \right)_{\mathbf{k}u} e^{i\mathbf{r}\cdot(\mathbf{r}-\mathbf{r}')} \varepsilon_{ijh} k_{h}$$

$$= i \frac{\hbar}{u_{0}} \varepsilon_{ijh} \nabla_{h}' \delta(\mathbf{r} - \mathbf{r}'), \tag{32}$$

where we have used the sum rules given in equations (19) and (20). Here  $\epsilon_{ijh}$  is the familiar permutation symbol [39, 40] and the repeated index h is summed over the three cartesian coordinates x, y and z. The first of these results generalizes a commutator previously derived for fields in vacuo [37]. Note that together these commutation relations require that the polarization operator commutes with the magnetic field operator and that the magnetization also commutes with the electric field operator:

$$\left[ \hat{P}_i(\mathbf{r}), \, \hat{H}_j(\mathbf{r}') \right] = 0$$

$$\left[ \hat{M}_i(\mathbf{r}), \, \hat{E}_j(\mathbf{r}') \right] = 0,$$
(33)

which is a physical consequence of the fact that the two pairs of operators in each commutator are associated with properties of different systems: the medium and the electromagnetic field.

#### 3.3. Parallel beams: 3D to 1D conversion

For parallel light beams, it is sometimes convenient to work with field operators defined for dependence on a single spatial coordinate z with a one–dimensional wave vector k. Thus, for a beam of cross–sectional area A, conversion from 3D to 1D is achieved by making the substitutions

$$\int d\mathbf{k} \to \frac{4\pi^2}{A} \int dk$$

$$\delta(\mathbf{k} - \mathbf{k}') \to \frac{A}{4\pi^2} \delta(k - k')$$

$$\hat{a}_{\mathbf{k}u} \to \frac{\sqrt{A}}{2\pi} \hat{a}_{ku}.$$
(34)

The vector potential operator (23) for polarization parallel to the x-axis is converted in this way to

$$\hat{\mathbf{A}}^{(+)}(z,t) = \left(\frac{\hbar}{4\pi\varepsilon_0 A}\right)^{1/2} \sum_{u} \int \mathrm{d}k \left(\frac{\mu}{\omega \eta_{\rm p} \eta_{\rm g}}\right)_{k_u}^{1/2} \hat{\mathbf{a}}_{ku}(t) \,\mathrm{e}^{\mathrm{i}kz} \,\tilde{\mathbf{x}},\tag{35}$$

where  $\tilde{\mathbf{x}}$  is the unit vector in the *x*-direction. The orthogonal degenerate polariton modes give a vector potential parallel to  $\tilde{\mathbf{y}}$ . The four field operators retain their forms given in equations (25) to (28) except for appropriate changes in the first square-root factors and vector directions. The electric and displacement fields are parallel to the *x*-axis, while the magnetic field and induction are parallel to the *y*-axis. The commutation relation for the creation and destruction operators retains the form given in equation (21) but with  $\mathbf{k}$  replaced by k. For  $\mu = 1$  and a single–resonance dielectric, the vector potential (35) agrees with equation (3.25) in [31] and equation (9) in [29].

The single-coordinate vector potential can also be expressed as an integral over frequency by means of the conversions

$$\int dk \to \int d\omega \frac{\eta_g}{c}$$

$$\delta(k - k') \to \frac{c}{\eta_g} \delta(\omega - \omega')$$

$$\hat{a}_{ku} \to \left(\frac{c}{\eta_g}\right)^{1/2} \hat{a}_{\omega}.$$
(36)

There are no overlaps in frequency between the different twofold–degenerate polariton branches and the summation over u is accordingly removed from the vector potential, which becomes

$$\hat{\mathbf{A}}^{(+)}(z,t) = \int d\omega \left(\frac{\hbar}{4\pi\omega A}\right)^{1/2} \left(\frac{\mu_0 \mu}{\varepsilon_0 \varepsilon}\right)^{1/4} \hat{a}_{\omega}(t) \exp\left(i\omega \eta_p z/c\right) \tilde{\mathbf{x}},\tag{37}$$

where

$$\hat{a}_{\omega}(t) = \hat{a}_{\omega} e^{-i\omega t}. \tag{38}$$

This destruction operator and the associated creation operator satisfy the continuum commutation relation

$$\left[\hat{a}_{\omega}, \hat{a}_{\omega'}^{\dagger}\right] = \delta(\omega - \omega'). \tag{39}$$

The field operators obtained by conversion in this way of (25) to (28) are

$$\hat{\mathbf{E}}^{(+)}(z,t) = \mathrm{i} \int \mathrm{d}\omega \left(\frac{\hbar\omega}{4\pi A}\right)^{1/2} \left(\frac{\mu_0\mu}{\varepsilon_0\varepsilon}\right)^{1/4} \hat{a}_{\omega}(t) \exp\left(\mathrm{i}\omega\eta_\mathrm{p}z/c\right) \tilde{\mathbf{x}}$$

$$\hat{\mathbf{B}}^{(+)}(z,t) = \mathrm{i} \int \mathrm{d}\omega \left(\frac{\hbar\omega}{4\pi A}\right)^{1/2} (\varepsilon_0\varepsilon)^{1/4} (\mu_0\mu)^{3/4} \hat{a}_{\omega}(t) \exp\left(\mathrm{i}\omega\eta_\mathrm{p}z/c\right) \tilde{\mathbf{y}}$$

$$\hat{\mathbf{D}}^{(+)}(z,t) = \mathrm{i} \int \mathrm{d}\omega \left(\frac{\hbar\omega}{4\pi A}\right)^{1/2} (\varepsilon_0\varepsilon)^{3/4} (\mu_0\mu)^{1/4} \hat{a}_{\omega}(t) \exp\left(\mathrm{i}\omega\eta_\mathrm{p}z/c\right) \tilde{\mathbf{x}}$$

$$\hat{\mathbf{H}}^{(+)}(z,t) = \mathrm{i} \int \mathrm{d}\omega \left(\frac{\hbar\omega}{4\pi A}\right)^{1/2} \left(\frac{\varepsilon_0\varepsilon}{\mu_0\mu}\right)^{1/4} \hat{a}_{\omega}(t) \exp\left(\mathrm{i}\omega\eta_\mathrm{p}z/c\right) \tilde{\mathbf{y}}. \tag{40}$$

There is again agreement with previously defined expressions [29, 31] for  $\mu = 1$ . We can use these field operators to calculate the vacuum fluctuations and find

$$\langle 0 | \hat{E}_{x}^{2}(z,t) | 0 \rangle = \langle 0 | \hat{E}_{x}^{(+)}(z,t) \hat{E}_{x}^{(-)}(z,t) | 0 \rangle = \int d\omega \frac{\hbar \omega}{4\pi A} \left( \frac{\mu_{0}\mu}{\varepsilon_{0}\varepsilon} \right)^{1/2}$$

$$= \langle 0 | \hat{E}_{y}^{2}(z,t) | 0 \rangle$$

$$\langle 0 | \hat{B}_{y}^{2}(z,t) | 0 \rangle = \langle 0 | \hat{B}_{y}^{(+)}(z,t) \hat{B}_{y}^{(-)}(z,t) | 0 \rangle = \int d\omega \frac{\hbar \omega}{4\pi A} \left( \varepsilon_{0}\varepsilon\mu_{0}^{3}\mu^{3} \right)^{1/2}$$

$$= \langle 0 | \hat{B}_{x}^{2}(z,t) | 0 \rangle$$

$$\langle 0 | \hat{D}_{x}^{2}(z,t) | 0 \rangle = \langle 0 | \hat{D}_{x}^{(+)}(z,t) \hat{D}_{x}^{(-)}(z,t) | 0 \rangle = \int d\omega \frac{\hbar \omega}{4\pi A} \left( \mu_{0}\mu\varepsilon_{0}^{3}\varepsilon^{3} \right)^{1/2}$$

$$= \langle 0 | \hat{D}_{y}^{2}(z,t) | 0 \rangle$$

$$\langle 0 | \hat{H}_{y}^{2}(z,t) | 0 \rangle = \langle 0 | \hat{H}_{y}^{(+)}(z,t) \hat{H}_{y}^{(-)}(z,t) | 0 \rangle = \int d\omega \frac{\hbar \omega}{4\pi A} \left( \frac{\varepsilon_{0}\varepsilon}{\mu_{0}\mu} \right)^{1/2}$$

$$= \langle 0 | \hat{H}_{x}^{2}(z,t) | 0 \rangle, \tag{41}$$

in exact agreement with results obtained in section 2.2.

We shall make use of the 1D field operators derived here to calculate the force exerted by a photon on a magneto—dielectric medium, but first return to the full 3D description to investigate the electromagnetic momentum.

# 4. Momentum operators

#### 4.1. Minkowski and Abraham

The much debated Abraham–Minkowski dilemma is most simply stated as a question: which of two eminently plausible momentum densities,  $\mathbf{D} \times \mathbf{B}$  and  $c^{-2}\mathbf{E} \times \mathbf{H}$ , is the true or preferred value [7, 9]? We amplify upon the answer given in [10], making special reference to the effects of a magneto–dielectric medium.

Two rival forms for the electromagnetic energy—momentum tensors were derived by Minkowski [1] and Abraham [2–4]. Their original formulations considered electromagnetic fields in moving bodies, but it suffices for our purposes to set the material velocity equal to zero. These results continue to hold for the magneto—dielectric media of interest to us. The two formulations differ principally in their expressions for the electromagnetic momentum and we consider here the respective quantized versions of these.

The Minkowski momentum is quite difficult to find in the paper [1], but it can be deduced from the expressions for other quantities. Its quantized form is represented by the operator

$$\hat{\mathbf{G}}^{\mathrm{M}}(t) = \int d\mathbf{r} \hat{\mathbf{D}}(\mathbf{r}, t) \times \hat{\mathbf{B}}(\mathbf{r}, t) 
= \frac{\hbar}{2} \sum_{u, u'} \int d\mathbf{k} \left( \frac{\omega \varepsilon \eta_{\mathrm{p}}}{\eta_{\mathrm{g}}} \right)_{\mathbf{k}u}^{1/2} \left( \frac{\mu}{\omega \eta_{\mathrm{p}} \eta_{\mathrm{g}}} \right)_{\mathbf{k}u'}^{1/2} \left[ \hat{a}_{\mathbf{k}u}(t) \hat{a}_{\mathbf{k}u'}^{\dagger}(t) + \hat{a}_{\mathbf{k}u}^{\dagger}(t) \hat{a}_{\mathbf{k}u'}(t) \right] 
+ \hat{a}_{\mathbf{k}u}(t) \hat{a}_{-\mathbf{k}u'}(t) + \hat{a}_{\mathbf{k}u}^{\dagger}(t) \hat{a}_{-\mathbf{k}u'}^{\dagger}(t) \right] \mathbf{k}, \tag{42}$$

where equations (26) and (27) have been used. The diagonal part of this momentum operator is

$$\hat{\mathbf{G}}_{\text{diag}}^{M} = \frac{1}{2} \sum_{u} \int d\mathbf{k} \left( \frac{\eta_{\text{p}}}{\eta_{\text{g}}} \right)_{\mathbf{k}u} \left( \hat{a}_{\mathbf{k}u}^{\dagger} \hat{a}_{\mathbf{k}u} + \hat{a}_{\mathbf{k}u} \hat{a}_{\mathbf{k}u}^{\dagger} \right) \hbar \mathbf{k}. \tag{43}$$

The fact that  $k = \eta_p \omega / c$  leads us to identify a single–photon momentum

$$p_{\rm (M)} = \frac{\hbar\omega}{c} \left(\frac{\eta_{\rm p}^2}{\eta_{\rm g}}\right) \tag{44}$$

with the individual polariton mode  $\mathbf{k}u$ . This form of the Minkowski single-photon momentum has been derived previously [41] for a single-resonance non-magnetic material. There are good reasons, however as we shall see below, *not* to assign this value to the Minkowski momentum.

The corresponding form of the Abraham momentum operator, proportional to the Poynting vector for energy flow, is [2–4]

$$\hat{\mathbf{G}}^{\mathbf{A}}(t) = \frac{1}{c^{2}} \int d\mathbf{r} \hat{\mathbf{E}}(\mathbf{r}, t) \times \hat{\mathbf{H}}(\mathbf{r}, t)$$

$$= \frac{\hbar}{2} \sum_{u,u'} \int d\mathbf{k} \left( \frac{\omega \mu}{\eta_{\mathbf{p}} \eta_{\mathbf{g}}} \right)_{\mathbf{k}u}^{1/2} \left( \frac{1}{\omega \mu \eta_{\mathbf{p}} \eta_{\mathbf{g}}} \right)_{\mathbf{k}u'}^{1/2} \left[ \hat{a}_{\mathbf{k}u}(t) \hat{a}_{\mathbf{k}u'}^{\dagger}(t) + \hat{a}_{\mathbf{k}u}^{\dagger}(t) \hat{a}_{\mathbf{k}u'}(t) \right] + \hat{a}_{\mathbf{k}u}(t) \hat{a}_{-\mathbf{k}u'}(t) + \hat{a}_{\mathbf{k}u}^{\dagger}(t) \hat{a}_{-\mathbf{k}u'}(t) \right] \mathbf{k}, \tag{45}$$

which differs from the corresponding expression for  $\hat{\mathbf{G}}^{\mathrm{M}}(t)$  only in the two square–root factors that occur in the field operators (25) and (28). The diagonal part of this momentum operator is

$$\hat{\mathbf{G}}_{\text{diag}}^{A} = \frac{1}{2} \sum_{u} \int d\mathbf{k} \left( \frac{1}{\eta_{p} \eta_{g}} \right)_{\mathbf{k}u} \left( \hat{a}_{\mathbf{k}u}^{\dagger} \hat{a}_{\mathbf{k}u} + \hat{a}_{\mathbf{k}u} \hat{a}_{\mathbf{k}u}^{\dagger} \right) \hbar \mathbf{k}, \tag{46}$$

so that the associated single-photon momentum is

$$p_{\rm A} = \frac{\hbar\omega}{c} \left(\frac{1}{\eta_{\rm g}}\right)_{\rm ku},\tag{47}$$

which is the usual Abraham value.

The subscript M appears in brackets in equation (44) because an alternative form for the Minkowski momentum, given by

$$p_{\rm M} = \frac{\hbar \omega}{c} \eta_{\rm p},\tag{48}$$

is observed in experiments sufficiently accurate to distinguish between the phase and group refractive indices, particularly the submerged mirror measurements of Jones and Leslie [42]. Note that the difference between the two candidate momenta,  $p_A$  and  $p_M$ , can be very large and even, the case of media with a negative refractive index, point in opposite directions [43]. The resolution of the apparent conflict between the two forms of Minkowski momentum is discussed in section 4.3.

# 4.2. Vector potential-momentum commutators

It is instructive to evaluate the commutators of the two momentum operators with the vector potential. We can do this either by using the expressions for the fields in terms of the polariton creation and destruction operators or, more directly, by using the field commutation relations (29) and (30), together with the fact that the vector potential commutes with both the magnetic field and the induction.

For the Minkowski momentum we find

$$\begin{bmatrix} \hat{A}_{i}(\mathbf{r}), G_{j}^{M} \end{bmatrix} = \epsilon_{jkl} \int d\mathbf{r}' \begin{bmatrix} \hat{A}_{i}(\mathbf{r}), \hat{D}_{k}(\mathbf{r}') \end{bmatrix} \hat{B}_{l}(\mathbf{r}') 
= -i\hbar \epsilon_{jkl} \int d\mathbf{r}' \delta_{ik}^{\perp}(\mathbf{r} - \mathbf{r}') \hat{B}_{l}(\mathbf{r}') 
= -i\hbar \epsilon_{jkl} \epsilon_{lmn} \int d\mathbf{r}' \delta_{ik}^{\perp}(\mathbf{r} - \mathbf{r}') \nabla_{m}' \hat{A}_{n}(\mathbf{r}') 
= -i\hbar \nabla_{j} \hat{A}_{i}(\mathbf{r}) + i\hbar \int d\mathbf{r}' \delta_{ik}^{\perp}(\mathbf{r} - \mathbf{r}') \nabla_{k}' \hat{A}_{j}(\mathbf{r}') 
= -i\hbar \nabla_{i} \hat{A}_{i}(\mathbf{r}),$$
(49)

where we have used the summation convention so that repeated indices are summed over the three cartesian directions. It should also be noted that the remaining fields will have the same form of commutation relation with the Minkowski momentum, for example for the electric field we have

$$\left[\hat{E}_{i}(\mathbf{r}), \hat{G}_{j}^{M}\right] = -i\hbar \nabla_{j} \hat{E}_{i}(\mathbf{r}). \tag{50}$$

This follows directly from the relationships between these fields and the vector potential together with the fact that the vector potential commutes with the polarization and the magnetization.

For the Abraham momentum we can exploit our calculation for the Minkowski momentum to find the commutator

$$\begin{bmatrix} \hat{A}_{i}(\mathbf{r}), \, \hat{G}_{j}^{A} \end{bmatrix} = \epsilon_{jkl} \int d\mathbf{r}' \Big[ \hat{A}_{i}(\mathbf{r}), \, \epsilon_{0} \hat{E}_{k}(\mathbf{r}') \Big] \mu_{0} \hat{H}_{l}(\mathbf{r}') 
= \epsilon_{jkl} \int d\mathbf{r}' \Big[ \hat{A}_{i}(\mathbf{r}), \, \epsilon_{0} \hat{E}_{k}(\mathbf{r}') \Big] \Big( \hat{B}_{l}(\mathbf{r}') - \mu_{0} \hat{M}_{l}(\mathbf{r}') \Big) 
= -i\hbar \nabla_{j} \hat{A}_{i}(\mathbf{r}) + i\hbar \epsilon_{jkl} \int d\mathbf{r}' \delta_{ik}^{\perp}(\mathbf{r} - \mathbf{r}') \mu_{0} \hat{M}_{l}(\mathbf{r}').$$
(51)

The second term, with its integration over the magnetization, means that the commutator depends on both a field property, the vector potential, and a medium property, the magnetization [10].

#### 4.3. Interpretation

The identification of the Minkowski and Abraham photon momenta respectively with the electromagnetic canonical and kinetic momenta has been proposed in the past [41, 44–46], but rigorously proven only more recently [7, 10]. We need add here only a few brief remarks.

The commutation relation (49) satisfied by the Minkowski momentum operator resembles the familiar canonical commutator of the particle momentum operator,

$$\left[F_i(\mathbf{r}), \, \hat{p}_j\right] = i\hbar \, \nabla_j F_i(\mathbf{r}),\tag{52}$$

where **F**(**r**) is an arbitrary vector function of position. Thus, analogously to its particle counterpart, the Minkowski momentum operator for the electromagnetic field generates a spatial translation, in this case of the vector potential and the electric and magnetic fields. The operator therefore indeed represents the canonical momentum of the field and it is the observed momentum in experiments that measure the displacement of a body embedded in a material host, as has been seen for a mirror immersed in a dielectric liquid [42], for the transfer of momentum to charge carriers in the photon drag effect [47] and in the recoil of an atom in a host gas [48]. The simple spatial derivative that occurs on the right of equation (49) shows that the measured single—photon momentum should have the Minkowski form in (48) and not that given in equation (44).

The kinetic momentum of a material body is the simple product of its mass and velocity. The form of the Abraham single-photon momentum in equation (47) is verified by thought experiments of the Einstein-box variety [49, 50]. These use the principle of uniform motion of the centre of mass-energy as a single-photon pulse passes through a transparent dielectric slab and they reliably produce the Abraham momentum. The calculations remain valid with no essential modifications when the slab is made from a magneto—dielectric material.

The total momentum includes contributions both from the optical field and the medium through which it propagates. The relationship between the kinetic and canonical momenta for the medium is most readily obtained by considering first a single atom. For an atom with electric dipole operator  $\hat{\mathbf{d}}$ , the kinetic and canonical momentum operators differ by the Röntgen term associated with transforming the fields into the atom's rest–frame [34, 44, 51, 52]

$$\hat{\boldsymbol{\pi}}_{\text{atom}}^{\text{kinetic}} = \hat{\boldsymbol{\pi}}_{\text{atom}}^{\text{canonical}} + \hat{\mathbf{d}} \times \hat{\mathbf{B}}. \tag{53}$$

If the atom has, in addition, a magnetic dipole moment operator  $\hat{\mathbf{m}}$  then this relationship becomes [46]

$$\hat{\boldsymbol{\pi}}_{\text{atom}}^{\text{kinetic}} = \hat{\boldsymbol{\pi}}_{\text{atom}}^{\text{canonical}} + \hat{\mathbf{d}} \times \hat{\mathbf{B}} + \frac{1}{c^2} \hat{\mathbf{E}} \times \hat{\mathbf{m}}.$$
 (54)

On adding the contributions from all of the atoms the dipole terms lead to a polarization  $\hat{\bf P}$  and a magnetization  $\hat{\bf M}$ . Hence we can write the total kinetic momentum of medium in the form

$$\hat{\mathbf{\Pi}}_{\text{medium}}^{\text{kinetic}} = \hat{\mathbf{\Pi}}_{\text{medium}}^{\text{canonical}} + \int d\mathbf{r} \,\hat{\mathbf{P}} \times \hat{\mathbf{B}} + \frac{1}{c^2} \int d\mathbf{r} \,\hat{\mathbf{E}} \times \hat{\mathbf{M}}. \tag{55}$$

Combining these with our Minkowski and Abraham momenta for the optical field we find that the total momentum is unique:

$$\hat{\boldsymbol{\Pi}}_{\text{medium}}^{\text{canonical}} + \hat{\mathbf{G}}^{\text{M}} = \hat{\boldsymbol{\Pi}}_{\text{medium}}^{\text{kinetic}} + \hat{\mathbf{G}}^{\text{A}}. \tag{56}$$

It is this total momentum that is conserved in the interactions between electromagnetic waves and material media.

#### 4.4. Angular momentum

The electromagnetic field carries not only energy and linear momentum but also angular momentum and it is natural to introduce angular momenta derived from the Minkowski and Abraham momenta in the forms

$$\hat{\mathbf{J}}^{M} = \int d\mathbf{r} \, \mathbf{r} \times \left[ \hat{\mathbf{D}}(\mathbf{r}) \times \hat{\mathbf{B}}(\mathbf{r}) \right]$$

$$\hat{\mathbf{J}}^{A} = \frac{1}{c^{2}} \int d\mathbf{r} \, \mathbf{r} \times \left[ \hat{\mathbf{E}}(\mathbf{r}) \times \hat{\mathbf{H}}(\mathbf{r}) \right]. \tag{57}$$

A careful analysis of a light beam carrying angular momentum entering a dielectric medium shows that, in contrast with the linear momentum, the Minkowski angular momentum is the same inside and outside the medium, but that the Abraham angular momentum is reduced in comparison to its free–space value by the product of the phase and group indices [53]. The analogue of the Einstein–box argument suggests that light carrying angular momentum entering a medium exerts a torque on it, inducing a rotation on propagation through it. An object imbedded in the host, however, may be expected to experience the influence of the same angular momentum as in free space and, indeed, this is what is seen in experiment [54].

The canonical or Minkowski angular momentum should be expected to induce a rotation of the electromagnetic fields, which requires both a rotation of the coordinate and also of the direction of the field. The requirement to provide both of these transformations provides a stringent test of the identification of the Minkowski and canonical momenta. It is convenient to first rewrite the Minkowski linear momentum density in a new form:

$$\left[\hat{\mathbf{D}} \times \hat{\mathbf{B}}\right]_{i} = \hat{D}_{j} \nabla_{i} \hat{A}_{j} - \hat{D}_{j} \nabla_{j} \hat{A}_{i}$$

$$= \hat{D}_{j} \nabla_{i} \hat{A}_{j} - \nabla_{j} \left(\hat{D}_{j} \hat{A}_{i}\right), \tag{58}$$

where we have used the first Maxwell equation,  $\nabla_j \hat{D}_j = 0$ . We can insert this form into our expression for  $\hat{J}^M$  and, on performing an integration by parts and discarding a physically–unimportant boundary term we find

$$\hat{\mathbf{J}}^{\mathrm{M}} = \int \mathrm{d}\mathbf{r} \Big[ \hat{D}_{j}(\mathbf{r} \times \nabla) \hat{A}_{j} + \hat{\mathbf{D}} \times \hat{\mathbf{A}} \Big], \tag{59}$$

which, in the absence of the medium reduces to the form obtained by Darwin [55, 56].

It is tempting, even natural, to associate the two contributions in the integrand with the orbital and spin angular momentum components of the total angular momentum. This is indeed reasonable, but it should be noted that neither part alone is a true angular momentum [57–59]. It is instructive to consider the commutation relation with a single component of the angular momentum and so consider the operator  $\theta \cdot \hat{\mathbf{j}}^{\mathrm{M}}$ :

$$\begin{bmatrix} \hat{\mathbf{A}}(\mathbf{r}), \ \theta \cdot \hat{\mathbf{J}}^{\mathrm{M}} \end{bmatrix} = -i\hbar \begin{bmatrix} \theta \cdot (\mathbf{r} \times \nabla) \hat{\mathbf{A}} \end{bmatrix}^{\perp} + i\hbar (\theta \times \hat{\mathbf{A}})^{\perp}$$

$$= -i\hbar \begin{bmatrix} \theta \cdot (\mathbf{r} \times \nabla) \hat{\mathbf{A}} - \theta \times \hat{\mathbf{A}} \end{bmatrix}. \tag{60}$$

The orbital and spin parts rotate, as far as is possible given the constraints of transversality, the amplitude and direction of the potential [57–59]. The combination of both of these gives the required transformation. The commutator (60) gives the first order rotation of the vector potential about an axis parallel to  $\theta$  through the small angle  $\theta$ , as the canonical angular momentum should.

# 5. Magnetic Lorentz force

It remains to determine the radiation pressure due to a light field on our magneto—dielectric medium. To complete this task we adopt the method used previously of evaluating the force exerted by a single-photon planewave pulse normally incident on the medium [18,60]. Before we can complete the calculation, however, we need to determine a suitable form for the electromagnetic force density.

#### 5.1. Heaviside–Larmor symmetry

Maxwell's equations in the absence of free charges and currents (4) exhibit the so-called Heaviside-Larmor symmetry [61,62], with the forms that are invariant under rotational duality transformations given by [22]

$$\mathbf{E} = \mathbf{E}' \cos \xi + Z_0 \mathbf{H}' \sin \xi$$

$$\mathbf{H} = \mathbf{H}' \cos \xi - Z_0^{-1} \mathbf{E}' \sin \xi$$

$$\mathbf{D} = \mathbf{D}' \cos \xi + Z_0^{-1} \mathbf{B}' \sin \xi$$

$$\mathbf{B} = \mathbf{B}' \cos \xi - Z_0 \mathbf{D}' \sin \xi,$$
(61)

for any value of  $\xi$  and where  $Z_0$  is again the impedance of free space. It is readily verified that the four Maxwell equations are converted to the same set of equations in the primed fields. The various physical properties of the electromagnetic field must also be unchanged by the transformations [63]. We note, in particular, that the Minkowski and Abraham momentum operators,  $\hat{\mathbf{G}}^{M}$  and  $\hat{\mathbf{G}}^{A}$  given in equations (42) and (45) and also the usual

expressions for the electromagnetic field energy density and Poynting vector are all invariant under the transformation (61).

The standard form of the Lorentz force law in a non-magnetic dielectric is [64]

$$\mathbf{f}^{\mathrm{L}} = (\mathbf{P} \cdot \nabla)\mathbf{E} + \mu_{0}\dot{\mathbf{P}} \times \mathbf{H},\tag{62}$$

with terms proportional to the electric polarization and its time derivative<sup>3</sup>. For a magneto—dielectric medium we need to add the force due to the magnetization and to do so in a manner that gives a force density that is invariant under the Heaviside–Larmor transformation. It follows from the transformation (61) that the polarization and magnetization are similarly transformed:

$$\mathbf{P} = \mathbf{P}' \cos \xi + c^{-1} \mathbf{M}' \sin \xi$$

$$\mathbf{M} = \mathbf{M}' \cos \xi - c \mathbf{P}' \sin \xi.$$
(63)

The required form of the force density, satisfying the Heaviside–Larmor symmetry is

$$\mathbf{f}^{\mathrm{EL}} = (\mathbf{P} \cdot \nabla)\mathbf{E} + \mu_0 \dot{\mathbf{P}} \times \mathbf{H} + \mu_0 (\mathbf{M} \cdot \nabla)\mathbf{H} - \varepsilon_0 \mu_0 \dot{\mathbf{M}} \times \mathbf{E}. \tag{64}$$

The invariance of this expression under the Heavisde–Larmor transformation is easily shown. This form of the force density was derived by Einstein and Laub over 100 years ago [65] and there have since been several independent re–derivations of it [66–71]. The final term in equation (64) has been given special attention in [72], where it is treated as a manifestation of the so–called 'hidden momentum' given by  $\varepsilon_0\mu_0\mathbf{M}\times\mathbf{E}$ . This line of thought has attracted a series of publications, with several listed on page 616 of [22]. Omission of the final term leads to difficulties, not the least of which is the identification of a momentum density that does not satisfy the Heaviside–Larmor symmetry [73, 74]<sup>4</sup>. The above derivation of the Einstein–Laub force density shows how the magnetic terms follow from the polarization terms by simple symmetry arguments and so provides a new perspective on the complete force density. It is interesting to note, moreover, that the force density appropriate for a dielectric medium (62) may be obtained by consideration of the action on the individual dipoles making up the medium [64] and that the most direct way to arrive at the Einstein–Laub force density is to obtain the magnetization part by treating a collection of Gilbertian magnetic dipoles [81].

It is also shown in the original paper [65] that the classical form of the Abraham momentum and the classical force density satisfy the conservation condition

$$\frac{\partial}{\partial t} \mathbf{G}^{\mathbf{A}}(t) = -\int d\mathbf{r} \, \mathbf{f}^{\mathbf{EL}}(\mathbf{r}, t). \tag{65}$$

The integration is taken over all space and the relation is valid for fields that vanish at infinity. This equality of the rate of change of the Abraham momentum of the light to minus the total Einstein–Laub force on the medium, or rate of change of material momentum, is as expected on physical grounds and further underlines the identification of the Abraham momentum with the kinetic momentum of the light [7, 10]. Equation (65) is simply an expression of the conservation of total momentum.

#### 5.2. Momentum transfer to a half-space magneto-dielectric

We consider a single-photon pulse normally incident from free space at z < 0 on the flat surface of a semi-infinite magneto-delectric that fills the half space z > 0. The pulse is assumed to have a narrow range of frequencies centred on  $\omega_0$ . Its amplitude and reflection coefficients, the same as in classical theory, are [22]

$$R = -\frac{\sqrt{\varepsilon/\mu} - 1}{\sqrt{\varepsilon/\mu} + 1}$$

$$T = \frac{2}{\sqrt{\varepsilon/\mu} + 1},$$
(66)

where all of the optical parameters depend on the frequency. The damping parameters in the imaginary parts of  $\varepsilon$  and  $\mu$ , as they occur in R and T, are assumed negligible but they should be sufficient for the attenuation length

$$\mathbf{f}^{L} = (\mathbf{P} \cdot \boldsymbol{\nabla})\mathbf{E} + \dot{\mathbf{P}} \times \mathbf{B}.$$

In a magnetic medium, however, we need to distinguish between  $\mu_0$ H and B. That it should be the former that appears in the force density follows on consideration of the screening effect of surrounding magnetic dipoles in the medium, in much the same way as electric dipoles screen the electric field in a medium.

This is usually written in terms of the magnetic induction as [64]

<sup>&</sup>lt;sup>4</sup> It is by no means straightforward to obtain the Einstein–Laub force density, in particular the final hidden–momentm related term, from the microscopic Lorentz force law and it has been suggested, for this reason, that the latter is incorrect [75]. A relativistic treatment, however, reveals that the required hidden–momentum contribution arises quite naturally from the Lorentz force law [76–80].

$$\ell(\omega) = \frac{c}{2\omega \operatorname{Im}(\sqrt{\varepsilon\mu})} \tag{67}$$

to give complete absorption of the pulse over its semi-infinite propagation distance in the medium.

The momentum transfer to the medium as a whole is entirely determined by the free-space single-photon momenta, before and after reflection of the pulse, as

$$\left(1 + R^2\right) \frac{\hbar\omega_0}{c} = \left(\sqrt{\frac{\varepsilon}{\mu}} T^2\right) \frac{\varepsilon + \mu}{2\eta_p} \frac{\hbar\omega_0}{c},$$
(68)

with the small imaginary parts of the optical parameters again ignored. It is often useful to re–express the momentum transfer in terms of a single transmitted photon with energy  $\hbar\omega_0$  at  $z=0^+$ . This quantity is obtained by removal of the transmitted fraction of the pulse energy, given by the bracketed term on the right of (68), as

$$p_{\text{total}} = \frac{\varepsilon + \mu}{2\eta_{\text{p}}} \frac{\hbar\omega_0}{c} = \frac{1}{2} \left( \sqrt{\frac{\varepsilon}{\mu}} + \sqrt{\frac{\mu}{\varepsilon}} \right), \tag{69}$$

in agreement with previous work [69, 82]. The remainder of the section considers the separation of this total transfer of momentum to the magneto-dielectric into its surface and bulk contributions.

Previous calculations [18, 60] of the radiation pressure on a semi–infinite dielectric were made by evaluation of the Lorentz force on the material. This method is generalized here for a magneto–dielectric medium. For a transverse plane–wave pulse propagated parallel to the z-axis, with electric and magnetic fields parallel to the x and y axes respectively, the relevant component of the Einstein–Laub force from (64) has the quantized form

$$\hat{f}_{z}^{\text{EL}} = \mu_{0} \frac{\partial \hat{P}}{\partial t} \hat{H} - \frac{1}{c^{2}} \frac{\partial \hat{M}}{\partial t} \hat{E}$$

$$= \frac{1}{c^{2}} \left[ (\varepsilon - 1) \frac{\partial \hat{E}}{\partial t} \hat{H} + \hat{E} (\mu - 1) \frac{\partial \hat{H}}{\partial t} \right]. \tag{70}$$

The 1D field operators from section 3.3, given in (40), are appropriate here. The single–photon pulse is represented by the state

$$|1\rangle = \int d\omega \, \xi(\omega) \hat{a}^{\dagger}(\omega) |0\rangle,$$
 (71)

where  $|0\rangle$  is the vacuum state. This single-photon state is normalized if we require our function  $\xi(\omega)$  to satisfy

$$\int d\omega |\xi(\omega)|^2 = 1. \tag{72}$$

The states, from their construction, satisfy

$$\hat{a}(\omega)|1\rangle = \xi(\omega)|0\rangle. \tag{73}$$

A simple choice for the pulse amplitude is

$$\xi(\omega) = \left(\frac{L^2}{2\pi c^2}\right)^{1/4} \exp\left[-\frac{L^2(\omega - \omega_0)^2}{4c^2}\right]$$
 (74)

with  $c/L \ll \omega_0$ . The narrowness of the spectrum of this pulse means that  $\omega$  can often be set equal to  $\omega_0$ .

The radiation pressure of the magneto–dielectric is obtained by evaluation of the expectation value of the Einstein–Laub force (70) for the single–photon pulse. The normal-order part of the force operator, indicated by colons, is used to eliminate unwanted vacuum contributions. A calculation similar to that carried out in [18] for a dielectric medium gives

$$\langle 1|: \hat{f}_{z}^{\text{EL}}(z, t): |1\rangle \approx \left(\frac{\hbar\omega_{0}}{\sqrt{2\pi}\eta_{p}AL}\right) \left\{\frac{\varepsilon + \mu}{\ell} - \left[\eta_{p}(\varepsilon + \mu) - 2\eta_{p}\right] \frac{4c}{L^{2}} \left(t - \eta_{g}\frac{z}{c}\right)\right\} \times \exp\left[-\frac{2c^{2}}{L^{2}} \left(t - \eta_{g}\frac{z}{c}\right)^{2} - \frac{z}{\ell}\right], \tag{75}$$

where the real  $\varepsilon$ ,  $\mu$ , and their derivatives in the group velocity are evaluated at frequency  $\omega_0$  and their relatively small imaginary parts survive only in the attenuation length  $\ell$ . It is readily verified by integration over t then z that this expression regenerates the total momentum transfer in equation (69). The force on the entire material at time t is

$$\langle 1|: \hat{F}_{z}^{\text{EL}}(t): |1\rangle = A \int_{0}^{\infty} dz \, \langle 1|: \hat{f}_{z}^{\text{EL}}(z, t): |1\rangle \approx \left(\frac{\hbar \omega_{0}}{\sqrt{2\pi} \eta_{p} \eta_{g}}\right) \\ \times \left\{\frac{\eta_{p}}{\eta_{g} \ell} \sqrt{\frac{\pi}{2}} \operatorname{erfc}\left[\sqrt{2} \left(-\frac{ct}{L} + \frac{L}{4\eta_{g} \ell}\right)\right] \exp\left(-\frac{ct}{\eta_{g} \ell}\right) + \frac{\eta_{g}(\varepsilon + \mu) - 2\eta_{p}}{L} \exp\left(-\frac{2c^{2}t^{2}}{L^{2}} - \frac{L^{2}}{8\eta_{g}^{2} \ell^{2}}\right)\right\},$$

$$(76)$$

with appropriate approximations neglecting small terms in the exponents for the long attenuation—length regime with  $L \ll \ell$ . This expression, with error function and exponential contributions, has the same overall structure as found in other radiation pressure problems [18, 60]. The two terms in the large bracket are respectively the bulk and surface contributions, with time—integrated values

$$\int_{-\infty}^{\infty} dt \langle 1|: \hat{P}_{z}^{\text{EL}}(t): |1\rangle = p_{\text{total}}$$

$$= \underbrace{\frac{\hbar \omega_{0}}{c} \frac{1}{\eta_{g}}}_{\text{bulk}} + \underbrace{\frac{\hbar \omega_{0}}{c} \left(\frac{\varepsilon + \mu}{2\eta_{p}} - \frac{1}{\eta_{g}}\right)}_{\text{gurfero}}.$$
(77)

This is again in agreement with equation (69) and it also reduces to equation (5.21) of [18] for a non-magnetic material, where the momentum transfer can be written entirely in terms of the phase and group indices. The simple Abraham photon momentum again represents that available for transfer to the bulk material, once the transmitted part of the pulse has cleared the surface, while the more complicated surface momentum transfer depends on both  $\varepsilon$  and  $\mu$ , together with their functional forms embodied in the phase and group refractive indices.

We conclude this section by noting that the Heaviside–Larmor symmetry retains a presence in all of the forces and force densities obtained here, in that their forms are unchanged if we interchange, everywhere, the relative permittivity and permeability.

#### 6. Conclusion

Much of the content of the paper presents the generalizations to magneto—dielectrics of results previously established for non—magnetic materials with  $\mu=1$ . The classical linear response theory in section 2 allows direct calculation of the electric and magnetic field—fluctuation spectra. The elementary excitations for a medium with multiple electric and magnetic resonances are the polaritons, whose phase and group velocities obey generalized sum rules for magneto—dielectrics [32].

The quantum theory in section 3 introduces electromagnetic field operators based on the multiple—branch polariton creation and destruction operators. It is shown that the vacuum fluctuations of the quantized electric and magnetic fields reproduce the spectra obtained from our classical linear—response theory. The generalized field operators are shown to satisfy the same required canonical commutation relations as their simpler counterparts that hold in vacuum.

The Minkowski and Abraham electromagnetic momentum operators are introduced in section 4 and their associated single-photon momenta are identified. The commutators of these momentum and the vector-potential operators, previously calculated, rely on the canonical commutation relations and, through these, on the polariton sum rules. An extension to angular momentum, both canonical and kinetic, is achieved by introducing angular momentum densities that are the cross product of the position and the Minkowski and Abraham momentum densities respectively.

Throughout our work we are guided by the Heaviside–Larmor symmetry between electric and magnetic fields. We show, in section 5, that application of this symmetry leads directly to the Einstein–Laub force density [65]. Our final result identifies the surface and bulk contributions in the force on a semi–infinite magneto–dielectric for the transmission of a single-photon pulse through its surface.

# Acknowledgments

We thank Colin Baxter for his early contributions to the full-blown theory presented in the current paper. This work was supported by the Engineering and Physical Sciences Research Council (EPSRC) under grant number EP/I012451/1, by the Royal Society and the by Wolfson Foundation.

#### References

- [1] Minkowski H 1908 Die Grundgleichungen für die elektromagnetischen Vorgänge in bewegten Körpern *Nachr. Ges. Wiss. Göttingen* 1908 53–111
  - Reprinted: Math Ann. 68 472-525
- [2] Abraham M 1909 Zur Elektrodynamik bewegter Körper Rend. Circ. Matem. Palermo 28 1–28
- [3] Abraham M 1910 Sull'elettrodinamica di Minkowski Rend. Circ. Matem. Palermo 30 33-46
- [4] Abraham M and Becker R 1932 The Classical Theory of Electricity and Magnetism (London: Blackie and Son)
- [5] Baxter C and Loudon R 2010 Radiation pressure and the photon momentum in dielectrics J. Mod. Opt. 57 830-42
- [6] Milonni PW and Boyd RW 2010 Momentum of light in a dielectric medium Adv. Opt. Photon 2 519-53
- [7] Barnett S M and Loudon R 2010 The enigma of optical momentum in a medium Phil. Trans. R. Soc. A 368 927-39
- [8] Mansuripur M 2010 Resolution of the Abraham-Minkowski controversy Opt. Commun. 283 1997-2005
- [9] Kemp B A 2011 Resolution of the Abraham–Minkowski debate: implications for the electromagnetic wave theory of light in matter J. Appl. Phys. 109 111101
- [10] Barnett S M 2010 Resolution of the Abraham-Minkowski dilemma Phys. Rev. Lett. 104 070401
- [11] Milonni PW 2005 Fast Light, Slow Light and Left-Handed Light (New York: Taylor and Francis)
- [12] Matloob R 2004 Electromagnetic field quantization in a linear isotropic permeable dielectric medium Phys. Rev. A 70 022108
- [13] Judge A C, Steel M J, Sipe J E and de Sterke C M 2013 Canonical quantization of macroscopic electrodynamics in a linear, inhomogeneous megnetodielectric medium *Phys. Rev.* A 87 033824
- [14] Kheirandish F and Amooshahi M 2006 Electromagnetic field quantisation in a linear polarizable and magnetizable medium Phys. Rev. A 74 042102
- [15] Kheirandish F and Soltani M 2008 Extension of the Huttner-Barnett model to a magnetodielectric medium Phys. Rev. A 78 012102
- [16] Kheirandish F, Amooshahi M and Soltani M 2009 A canonical approach to electromagnetic field quantization in a nonhomogeneous and anistropic magnetodielectric medium *J. Phys. B: At. Mol. Opt.* 42 075504
- [17] Amooshahi M 2009 Canonical quantisation of the electromagnetic field in an anisotropic polarizable and magnetizable medium J. Math. Phys. 50 062301
- [18] Loudon R, Barnett S M and Baxter C 2005 Radiation pressure and momentum transfer in dielectrics: the photon drag effect *Phys. Rev.* A 71 063802
- [19] Kittel C 1987 Quantum Theory of Solids (New York: Wiley)
- [20] Hayes W and Loudon R 1978 Scattering of Light by Crystals (New York: Wiley)
- [21] Cochran W and Cowley R A 1962 Dielectric constants and lattice vibrations J. Phys. Chem. Solids 23 447-50
- [22] Jackson J D 1999 Classical Electrodynamics 3rd edn (New York: Wiley)
- [23] Barker A S and Loudon R 1972 Response functions in the theory of Raman scattering and polariton modes in dielectric crystals Rev. Mod. Phys. 44 18–47
- [24] Lifshitz E M and Pitaevski L P 1980 Statistical Physics (Oxford: Butterworth Heinemann) ch 8, part 2
- $[25]\ Landau\ L\ D\ and\ Lifshitz\ E\ M\ 1980\ \textit{Statistical Physics}\ (Oxford:\ Butterworth\ Heinemann)\ ch\ 12,\ part\ 1$
- [26] Mills D L and Burstein E 1974 Polaritons: the electromagnetic modes of media Rep. Prog. Phys. 37 817–926
- [27] Loudon R 1964 The Raman effect in crystals Adv. Phys. 15 423–82
- [28] Henry CH and Hopfield JJ 1965 Raman scattering by polaritons Phys. Rev. Lett. 15 964–6
- [29] Huttner B, Baumberg J J and Barnett S M 1991 Canonical quantisation of light in a linear dielectric Europhys. Lett. 16 177-82
- [30] Huttner B and Barnett S M 1992 Quantization of the electromagnetic field in dielectrics Phys. Rev. A 46 4306-22
- [31] Barnett S M 1995 The quantum optics of dielectrics Fluctuations Quantiques, Les Houches Session LXIII ed S Reynaud, E Giacobino and J Zinn-Justin (Amsterdam: North-Holland)
- [32] Barnett S M and Loudon R 2012 Optical Thomas-Reiche-Kuhn sum rules Phys. Rev. Lett. 108 013601
- [33] Milonni P W 1995 Field quantisation and radiative processes in dispersive dielectric media J. Mod. Opt. 42 1991–2004
- [34] Craig D P and Thirunamachandran T 1984 Molecular Quantum Electrodynamics (London: Academic)
- [35] Al-Dossary O, Babiker M and Enfati N 1996 Quantum optics of plasmon polaritons and velocity sum rules Phys. Rev. A 54 2419-25
- [36] Blow K J, Loudon R, Phoenix S J D and Shepherd T J 1990 Continuum fields in quantum optics Phys. Rev. A 42 4102-14
- [37] Power E A 1964 Introductory Quantum Electrodynamics (London: Longmans)
- [38] Milonni PW 1994 The Quantum Vacuum (Boston: Academic)
- [39] Stephenson G and Radmore P M 1990 Advanced Mathematical Methods for Engineering and Science Students (Cambridge: Cambridge University Press)
- [40] Barnett SM and Radmore PM 1997 Methods in Theoretical Quantum Optics (Oxford: Clarendon)
- [41] Garrison J C and Chiao R Y 2004 Canonical and kinetic forms of the electromagnetic momentum in an ad hoc quantisation scheme for a dispersive dielectric *Phys. Rev.* A 70 053826
- [42] Jones RV and Leslie B 1978 The measurement of optical radiation pressure in dispersive media Proc. R. Soc. A 360 347-63
- [43] Scullion M G and Barnett S M 2008 Optical momentum in negative-index media J. Mod. Opt. 55 2301–9
- [44] Baxter C, Babiker M and Loudon R 1993 Canonical approach to photon pressure Phys. Rev. A 47 1278-87
- [45] Leonhardt U 2006 Energy-momentum balance in quantum dielectrics *Phys. Rev.* A 73 032108
- [46] Hinds E A and Barnett S M 2009 Momentum exchange between light and a single atom: Abraham or Minkowski Phys. Rev. Lett. 102 050403
- [47] Gibson A F, Kimmitt M F, Koohian A O, Evans D E and Levy G F D 1980 A study of radiation pressure in a refractive medium by the photon drag effect *Proc. R. Soc.* A 370 303–11
- [48] Campbell G K, Leanhardt A E, Mun J, Boyd M, Streed E W, Ketterle W and Pritchard D E 2005 Photon recoil momentum in dispersive media *Phys. Rev. Lett.* 94 170403
- $[49] \ \ Balazs \, N \, L \, 1953 \, The \, energy-momentum \, tensor \, of \, the \, electromagnetic \, field \, inside \, matter \, \textit{Phys. Rev.} \, \textbf{91} \, 408-11 \, Phys. \, Ph$
- [50] Loudon R 2004 Radiation pressure and momentum in dielectrics Fortschr. Phys. 52 1134–40
- [51] Babiker M, Power E A and Thirunamachandran T 1973 Atomic field equations for Maxwell fields interacting with non-relativistic quantal sources *Proc. R. Soc.* A 332 187–97
- [52] Babiker M 1984 Theory of momentum changes in atomic translation due to irradiation with resonant light J. Phys. B: At. Mol. Phys. 17 4877–4833
- [53] Padgett M, Barnett S M and Loudon R 2003 The angular momentum of light inside a dielectric J. Mod. Opt. 50 1555-62
- [54] Kristensen M and Woerdman J P 1994 Is photon angular momentum conserved in a dielectric medium? Phys. Rev. Lett. 72 2171-4

- [55] Darwin C G 1932 Notes on the theory of radiation Proc. R. Soc. A 136 36-52
- [56] Cohen-Tannoudji C, Dupont-Roc J and Grynberg G 1989 Photons and Atoms (New York: Wiley)
- [57] van Enk S J and Nienhuis G 1994 Commutation rules and eigenvalues of spin and orbital angular momentum of radiation fields J. Mod. Opt. 41 963–77
- [58] van Enk S J and Nienhuis G 1994 Spin and orbital angular momentum of photons Europhys. Lett. 25 497-501
- [59] Barnett SM 2010 Rotation of electromagnetic fields and the nature of optical angular momentum J. Mod. Opt. 57 1339-43
- [60] Loudon R 2002 Theory of the radiation pressure on dielectric surfaces J. Mod. Opt. 49 821-38
- [61] Heaviside O 1892 On the forces, stresses and fluxes of energy in the electromagnetic field Phil. Trans. R. Soc. A 183 423-80
- [62] Larmor J 1897 Dynamical theory of the electric and lumiferous medium III Phil. Trans. R. Soc. A 190 205-300
- [63] Rose M E 1955 Multipole Fields (New York: Wiley)
- [64] Barnett S M and Loudon R 2006 On the electromagnetic force on a dielectric medium J. Phys. B: At. Mol. Opt. 39 S671-84
- [65] Einstein A and Laub J 1908 Über die im elektromagnetischen Felde auf ruhende K\u00f6rper ausge\u00fcbten ponderomotorischen Kr\u00e4fte Ann. Phys. 26 541-50
  - Reprinted in translation: on the ponderomotive forces exerted on bodies at rest in the electromagnetic field *The Collected Papers of Albert Einstein* vol 2 (Princeton, NJ: Princeton University Press)
- [66] Penfield P and Haus H A 1967 Electrodynamics of Moving Media (Cambridge, MA: MIT Press)
- [67] Haus H A 1969 Momentum, energy and power densities of TEM wave packet Physica 43 77–91
- [68] Robinson FNH 1975 Electromagnetic stress and momentum in matter *Phys. Rep.* 16 313–54
- [69] Mansuripur M 2007 Radiation pressure and the linear momentum of the electromagnetic field in magnetic media Opt. Express 15 13502–17
- [70] Mansuripur M 2008 Electromagnetic force and torque in ponderable media Opt. Express 16 14821–35
- [71] Mansuripur M and Zakharian A R 2009 Maxwell's macroscopic equations, the energy—momentum postulates, and the Lorentz law of force Phys. Rev. E 79 026608
- [72] Shockley W and James R P 1967 'Try simplest cases' discovery of 'hidden momentum' on 'magnetic currents' Phys. Rev. Lett. 18 876-9
- [73] Shevchenko A and Hoenders B J 2010 Microscopic derivation of electromagnetic force density in magnetic dielectric media New J. Phys. 12 053020
- [74] Shevchenko A and Kaivola M 2011 Electromagnetic force density in dissipative isotropic media J. Phys. B: At. Mol. Opt. 44 065403
- [75] Mansuripur M 2012 Trouble with the Lorentz law of force: incompatibility with special relativity and momentum conservation Phys. Rev. Lett. 108 193901
- [76] Vanzella AT 2013 Comment on 'Trouble with the Lorentz law of force: incompatibility with special relativity and momentum conservation' Phys. Rev. Lett. 110 089401
- [77] Barnett S M 2013 Comment on 'Trouble with the Lorentz law of force: incompatibility with special relativity and momentum conservation' *Phys. Rev. Lett.* **110** 089402
- [78] Saldanha P L 2013 Comment on 'Trouble with the Lorentz law of force: incompatibility with special relativity and momentum conservation' Phys. Rev. Lett. 110 089403
- [79] Khorrami M 2013 Comment on 'Trouble with the Lorentz law of force: incompatibility with special relativity and momentum conservation' *Phys. Rev. Lett.* **110** 089404
- [80] Griffiths D J and Hnizdo V 2013 Mansuripur's paradox Am. J. Phys. 81 570-3
- [81] Gilbert W 1600 De Magnete (London: Short)
- [82] Shockley W 1968 A try simplest cases resolution of the Abraham–Minkowski controversy on electromagnetic momentum in matter Proc. Natl Acad. Sci. 60 807–13