



of Symptoms													
Low Load	2.00 (5.00)	[0.00, 5.00]	2.25 (4.50)	[0.50, 5.00]	0.00 (1.00)	[0.00, 1.00]	0.00 (1.00)	[0.00, 1.00]	<b>&lt;0.001</b>	<b>&lt;0.001</b>	0.795	0.657	0.559
High Load	3.00 (5.00)	[1.00, 6.00]	3.00 (4.38)	[1.00, 5.38]	0.00 (1.00)	[0.00, 1.00]	0.50 (1.50)	[0.00, 1.50]	<b>&lt;0.001</b>	<b>&lt;0.001</b>	0.191	0.686	0.544
End of Session	3.00 (5.00)	[0.00, 5.00]	2.00 (4.88)	[0.00, 4.88]	0.00 (1.00)	[0.00, 1.00]	0.00 (1.00)	[0.00, 1.00]	<b>&lt;0.001</b>	<b>&lt;0.001</b>	0.617	0.308	0.819
Low vs High Load	<b>0.002</b>		0.522		0.126		0.068						

*P*-values in bold are significant at the corrected level  $\alpha = 0.008$  for IEI-EMF vs. control tests,  $\alpha = 0.006$  for sham vs. real, and  $\alpha = 0.013$  for low vs. high load comparisons.

<sup>a</sup> Interquartile Range

<sup>b</sup> 25<sup>th</sup> and 75<sup>th</sup> percentile