




**Understanding Society
Working Paper Series**

No. 2026 – 09

July 2026

**Collecting Event-Triggered Data on Relationship and
Family Transitions in Understanding Society**

Kelly Reeve, Edith Aguirre & Michaela Benzeval

University of Essex



Non-technical summary

This Working Paper describes a proposed new type of survey to collect information about important changes in people's lives, so that we can understand these changes more clearly and in more detail. While the proposed Life Events survey covers a range of events, this Working Paper focuses on the draft content for family change.

Understanding Society already follows the same people and households over many years, asking annually about their lives. However, some key events can happen in between annual interviews and people may find it hard to remember exactly what happened, what their situation and circumstances were, or how they felt at the time, and about their expectations and plans for the future as a result of these events.

To address this, the proposed Life Events survey is a short monthly questionnaire that sits alongside the main Study. Each month, participants are first asked whether any of a small list of key events have happened in the last month. If a person reports one of these events, they are then asked a small number of additional questions about that specific change.

Overall, the proposed Life Events survey is intended to give researchers and policy makers better evidence about how relationships form, change and sometimes end, how people experience pregnancy and the birth of a baby, how parents organise care of children across more than one home, and how these transitions affect people's wellbeing, finances and housing. This Working Paper describes the draft questions we plan to ask about these topics, how they were developed and tested, and invites feedback on whether the proposed content will meet users' needs.

Collecting Event-Triggered Data on Relationship and Family Transitions in Understanding Society

Kelly Reeve (University of Essex)

Edith Aguirre (University of Essex)

Michaela Benzeval (University of Essex)

Abstract:

This Working Paper describes the proposed content of a monthly, event-triggered Life Events survey that will run alongside Understanding Society, the UK Household Longitudinal Study. The proposed survey covers a range of events, and this Working Paper focuses on partnership and family dynamics. The aim is to collect time-sensitive factual information, subjective assessments and future expectations within one month of each event which can be linked to rich pre- and post-event data from the main study. The proposed Life Events survey will enable longitudinal research on relationship trajectories, pregnancy and early parenthood experiences, separation and co-parenting across households, and their consequences for wellbeing, finances and housing. The paper presents the proposed content for relationship, marital, pregnancy, newborns and early parenthood, and co-parenting modules for consultation.

#Keywords: event-triggered survey; life events; partnership transitions; cohabitation; living-apart-together (LAT); engagement and marriage; separation; co-parenting; pregnancy, new babies, families across households; longitudinal data; Understanding Society

JEL classification: C81, J12, J13

Acknowledgements: Understanding Society is an initiative funded by the Economic and Social Research Council and various Government Departments, with scientific leadership by the Institute for Social and Economic Research, University of Essex, and survey delivery by the National Centre for Social Research, Verian and IPSOS. The research data are distributed by the UK Data Service. We are grateful to the Understanding Society Content Development team for all of their help in developing this questionnaire, especially Lewis Mitchell and Ryan Holmes, and to the team at IPSOS who led the cognitive testing project: Eileen Irvin and Marzieh Azarbadegan.

Data availability: The experimental data collected during the R&D for this project is available from the UK Data Service. Phase 1 is currently available; Phase 2 will be deposited under the same study number early 2027.

University of Essex, Institute for Social and Economic Research. (2022) *Understanding Society: Innovation Panel Life Events Study, 2020*. [data collection]. UK Data Service. SN: 8990, DOI: <http://doi.org/10.5255/UKDA-SN-8990-1>.

Corresponding author: Michaela Benzeval, Institute for Social and Economic Research, University of Essex, Colchester, Wivenhoe Park, Essex CO4 3SQ, United Kingdom, mbenzeval@essex.ac.uk

Contents

Introduction	6
Enhancing UKHLS data.....	7
The Development of the Life Events Survey to date	8
Content development	8
Introduction to the Life Events family content	9
Living apart together (LAT).....	10
Cohabitation and “sliding” into living together	10
Marital events.....	11
Childbearing, pregnancy and parents living apart.....	11
Separation	13
Co-parenting across households	13
Overview	14
Figure 1: Overview of proposed questionnaire relating to pregnancy and new baby .	15
Figure 2 Overview of proposed questionnaire relating to relationship changes	16
Consultation	17
References	18
Appendix 1 Draft Questionnaire content for Family Change Life Events	20

Introduction

In this paper we describe a proposed monthly, event-triggered Life Events survey designed to run alongside Understanding Society, the UK Household Longitudinal Study. This Working Paper focuses on the draft survey questions relating to family formation, partnership transitions, expecting a baby and early parenthood, and whether or not these coincide with moving in and out of co-residence. This Working Paper sets out the proposed questionnaire content for these family-related modules and invites feedback from potential users and topic experts.

The proposed Life Events survey is triggered when sample members report experiencing at least one of a small set of clearly defined life events. By collecting detailed information within a month of the reported event, the proposed Life Events survey aims to capture the timing, context and early consequences of family changes in ways not possible in the annual survey.

The questionnaire content proposed in this paper has been implemented in the Understanding Society Innovation Panel (IP) in 2026 as Phase 2 of the R&D for this project. All active IP sample members were invited to complete a sequence of Life Events surveys over a six-month period, enabling assessment of feasibility, routing, respondent burden and data quality. The data and evaluation from Phase 2 will be released late 2026/early 2027. Subject to evaluation of Phase 2 and approval from our governance groups and ESRC, the survey is planned to be rolled out to the main Understanding Society sample in 2027, with all active adult sample members invited to take part monthly for two years.

Enhancing UKHLS data

Understanding Society already provides rich data on relationship formation, childbearing and relationship dissolution, both retrospectively and prospectively. It collects detailed cohabitation, marriage and fertility histories for new entrants, enabling research on the timing, duration and sequence of different partnership episodes and fertility over the life course. However, while annual interviews capture key changes since last interview, this is mainly factual information. Retrospective reports of subjective attitudes, expectations and wellbeing are vulnerable to recall error and post-hoc rationalisation, and time-sensitive factual details (such as dates, living arrangements, or early co-parenting plans) can also be misremembered. Questionnaire space and respondent burden further limit how much detail can be collected annually. This creates gaps for studying family changes ‘as they happen’, and for understanding how people’s circumstances and wellbeing adapt around key events and change over time.

The proposed Life Events survey is designed to address these gaps by collecting event-triggered, time-sensitive data within 30 days of respondents:

- entering or ending a relationship,
- starting or stopping living with a partner,
- getting engaged or married,
- expecting a child or having a baby reach six months of age.

It focuses on information with longitudinal value: living arrangements, attitudes, motivations, expectations and plans at the point of transition, along with contemporaneous assessments of wellbeing, finances and housing.

Taken together, the proposed Life Events survey will support research on family change in four broad ways.

First, collecting information within one calendar month of an event allows researchers to study short-term reactions and longer-term adaptation to biographical transitions. Studies using the British Household Panel Study (BHPS) have shown that marriage, childbirth, unemployment and widowhood are associated with changes in life satisfaction (Yap et al 2012), and that relationship dissolution is negatively associated with mental and physical health. Event-triggered measures at the point of transition, combined with annual data before and after, make it possible to examine fluctuations and recovery in wellbeing and life satisfaction in greater detail.

Second, the proposed Life Events survey will include questions that mirror existing annual items but are framed as expectations or intentions at the time of the event. This will allow researchers to compare intentions and anticipated trajectories with

subsequent experiences observed in later waves, and to assess how well expectations predict future behaviour and outcomes.

Third, the household panel design means that, in many cases, data can be collected from both parties for a transition, such as expectant and new parents, cohabiting couples and both halves of separating couples. This enables dyadic analyses of time-sensitive satisfaction, motivations, expectations and future orientations, and supports research that focuses on the relational dynamics and decision-making processes underlying cohabitation, marriage, childbearing, separation and co-parenting.

Finally, frequent event-triggered data collection has the potential to reveal family changes that are difficult to detect in annual interviews alone, such as short-term living apart together (LAT) relationships, the ordering of conceptions and unions, cyclical relationships and other complex family trajectories.

The Development of the Life Events Survey to date

Phase 1 of the Life Events Survey took place between Waves 11 and 13 of the Innovation Panel. A random subset of respondents were asked to answer a short monthly survey for one year. The survey asked about the occurrence of certain life events in the previous calendar month. If respondents had experienced one or more of the events, follow-up questions were asked about the event. Data from this survey is available from the UK Data Service: [Understanding Society: Innovation Panel Life Events Study, 2020.](#)

Two experiments were embedded in this data collection; one on incentives and a second on the timing of the reminders, and the evaluation report (Jäckle et al 2023) can be found [here](#). Given a positive evaluation, ESRC released funding to implement Phase 2 of the R&D plan for the Life Events Survey.

Phase 2 was a roll out of for six months in 2026 with the Life Events survey issued to all active Innovation Panel sample members with the full planned questionnaire and further design experiments. The data from Phase 2 will be released in 2027. Subject to evaluation of Phase 2 and approval from our governance groups and ESRC, the proposed survey will be rolled out to the main Understanding Society sample later in 2027, with all active adult sample members invited to take part monthly for two years.

Content development

Phase 1 of the Life Events Survey included minimal questions simply to identify the events and follow up with some broad measures of mental health and financial change.

Once it was agreed we should proceed with Phase 2, a full questionnaire needed to be developed. In May and June 2023, a series of consultation workshops were held with experts and users to discuss and develop ideas for content in a range of life domains.

Feedback from these workshops was reviewed and used to prioritise and select the questionnaire content on family change presented in this paper. We focused on questions that (i) have clear longitudinal value, (ii) build on and enhance existing mainstage content, (iii) make effective use of the unique features of Understanding Society (e.g. multiple household members over time), and (iv) use validated questions or scales where possible. Follow-up interview time is limited to around 15–20 minutes to avoid adversely affecting response to either the proposed Life Events survey or the annual interview, so choices had to be made about what to include.

The resulting draft questionnaire for family and relationship change was scripted and revised based on feedback from Understanding Society colleagues and Ipsos, the fieldwork agency conducting Phase 2. This questionnaire was implemented in Phase 2, and while the number of events in the IP are small, the quality of the data on family change will be assessed and reported as part of the overall evaluation of the Life Event Survey. This will be published in autumn 2026, and findings incorporated into the next revision of the questionnaire.

Meanwhile, cognitive testing of selected family change questions was commissioned in 2025/26 to check comprehension, recall and burden of certain questions. Findings from this testing were used to refine wording and routing; a fuller account of the cognitive testing is documented in the fieldwork agency report [here](#).

The questionnaire has been revised based on the cognitive testing findings, and it is this version we are consulting on in this Working Paper. The family change content of the proposed Life Events survey is included as Appendix 2.

Introduction to the Life Events family content

Family-related living arrangements have become more diverse, with growth in unmarried cohabitation, delays in marriage and phenomena such as cyclical relationships, post-conception relationships and co-parenting arrangements within and beyond households changing over time. Relationship trajectories often involve multiple shifts between singlehood, living apart together (LAT), cohabitation and marriage and parenthood over the life course, for structural (work, housing, education) and behavioural reasons (changing norms, “sliding vs deciding”). Some life events coincide with a shift in living arrangements, but this is neither necessary nor sufficient for a substantive change in the relationship.

For Understanding Society, this creates two linked challenges: how to define family change separately from changes in household composition, and how to measure and track these transitions longitudinally with sufficient timing detail. The proposed Life Events design responds by using monthly, event-triggered questions that focus on specific transitions and the associated changes they create.

This section describes the broad content relating to family change, highlighting the modules where the specific questions can be reviewed.

Living apart together (LAT)

At the annual interview, UKHLS identifies LAT relationships via a direct question about having a steady partner who does not live in the household. Many such relationships are early-stage unions that may transition into cohabitation or marriage, and some may be short-lived LAT relationships that begin and end between annual interviews and are therefore missed. Duration is not a reliable proxy for commitment, so capturing the onset and end of LAT unions allows analysis of whether and how early LAT dynamics predict later cohabitation and marital stability.

The Life Events survey:

- Adds “started a new relationship with someone living elsewhere” and “split up from non-resident partner” as triggers under the relationship status change question,
- Includes a follow-up LAT module to capture whether partners have ever lived together and circumstances where couples become LAT after previously cohabiting (e.g. education, work, institutional residence), and
- Allows counts of LAT relationships formed and ended across the year, to compare with prevalence seen at annual interviews.

Cohabitation and “sliding” into living together

Non-marital cohabitation has become the most common first union (Pelikh et al 2022), but the transition from LAT to cohabitation is often gradual, with blurred boundaries when partners spend some nights together but retain separate dwellings. Life Events 2020 showed substantial variation in how long people knew they would start living together before they actually moved in, suggesting that both “decided” and “slid into” cohabitation trajectories occur (Understanding Society: Innovation Panel, 2023).

The Life Events survey:

- Includes “started living with your partner” as a relationship status change event,

- Uses follow-up questions on when respondents first knew they would live together, whether either partner maintains another residence, and previous cohabitation/LAT history with this partner, and
- Captures whether the move was a clear decision or something that “just happened”, to support research on intermittent cohabitation, relationship churning and sliding vs deciding.

Marital events

Engagements and new marriages are important steps in union trajectories but are not captured in the existing mainstage questionnaire. Collecting time-specific information at the point of engagement or marriage (motives, expectations, financial arrangements, fertility intentions, relationship quality) will allow research on whether those who “decide” via engagement and marriage have different trajectories from those who do not.

The Life Events survey therefore treats “got engaged” and “got married/entered a civil partnership” as separate relationship status change events, with dedicated follow-up modules that ask about:

- Current living arrangements and cohabitation/LAT history,
- Relationship start date,
- Reasons for getting engaged or married,
- Intended marriage date (for engagements),
- Expectations around organising finances, fertility and co-residence, and
- Happiness and perceived relationship quality.

Childbearing, pregnancy and parents living apart

Pregnancy and the birth of a baby represent major life-course transitions that can have lasting consequences for family relationships, wellbeing, employment, finances and child outcomes. Parents enter pregnancy under a wide range of relationship and living arrangements, and expectations formed during pregnancy often shape subsequent decisions about partnership, co-residence, childcare and parental involvement.

However, many of these expectations and experiences are difficult to capture retrospectively, and annual interviews provide limited opportunities to observe how parents prepare for parenthood and how early family life develops. Event-triggered data collection during pregnancy and early parenthood therefore provides an opportunity to capture time-sensitive information on intentions, expectations and experiences as they occur.

To support research on the transition to parenthood, the Life Events survey includes a module administered when respondents report that they are pregnant or are expecting a child. The module collects information on:

- pregnancy characteristics and intentions,
- preparations for parenthood and infant care,
- social and practical support networks,
- prenatal parent-child attachment expectations.

Collecting these data before a baby is born allows researchers to examine how parents prepare for parenthood, how expectations and intentions vary across family contexts, and the extent to which they predict subsequent parental behaviours, family arrangements and wellbeing.

The Life Events survey also includes a follow-up module administered when a baby reaches six months of age. This module collects information on:

- birth outcomes,
- infant characteristics and health,
- feeding and childcare practices,
- parental involvement, caregiving arrangements, and early family relationships.

These data provide a unique opportunity to study the transition to parenthood and early family life prospectively, including the relationship between prenatal expectations and postnatal experiences, the emergence of parental roles and responsibilities, and the implications of early family experiences for parental wellbeing and child development.

Children are born into a range of union statuses, and a non-trivial 15% of mothers are not living with the other parent at birth, even when they report that the other parent is closely involved (Kiernan & Smith 2003). Some pregnancies and births occur before any union formation (Rackin & Gibson-Davis 2012; Lichter et al. 2016), and some couples cohabit primarily for co-parenting rather than romantic reasons (Cross-Barnet et al 2011); conversely, some parents plan to co-parent while remaining permanently non-cohabiting.

To support research on how relationship histories shape co-parenting and subsequent parental involvement and child outcomes, the Life Events survey includes, when a pregnancy is reported or a baby reaches 6–12 months:

- Questions on whether the baby's other parent lives in the same household, whether the parents have ever lived together, current relationship status between the parents, and expected decision-making for the child,
- Questions on cohabitation and marriage intentions among parents who live apart or are not married, and

- A question on whether the pregnancy was intended, to distinguish planned and “slid into” parenthood.

Those who are no longer in a relationship with the baby’s other parent are routed to separation and/or co-parenting modules as appropriate.

Separation

Separation is a process rather than a single event, and changes in relationship status and residential status may not align. Some couples trial separation with repeated moves out and back, while others remain living together despite considering the relationship ended: ‘living together apart’ (Rault et al. 2020). In the 2020 Life Events data, reported time between knowing a cohabitation would end and actually moving out varied from no delay to more than a year, and those who separated but stayed in the same dwelling would not be observed in standard “left the household” measures (Understanding Society: Innovation Panel, 2023).

The Life Events survey:

- Uses the relationship status change trigger to identify people who report separating, divorcing or splitting up (including from a non-resident partner),
- Asks a follow-up question on whether the relationship change has led to a residential change, and
- Distinguishes between:
 - Those who separate and move out (who receive both the separation and “stopped living with partner” modules), and
 - Those who separate but remain in the same dwelling (who receive the separation module but not the “stopped living with partner” module).

The separation module also asks about use of, and potential future use of, support services (e.g. mediation, child contact advice, financial and housing support) among those with dependent children.

Co-parenting across households

Co-parenting arrangements are diverse, involving different legal and social parent types, residence patterns (resident, shared care, non-resident, “birdnesting”) and contact frequencies. As shown above, cohabitation, living apart and separation can have blurred boundaries, and pregnancy or parenthood may precede co-residence or relationship formation. Any measure of co-parenting must therefore allow for parents living together or apart, in steady relationships, on/off relationships, or no relationship at all.

The Life Events survey co-parenting module is triggered when:

- A respondent or partner moves with a dependent child in the “stopped living with partner” or “started living with partner” modules, or
- The respondent does not live with their unborn child’s other parent (pregnancy module) or their baby’s other parent (6–12-month module).

We still know relatively little about how parents actually structure and manage co-parenting after separation in day-to-day life; adding expectation measures at the transition point aims to improve our ability to understand the decision-making processes, the module asks about:

- Expected or current living arrangements (e.g. child always with one parent, overnight stays in both homes, birdnesting),
- Expected or current contact frequency and whether a shared/50–50 care arrangement is anticipated, and
- Whether the planned level of contact matches each parent’s preferences.

This allows analysis of how co-parenting intentions and arrangements relate to relationship histories, separation processes and parental wellbeing.

Overview

Figure 1 shows the route through the questionnaire that participants answering ‘yes’ to the pregnancy or new baby events will take. While Figure 2 shows the modules asked in different scenarios of relationship change. All participants experiencing a family change are asked a number of general modules to assess changes in financial and wellbeing. These are:

- Perceived stress pp 136 – 138
- Finances pp 138 – 139
- GHQ pp139 – 144
- Life satisfaction pp 145 - 148

Figure 1: Overview of proposed questionnaire relating to pregnancy and new baby





Figure 2 Overview of proposed questionnaire relating to relationship changes



Consultation

We would welcome feedback on the proposed questions on family change to be fielded if the evaluation of Life Events Phase 2 is considered successful. Please provide feedback on:

- Whether you believe these data will be useful for family research? Are there specific modules that you think are particularly valuable?
- Given questionnaire length is always challenging, are there any modules you believe are of low research value and could be dropped?
- Are there any key family change topics or concepts that you believe are missing from the proposed questionnaire? If so, can you suggest existing questions or scales that might be suitable. However, please note the questionnaire is at its maximum length so it will only be possible to add new questions if we can identify ones to drop.
- Are individual questions and scales in your areas of interest effectively capturing the concepts? If not, do you have any improvements you can suggest?

Please email your comments to consult@understandingsociety.ac.uk before 24th August 2026.

Given we are likely to receive feedback from a range of perspectives, it will not be possible to incorporate all suggestions. But once we have reviewed all suggestions and made decisions about how best to adapt the questions, we will get back to you to explain our responses to any suggestion you make.

References

Cross-Barnet, C., Cherlin, A., & Burton, L. (2011). Bound by children: Intermittent cohabitation and living together apart. *Family Relations*, 60(5), 633-647.

Institute for Social and Economic Research (2022) Understanding Society Innovation Panel Life Events Study: User Guide. Version 1.0, June 2022. Colchester: University of Essex.

Irvin, E. et al. (2026) Cognitive testing families, Understanding Society Working Paper Series No. 2026-05, Colchester: University of Essex

Jäckle, A., Burton, J., & Couper, M. P. (2019). Event-triggered data collection. Understanding Society Working Paper 2019-16, <https://www.understandingsociety.ac.uk/research/publications/525950>.

Jäckle, A., Burton, J., Couper, M. P., Vine, J., & Horn, D. (2023). Trialling event-triggered data collection in the Understanding Society Innovation Panel: response and measurement quality. Understanding Society Working Paper 2023-09, <https://www.understandingsociety.ac.uk/research/publications/557841>.

Kiernan, K., & Smith, K. (2003). Unmarried parenthood: new insights from the Millennium Cohort Study. *Population Trends*, (114), 26-33.

Lichter, D. T., Micheltore, K., Turner, R. N., & Sassler, S. (2016). Pathways to a stable union? Pregnancy and childbearing among cohabiting and married couples. *Population Research and Policy Review*, 35, 377–399.

Pelikh, A., Mikolai, J., & Kulu, H. (2022). Make up or break up? Partnership transitions among young adults in England and Wales. *Advances in Life Course Research*, 52, 100475

Rackin, H., & Gibson-Davis, C. M. (2012). The role of pre-and postconception relationships for first-time parents. *Journal of Marriage and Family*, 74(3), 526-539.

Rault, W., & Régnier-Loilier, A. (2020). Continued cohabitation after the decision to separate: “Living together apart” in France. *Journal of Marriage and Family*, 82(3), 1073-1088.

Reeve, K. & Benzeval, M. (2024) Improving questionnaire content for parents and families living apart, Understanding Society Working Paper 2024-03, Colchester: University of Essex, <https://www.understandingsociety.ac.uk/wp-content/uploads/working-papers/2024-03.pdf>

Stanley, S.M., Rhoades, G.K. and Markman, H.J. (2006), Sliding Versus Deciding: Inertia and the Premarital Cohabitation Effect*. *Family Relations*, 55: 499-509. <https://doi.org/10.1111/j.1741-3729.2006.00418.x>

University of Essex, Institute for Social and Economic Research. (2022). Understanding Society: Innovation Panel Life Events Study, 2020. [data collection]. 1st Edition. UK Data Service. SN: 8990, DOI: 10.5255/UKDA-SN-8990-1.

University of Essex, Institute for Social and Economic Research. (2023). Understanding Society: Waves 1-13, 2009-2022 and Harmonised BHPS: Waves 1-18, 1991-2009. [data collection]. 18th Edition. UK Data Service. SN: 6614, <http://doi.org/10.5255/UKDA-SN-6614-19>.

University of Essex, Institute for Social and Economic Research. (2023). Understanding Society: Innovation Panel, Waves 1-15, 2008-2022. [data collection]. 12th Edition. UK Data Service. SN: 6849, <http://doi.org/10.5255/UKDA-SN-6849-15>.

Yap, S.C.Y., Anusic, I., Lucas, R.E., Does Personality Moderate Reaction and Adaptation to Major Life Events? Evidence from the British Household Panel Survey, *Journal of Research in Personality* (2012), doi: <http://dx.doi.org/10.1016/j.jrp.2012.05.005>

Appendix 1 Draft Questionnaire content for Family Change Life Events

Life Event Trigger Module (eventtrigger_et2.v01)

Start

Question: eventtrigger_et2.EXPEVENT [Experienced event]

Module: eventtrigger_et2

Source: ETDC Survey

Scripting Notes: If ff_filtembed = 2 this question will be embedded in the email invitations and reminders. If the respondent answers that embedded question they will be routed directly to the next question in the online questionnaire.

Type: choice	
Inapplicable: -8	Missing: -9

Universe: Ask all

Text: Did you experience any of the following during [LAST CALENDAR MONTH] [YEAR OF LAST CALENDAR MONTH] ?
Please only report events experienced during [LAST CALENDAR MONTH]. We will be asking you about any events since then in the next survey. {if ff_currintm <> 6}

- You or your partner left your job or started a new job
- You or your partner changed your usual working hours or earnings
- You started a new relationship with someone living elsewhere, got engaged or married, or started living with your partner
- You and your partner started living apart or split up or got divorced
- You are currently pregnant or expecting a baby {if ff_etdceverint = 2} You had your 12-week pregnancy scan or someone who is pregnant by you had their 12-week scan {if ff_etdceverint = 1}
- You have a baby who is currently 6 to 12 months old {if ff_etdceverint = 2} Your child has turned 6 months old {if ff_etdceverint = 1}

Options:

1	Yes	Yes
2	No	No

Use: Ask EXPEVENT

if [EXPEVENT = 1] // Experienced an event

Question: eventtrigger_et2.EVENT [Which event]

Module: eventtrigger_et2

Source: ETDC Survey

Scripting Notes: Code 96 is exclusive.

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [EXPEVENT = 1] // Experienced an event

Text: Which of the following did you experience during [LAST CALENDAR MONTH] [YEAR OF LAST CALENDAR MONTH] ?

Please select all that apply

Options:

1	I left my job	I left my job
2	I started a new job	I started a new job
3	My usual working hours changed	My usual working hours changed
4	My usual earnings changed	My usual earnings changed
5	I started a new relationship with someone living elsewhere	I started a new relationship with someone living elsewhere
6	I got engaged or married, or started living with my partner	I got engaged or married, or started living with my partner
7	My partner and I started living apart without ending the relationship	My partner and I started living apart without ending the relationship
8	My partner and I split up or got divorced or dissolved a civil partnership	My partner and I split up or got divorced or dissolved a civil partnership
10	I had my 12-week pregnancy scan {if ff_etdceverint = 1 & ff_sex = 2}	You had your 12-week pregnancy scan
11	Someone who is pregnant with my child had their 12-week scan {if ff_etdceverint = 1 & ff_sex = 1}	Someone who is pregnant with your child had their 12-week scan
12	My partner left their job	My partner left their job
13	My partner started a new job	My partner started a new job
14	My partner's usual working hours changed	My partner's usual working hours changed
15	My partner's earnings changed	My partner's earnings changed
16	My child has turned 6 months old {if ff_etdceverint = 1}	Your child has turned 6 months old
96	None of these	None of these

Use: Ask EVENT

if [ff_etdceverint = 2] // First ETDC interview

Question: eventtrigger_et2.EVENTBABY [First interview: pregnant/expecting or new parent]

Module: eventtrigger_et2

Source: ETDC Survey

Scripting Code 96 is exclusive.

Notes:

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [EXPEVENT = 1] // Experienced an event
And if [ff_etdceverint = 2] // First ETDC interview

Text: And are you currently...?

Please select all that apply

Options:

1	The parent of a 6-12 month old baby	The parent of a 6-12 month old baby
2	Pregnant or expecting a baby	Pregnant or expecting a baby
96	None of these	None of these

Use: Ask EVENTBABY

End

Pregnancy Event-triggered Module (pregnancy_et2.v01)

Start

if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2]// Reported pregnancy

if [EVENTTRIGGER.EVENT = 10|11]// Reported 12-week scan

Question: pregnancy_et2.STILLPREG [Currently pregnant]

Module: pregnancy_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [EVENTTRIGGER.EVENT = 10|11] // Reported 12-week scan

Text: Thank you for telling us about this pregnancy. Can we just check, are you {if
EVENTTRIGGER.EVENT = 10} they {if EVENTTRIGGER.EVENT = 11} still pregnant now?

Options:

1	Yes	Yes
2	No	No

Use: Ask STILLPREG

if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2]// Currently pregnant or someone pregnant by R

Question: pregnancy_et2.EPCONTPADP [Continue with pregnancy]

Module: pregnancy_et2

Source: ETDC Survey

Scripting Notes: Option 4 is exclusive.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R

Text: Thank you for telling us about this pregnancy. {if EVENTTRIGGER.EVENTBABY = 2}

The following questions are about experiences of pregnancy. Can we check, is the current plan to continue with this pregnancy? Please be assured the answer you give is completely confidential.

Options:

1	Yes, continuing with the pregnancy	Yes, continuing with the pregnancy
2	No, not continuing with the pregnancy	No, not continuing with the pregnancy
3	Uncertain/still deciding	Uncertain/still deciding
4	Prefer not to say	Prefer not to say

Use: Ask EPCONTPADP

if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy

Question: pregnancy_et2.EPPINTADP [Pregnancy intentions]

Module: pregnancy_et2

Source: GGS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy

Text: Before this pregnancy began, were you planning to have a baby?

Options:

1	Yes, was actively trying	Yes, was actively trying
2	I was planning to have a baby, but not at this time	I was planning to have a baby, but not at this time
3	No, I was not planning to have a baby	No, I was not planning to have a baby
4	Unsure/hadn't decided	Unsure/hadn't decided

Use: Ask EPPINTADP

Question: pregnancy_et2.EPNAADP [Pregnancy naturally or assisted]

Module: pregnancy_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy

Text: How was the pregnancy conceived?

Options:

1	Naturally conceived	Naturally conceived
2	Using fertility treatment (for example, IVF, insemination, fertility drugs, or surrogacy)	Using fertility treatment (for example, IVF, insemination, fertility drugs, or surrogacy)
3	Prefer not to say	Prefer not to say

Use: Ask EPNAADP

if [EPPINTADP = 1] // Intended to have a baby at some time in the future

Question: pregnancy_et2.EPTIMEP [Timing of pregnancy]

Module: pregnancy_et2

Source: GGS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [EPPINTADP = 1] // Intended to have a baby at some time in the future

Text: How do you feel about the timing of this pregnancy? This pregnancy was...

Options:

1	Sooner than I expected	Sooner than I expected
2	Later than I expected	Later than I expected
3	About the right time	About the right time

Use: Ask EPTIMEP

Question: pregnancy_et2.EPWKCONF [Weeks when pregnancy confirmation]

Module: pregnancy_et2

Source: Growing Up in New Zealand (adapted)

Type: Number	Range: 0 .. 40		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy

Text: How many weeks into this pregnancy did you find out you {if EVENTTRIGGER.EVENT = 10 | ff_sex = 2} they {(if EVENTTRIGGER.EVENT = 11 & ff_sex <> 2) | ff_sex = 1} are pregnant?

Question Box Label: Weeks

Use: Ask EPWKCONF

Question: pregnancy_et2.PREGDUEDCP [Pregnancy due day]

Module: pregnancy_et2

Source: UKHLS

Scripting Notes: Use drop-down list of response options

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy

Text: What is the expected due date for this baby?

Question Box Label: Day

Use: Ask PREGDUEDCP

Question: pregnancy_et2.PREGDUEMCP [Pregnancy due month]

Module: pregnancy_et2

Source: UKHLS

Scripting Notes: Use drop-down list of response options.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy

Question Box Label: Month

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask PREGDUEMCP

Question: pregnancy_et2.PREGDUEYCP [Pregnancy due year]

Module: pregnancy_et2

Source: UKHLS

Scripting Notes: The options should be this year and the next only.

Use drop-down list of response options.

Type: Number	Range: 1900 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy

Question Box Label:

Use: Ask PREGDUEYCP

Soft check: if (Date entered is in the past)// Date entered is in the past

Text
You have entered that the due date is in the past. If this answer is correct you can click to continue.

Hard check: if (date entered is more than 10 months in future)// Date entered is more than 10 months in future

Text
The date you entered is more than 10 months in the future.

Dipsplay Note
SCREEN END

if [ff_partname <> MIS] // Fed-forward partner name is available

Question: pregnancy_et2.POTHPARNAME [Confirmation of unborn baby’s other parent]

Module: pregnancy_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [ff_partname <> MIS] // Fed-forward partner name is available

Text: In your last annual interview available on [ff_intdate] , you mentioned [ff_partname] was your spouse/partner. We realise your circumstances may have changed since then. Can we just check if this is the baby’s other parent?

Options:

1	Yes	Yes
2	No	No

Use: Ask POTHPARNAME

if [ff_partname = MIS | POTHPARNAME <> 1]// Fed-forward partner name is not available OR fed-forward partner is not baby's other parent

Display Note
SCREEN START

Question: pregnancy_et2.POTHNAMENEW [Unborn baby's other parent forename]

Module: pregnancy_et2
Source: ETDC Survey

Type: String	Length: 255		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [ff_partname = MIS | POTHPARNAME <> 1] // Fed-forward partner name is not available OR fed-forward partner is not baby's other parent

Text: Can you tell us the full name of the baby’s other parent?

Question Enter first name

Box

Label:

Use: Ask POTHNAMENEW

Question: pregnancy_et2.POTHSURNAMENEW [Unborn baby's other parent surname]

Module: pregnancy_et2
Source: ETDC Survey

Type: String	Length: 255		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [ff_partname = MIS | POTHPARNAME <> 1] // Fed-forward partner name is not available OR fed-forward partner is not baby's other parent

Question Enter surname
Box
Label:
Use: Ask POTHSURNAMENEW

Display Note
SCREEN END

Display Note
SCREEN START

Question: pregnancy_et2.POTHDOBD [Baby's other parent date of birth: day]

Module: pregnancy_et2
Source: ETDC Survey

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [ff_partname = MIS | POTHPARNAME <> 1] // Fed-forward partner name is not available OR fed-forward partner is not baby's other parent

Text: What is their date of birth?
Question Day
Box
Label:
Use: Ask POTHDOBD

Question: pregnancy_et2.POTHDOBM [Baby's other parent date of birth: month]

Module: pregnancy_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [ff_partname = MIS | POTHPARNAME <> 1] // Fed-forward partner name is not available OR fed-forward partner is not baby's other parent

Question Box Label: Month

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask POTHDOB

Question: pregnancy_et2.POTHDOBY [Baby’s other parent date of birth: year]

Module: pregnancy_et2
Source: ETDC Survey

Type: Number	Range: 1900 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [ff_partname = MIS | POTHPARNAME <> 1] // Fed-forward partner name is not available OR fed-forward partner is not baby's other parent

Question Box Label: Year

Use: Ask POTHDOBY

Soft check: if (other parent aged < 16)// Other parent is less than 16 years old

Text
You have indicated your baby's other parent is under 16. If this is correct, please continue.

Hard Check: If (date entered is in the future)// Do not allow future dates to be entered
Text
The date you have entered is in the future.

Display Note
SCREEN END

Scripting Note
Parent name should be taken from ff_partname if confirmed as the same person, or POTHNAMENEW if a new partner. If no name available use 'the baby's other parent'.

Question: pregnancy_et2.PLIVEWITH [Currently living with unborn baby's other parent]

Module: pregnancy_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy

Text: We would now like to ask some questions about your current relationship situation and the baby's other parent. While we may have some information from previous surveys, we're not using previous details about your relationship status here. Please respond based on your current situation.

Do you and [PARENT NAME] currently live together?

Options:	1	Yes, all of the time	Yes, all of the time
	2	Yes, some of the time	Yes, some of the time
	4	No, other parent was sperm donor {if EVENTTRIGGER.EVENT <> 11}	Other parent was sperm donor
	5	No, they are deceased {if EVENTTRIGGER.EVENT <> 10}	No, other parent is deceased
	3	No, they live elsewhere	No, they live elsewhere

Use: Ask PLIVEWITH

if [PLIVEWITH = 3] // Baby's other parent lives elsewhere

if [EVENTTRIGGER.EVENT = 10 | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)] // R is female and expecting a baby

Question: pregnancy_et2.PINVOLV [Unborn baby's other parent involved]

Module: pregnancy_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PLIVEWITH = 3] // Baby's other parent lives elsewhere
And if [EVENTTRIGGER.EVENT = 10 | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)]
// R is female and expecting a baby

Text: Although you don't live together, is [PARENT NAME] involved in the pregnancy?

Options:

1	Yes	Yes
2	No	No

Use: Ask PINVOLV

if [EVENTTRIGGER.EVENT = 11 | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 1)]// R is male and expecting a baby

Question: pregnancy_et2.OTHERPARIN [Unborn baby's other parent ongoing involvement]

Module: pregnancy_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PLIVEWITH = 3] // Baby's other parent lives elsewhere
And if [EVENTTRIGGER.EVENT = 11 | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 1)]
// R is male and expecting a baby

Text: Although you don't live together, do you have an ongoing involvement in this pregnancy?

Options:

1	Yes	Yes
2	No	No

Use: Ask OTHERPARIN

Question: pregnancy_et2.PNCRRLIVED [Ever lived with unborn baby's other parent]

Module: pregnancy_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PLIVewith = 3] // Baby's other parent lives elsewhere

Text: Have you and [PARENT NAME] ever lived together?

Options:

1	Yes	Yes
2	No	No

Use: Ask PNCRRLIVED

if [PLIVewith <> 4|5] // Not sperm donation or deceased

Question: pregnancy_et2.PREL1 [Marital status with unborn baby’s other parent]

Module: pregnancy_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PLIVewith <> 4|5] // Not sperm donation or deceased

Text: Are you currently or have you ever been married to or in a civil partnership with [PARENT NAME] ?

Options:

1	Yes - currently married / civil partners	Yes - currently married / civil partners
2	Yes - previously married /civil partners	Yes - previously married /civil partners
3	No - never married / civil partners	No - never married / civil partners

Use: Ask PREL1

if [PLIVewith = 3 & PREL1 = 2|3]// Unborn baby's other parent lives elsewhere AND previously or never married / civil partnership with unborn baby's other parent

Question: pregnancy_et2.PREL2 [Current relationship status with unborn baby’s other parent]

Module: pregnancy_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PLIVewith = 3 & PREL1 = 2|3] // Unborn baby's other parent lives elsewhere AND previously or never married / civil partnership with unborn baby's other parent

Text: Which of the following best describes your current relationship status to [PARENT NAME] ?

Options:	1	Romantically involved on a steady basis	Romantically involved on a steady basis
	2	Involved in an on/off relationship	Involved in an on/off relationship
	3	We are just friends	We are just friends
	4	We do not have a relationship	We do not have a relationship

Use: Ask PREL2

if [PLIVewith = 3 & (PREL1 = 1 | PREL2 = 1)]// Not living with baby's other parent AND currently married/civil partnership or romantically involved on a steady basis

Question: pregnancy_et2.PRNCRR11 [Intention to live with unborn baby's other parent within 3 years]

Module: pregnancy_et2

Source: HILDA (adapted)

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PLIVewith = 3 & (PREL1 = 1 | PREL2 = 1)] // Not living with baby's other parent AND currently married/civil partnership or romantically involved on a steady basis

Text: Do you intend to start living with [PARENT NAME] during the next three years?

Options:	1	Yes	Yes
	2	No	No
	3	Don't know	Don't know

Use: Ask PRNCRR11

if [PREL2 = 1]// Romantically involved on a steady basis with baby's other parent

Question: pregnancy_et2.PRNCRR12 [Likelihood of marrying unborn baby's other parent in future]

Module: pregnancy_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PREL2 = 1] // Romantically involved on a steady basis with baby's other parent

Text: How likely is it that you and [PARENT NAME] will marry or form a civil partnership in the future?

Options:

1	Very likely	Very likely
2	Likely	Likely
3	Not sure	Not sure
4	Unlikely	Unlikely
5	Very unlikely	Very unlikely
6	Prefer not to disclose	Prefer not to disclose

Use: Ask PRNCRR12

if [PINVOLV = 1 | OTHERPARIN = 1]// Other parent is involved in pregnancy

Question: pregnancy_et2.ETCPLMP [How important decision will be made in unborn baby's life]

Module: pregnancy_et2

Source: DWP (amended)

Type: choice			
Refused: -2	Inapplicable: -8	Missing: -9	

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PINVOLV = 1 | OTHERPARIN = 1] // Other parent is involved in pregnancy

Text: Once the baby is born, when important decisions, such as those relating to education or health, have to be made about your child's life, do you think that decisions will be made...

Options:

1	Mainly by me	Mainly by me
2	Mainly by other parent	Mainly by other parent
3	The other parent and I will have a roughly equal say	The other parent and I will have a roughly equal say
4	It will depend on the decision	It will depend on the decision
5	Not sure	Not sure

Use: Ask ETCPLMP

if [PLIVEWITH = 3]// Does not live with other parent

Question: pregnancy_et2.ETRELEXPREG [Relationship with unborn baby's other parent]

Module: pregnancy_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PINVOLV = 1 | OTHERPARIN = 1] // Other parent is involved in pregnancy
And if [PLIVEWITH = 3] // Does not live with other parent
And if [PREL1 <> 1 & PREL2 <> 1] // Not currently married and not in steady romantic relationship with baby's other parent

Text: You told us you are currently expecting a baby and live apart from [PARENT NAME]. We would like to ask some questions about your intended co-parenting arrangements.

How would you describe your relationship with [PARENT NAME] at present?

Options:	1	Very friendly	Very friendly
	2	Quite friendly	Quite friendly
	3	Not very friendly	Not very friendly
	4	Very unfriendly	Very unfriendly
	5	Mixed - sometimes friendly, sometimes unfriendly	Mixed - sometimes friendly, sometimes unfriendly
	6	Never see them	Never see them

Use: Ask ETRELEXPREG

Question: pregnancy_et2.ETLIVARRPREG [Expected living arrangements for unborn baby]

Module: pregnancy_et2
Source: UKHLS

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PINVOLV = 1 | OTHERPARIN = 1] // Other parent is involved in pregnancy
And if [PLIVEWITH = 3] // Does not live with other parent

Text: You told us you are expecting a baby and live apart from [PARENT NAME] . We would like to ask some questions about your intended co-parenting arrangements. {if ETRELEXPREG = MIS}

Thinking only about overnight stays (not daytime contact), what are your expected living arrangements for your baby?

Select one only

Options:	1	They will stay overnight with me all of the time	They will stay overnight with me all of the time
	2	They will stay overnight both at my home and the other parent's home	They will stay overnight both at my home and the other parent's home
	3	They will stay overnight at home and each parent moves in or out	They will stay overnight at home and each parent moves in or out
	4	They will not stay overnight with me	They will not stay overnight with me
	97	Other arrangement	Other arrangement
	5	Not sure	Not sure

Use: Ask ETLIVARRPREG

If [ETLIVARRPREG <> 1] // Unborn baby not staying overnight all the time with respondent

Question: pregnancy_et2.ETSEEKIDFREQPREGRESP [Frequency respondent expects to see unborn baby]

Module: pregnancy_et2

Source: UKHLS

Type: choice
Don't know: -1 Refused: -2 Inapplicable: -8 Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PINVOLV = 1 | OTHERPARIN = 1] // Other parent is involved in pregnancy
And if [PLIVewith = 3] // Does not live with other parent
And If [ETLIVARRPREG <> 1] // Unborn baby not staying overnight all the time with respondent

Text: How often do you expect to see your baby?

Options:	1	Never	Never
	2	A few times a year	A few times a year
	3	Once a month or less	Once a month or less
	4	Several times a month	Several times a month
	9	Fortnightly	Fortnightly
	5	About once a week	About once a week
	6	Several times a week	Several times a week
	7	Almost everyday	Almost everyday
	8	Everyday	Everyday

Use: Ask ETSEEKIDFREQPREGRESP

Question: pregnancy_et2.ETSEEKIDFREQPREG [Frequency expects other parent to see unborn baby]

Module: pregnancy_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PINVOLV = 1 | OTHERPARIN = 1] // Other parent is involved in pregnancy
And if [PLIVEWITH = 3] // Does not live with other parent

Text: How often do you expect [PARENT NAME] to see your baby?

Options:	1	Never	Never
	2	A few times a year	A few times a year
	3	Once a month or less	Once a month or less
	4	Several times a month	Several times a month
	9	Fortnightly	Fortnightly
	5	About once a week	About once a week
	6	Several times a week	Several times a week
	7	Almost everyday	Almost everyday
	8	Everyday	Everyday

Use: Ask ETSEEKIDFREQPREG

if [ETSEEKIDFREQPREG > 3] // Expect to see child more than once a month

Question: pregnancy_et2.ETSHARCARENRPREG [Expect shared care arrangement for unborn baby]

Module: pregnancy_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PINVOLV = 1 | OTHERPARIN = 1] // Other parent is involved in pregnancy
And if [PLIVEWITH = 3] // Does not live with other parent
And if [ETSEEKIDFREQPREG > 3] // Expect to see child more than once a month

Text: Do you expect to have a shared care or 50/50 care arrangement?

Options:

1	Yes	Yes
2	No	No

Use: Ask ETSHARCARENRPREG

Question: pregnancy_et2.ETHOPESEEPREG [Hopes for contact with unborn baby]

Module: pregnancy_et2

Source: ETDC Survey

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PINVOLV = 1 | OTHERPARIN = 1] // Other parent is involved in pregnancy
And if [PLIVEWITH = 3] // Does not live with other parent

Text: Is the planned level of contact that you will have with your baby what you hoped for?

Options:

1	Yes	Yes
2	No, I would prefer more contact	No, I would prefer more contact
3	No, I would prefer less contact	No, I would prefer less contact
4	Not sure	Not sure

Use: Ask ETHOPESEEPREG

Question: pregnancy_et2.ETHOPESEEOTHPREG [Other parent hopes for contact with unborn baby]

Module: pregnancy_et2

Source: ETDC Survey

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2] // Reported pregnancy
And if [STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R
And if [EPCONTPADP <> 2|3|4] // Continuing with pregnancy
And if [PINVOLV = 1 | OTHERPARIN = 1] // Other parent is involved in pregnancy
And if [PLIVEWITH = 3] // Does not live with other parent

Text: And is the planned level of contact what [PARENT NAME] had hoped for?

Options:	1	Yes	Yes
	2	No, they would prefer more contact	No, they would prefer more contact
	3	No, they would prefer less contact	No, they would prefer less contact
	4	Not sure	Not sure

Use: Ask ETHOPESEEOTHREG

End

Pregnancy Profile Event-triggered Module (pregnancyprofile_et2.v01)

Start

if [((EVENTTRIGGER.EVENT = 10 & PREGNANCY.STILLPREG = 1) | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant AND pregnancy not ending

Question: pregnancyprofile_et2.EPNAUSEA [Nausea or morning sickness]

Module: pregnancyprofile_et2

Source: Growing Up in New Zealand

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10 & PREGNANCY.STILLPREG = 1) | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant AND pregnancy not ending

Text: Next, we have a few questions about your health and lifestyle during this pregnancy.

Have you experienced any nausea or morning sickness during this pregnancy?

Options:	1	No	No
	2	Mild symptoms	Mild symptoms
	3	Moderate symptoms (occasionally sick)	Moderate symptoms (occasionally sick)
	4	Severe symptoms (regularly sick)	Severe symptoms (regularly sick)

Use: Ask EPNAUSEA

Question: pregnancyprofile_et2.EPDIET [Diet adjustments]

Module: pregnancyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10 & PREGNANCY.STILLPREG = 1) | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant AND pregnancy not ending

Text: Have you made any changes to your diet during this pregnancy? This could include avoiding certain foods/drinks or eating things you usually wouldn't.

Options:

1	Yes	Yes
2	No	No

Use: Ask EPDIET

Question: pregnancyprofile_et2.EPEXER [Exercising adjustments]

Module: pregnancyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10 & PREGNANCY.STILLPREG = 1) | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant AND pregnancy not ending

Text: And have you changed the amount of exercise you do because of this pregnancy?

Options:

1	Yes - I exercise more now	Yes - I exercise more now
2	Yes - I exercise less now	Yes - I exercise less now
3	No - I do the same as before	No - I do the same as before

Use: Ask EPEXER

Question: pregnancyprofile_et2.EPSMOKE [Stop smoking or vaping]

Module: pregnancyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10 & PREGNANCY.STILLPREG = 1) | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant AND pregnancy not ending

Text: Have you stopped smoking/vaping since finding out you are pregnant?

Options:

1	Yes, immediately after finding out	Yes, immediately after finding out
2	Yes, a while after finding out	Yes, a while after finding out
3	No, I haven't stopped	No, I haven't stopped
4	I don't smoke/vape	I don't smoke/vape

Use: Ask EPSMOKE

Question: pregnancyprofile_et2.EPDRINK [Stop drinking]

Module: pregnancyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10 & PREGNANCY.STILLPREG = 1) | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant AND pregnancy not ending

Text: And have you stopped drinking alcohol since finding out you are pregnant?

Options:	1	Yes, immediately after finding out	Yes, immediately after finding out
	2	Yes, a while after finding out	Yes, a while after finding out
	3	No, I haven't stopped	No, I haven't stopped
	4	I don't drink alcohol	I don't drink alcohol

Use: Ask EPDRINK

Question: pregnancyprofile_et2.EPSLEEP [Sleeping affected]

Module: pregnancyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10 & PREGNANCY.STILLPREG = 1) | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant AND pregnancy not ending

Text: Has your regular sleep been affected by this pregnancy?

Options:	1	Yes, I sleep more than before	Yes, I sleep more than before
	2	Yes, I sleep less than before	Yes, I sleep less than before
	3	No, my sleep hasn't been affected	No, my sleep hasn't been affected

Use: Ask EPSLEEP

Question: pregnancyprofile_et2.EPDIAG [Diagnosed complications or conditions]

Module: pregnancyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10 & PREGNANCY.STILLPREG = 1) | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant AND pregnancy not ending

Text: Has a doctor or other health professional diagnosed complications or conditions during this pregnancy, such as high blood pressure, gestational diabetes, pre-eclampsia or others?

Options:

1	Yes	Yes
2	No	No

Use: Ask EPDIAG

End

Prenatal Attachment Event-triggered Module
(prenatalattachment_et2.v01)

Start

if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Display Note

SCREEN START. Display in grid format.

Question: prenatalattachment_et2.EPPALOOK [Baby looks like now]

Module: prenatalattachment_et2

Source: Evidence for better life survey (EBLS)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: People experience different thoughts and feelings during pregnancy. The following sentences describe thoughts and feelings people may experience during pregnancy. If you don't experience any of these thoughts and feelings, that's ok, we are interested in your personal experiences during this pregnancy.

I wonder what the baby looks like now

Options:

1	Almost never	Almost never
2	Sometimes	Sometimes
3	Often	Often
4	Almost always	Almost always

Use: Ask EPPALOOK

Question: prenatalattachment_et2.EPPAPERS [baby already has a personality]

Module: prenatalattachment_et2

Source: EBLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: I think that my baby already has a personality

Options:

1	Almost never	Almost never
2	Sometimes	Sometimes
3	Often	Often
4	Almost always	Almost always

Use: Ask EPPAPERS

Question: prenatalattachment_et2.EPPADIFF [Things will make a difference to baby]

Module: prenatalattachment_et2

Source: EBLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: I know things I do will make a difference to the baby

Options:

1	Almost never	Almost never
2	Sometimes	Sometimes
3	Often	Often
4	Almost always	Almost always

Use: Ask EPPADIFF

Question: prenatalattachment_et2.EPPAPLAN [Planning things to do with baby]

Module: prenatalattachment_et2

Source: EBLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: I plan the things I will do with my baby

Options:

1	Almost never	Almost never
2	Sometimes	Sometimes
3	Often	Often
4	Almost always	Almost always

Use: Ask EPPAPLAN

Question: prenatalattachment_et2.EPPALOVE [Feeling love from baby]

Module: prenatalattachment_et2

Source: EBLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: I feel love from the baby

Options:	1	Almost never	Almost never
	2	Sometimes	Sometimes
	3	Often	Often
	4	Almost always	Almost always

Use: Ask EPPALOVE

Question: prenatalattachment_et2.EPPADREAM [Dreaming about the baby]

Module: prenatalattachment_et2

Source: EBLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: I dream about the baby

Options:	1	Almost never	Almost never
	2	Sometimes	Sometimes
	3	Often	Often
	4	Almost always	Almost always

Use: Ask EPPADREAM

Question: prenatalattachment_et2.EPPAHEARS [Baby hears]

Module: prenatalattachment_et2

Source: EBLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: I know the baby hears me

Options:

1	Almost never	Almost never
2	Sometimes	Sometimes
3	Often	Often
4	Almost always	Almost always

Use: Ask EPPAHEARS

Question: prenatalattachment_et2.EPPATHINK [Excited thinking about baby]

Module: prenatalattachment_et2

Source: EBLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: I get very excited when I think about the baby

Options:

1	Almost never	Almost never
2	Sometimes	Sometimes
3	Often	Often
4	Almost always	Almost always

Use: Ask EPPATHINK

Display Note
SCREEN END

End

Plans for Baby Event-triggered Module (plansforbaby_et2.v01)

Start

if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP<> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Question: plansforbaby_et2.EPFINANCE [Financial costs of raising child]

Module: plansforbaby_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP<> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: Next, we have some questions about the sorts of things parents tend to think about when having a baby.

How much have you thought about the costs of raising your child?

Options:

1	A great deal	A great deal
2	Quite a bit	Quite a bit
3	A little bit	A little bit
4	Not at all	Not at all

Use: Ask EPFINANCE

if [EVENTTRIGGER.EVENT = 10 | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)]// Currently pregnant

Question: plansforbaby_et2.EPBRFEDINT [Breastfeeding intentions]

Module: plansforbaby_et2

Source: Growing Up in New Zealand

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP<> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending
And if [EVENTTRIGGER.EVENT = 10 | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)] // Currently pregnant

Text: How are you intending to feed the baby when they are first born?

Options:

1	Breast	Breast
2	Formula feeding	Formula feeding
3	Both breast and formula feeding	Both breast and formula feeding
4	I haven't decided yet	I haven't decided yet

Use: Ask EPBRFEDINT

if [BRFEDINT = 1|3] // Intends to breastfeed

Question: plansforbaby_et2.EPBRFEDDUR [Breastfeeding duration]

Module: plansforbaby_et2

Source: Growing Up in New Zealand

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP<> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending
And if [EVENTTRIGGER.EVENT = 10 | (EVENTTRIGGER.EVENTBABY = 2 & ff_sex = 2)] // Currently pregnant
And if [BRFEDINT = 1|3] // Intends to breastfeed

Text: Ideally, how long would you like to breastfeed for?

Options:

1	Up to 6 weeks	Up to 6 weeks
2	Up to 3 months	Up to 3 months
3	Up to 6 months	Up to 6 months
4	Longer than 6 months	Longer than 6 months

Use: Ask EPBRFEDDUR

Question: plansforbaby_et2.EPVAC [Vaccinations]

Module: plansforbaby_et2

Source: Growing Up in New Zealand (adapted)

Type: choice	Inapplicable: -8	Missing: -9
Refused: -2		

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone pregnant by R AND pregnancy not ending

Text: Do you intend for the baby to receive the vaccinations recommended by the NHS?

Options:

1	Yes, fully vaccinated	Yes, fully vaccinated
2	Yes, partially vaccinated	Yes, partially vaccinated
3	No, child won't be vaccinated	No, child won't be vaccinated
4	Not sure/undecided	Not sure/undecided

Use: Ask EPVAC

End

Supportive Help Event-triggered Module (supportivehelp_et2.v01)

Start

if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R AND pregnancy not ending

Display Note

SCREEN START. Display in grid format.

Question: supportivehelp_et2.EPSHOP [Baby's other parent helpful with baby]

Module: supportivehelp_et2

Source: Growing Up in New Zealand (adapted)

Type: choice	Refused: -2	Inapplicable: -8	Missing: -9
Don't know: -1			

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R AND pregnancy not ending

Text: How helpful do you expect the following to be once the baby is born?
If any of these sources are not available to you, choose 'Not available'

Baby's other parent

Options:

1	Not available	Not available
2	Not at all helpful	Not at all helpful
3	Sometimes helpful	Sometimes helpful
4	Generally helpful	Generally helpful
5	Very helpful	Very helpful
6	Extremely helpful	Extremely helpful

Use: Ask EPSHOP

Question: supportivehelp_et2.EPSHPAR [Your parents helpful with baby]

Module: supportivehelp_et2
Source: Growing Up in New Zealand (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R AND pregnancy not ending

Text: Your parents

Options:

1	Not available	Not available
2	Not at all helpful	Not at all helpful
3	Sometimes helpful	Sometimes helpful
4	Generally helpful	Generally helpful
5	Very helpful	Very helpful
6	Extremely helpful	Extremely helpful

Use: Ask EPSHPAR

Question: supportivehelp_et2.EPSHOPPAR [Baby's other parent parents' helpful with baby]

Module: supportivehelp_et2
Source: Growing Up in New Zealand (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R AND pregnancy not ending

Text: Baby's other parent's parents

Options:

1	Not available	Not available
2	Not at all helpful	Not at all helpful
3	Sometimes helpful	Sometimes helpful
4	Generally helpful	Generally helpful
5	Very helpful	Very helpful
6	Extremely helpful	Extremely helpful

Use: Ask EPSHOPPAR

Question: supportivehelp_et2.EPSHFAM [Your extended family helpful with baby]

Module: supportivehelp_et2

Source: Growing Up in New Zealand (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R AND pregnancy not ending

Text: Your extended family (siblings, cousins, etc.)

Options:

1	Not available	Not available
2	Not at all helpful	Not at all helpful
3	Sometimes helpful	Sometimes helpful
4	Generally helpful	Generally helpful
5	Very helpful	Very helpful
6	Extremely helpful	Extremely helpful

Use: Ask EPSHFAM

Question: supportivehelp_et2.EPSHOPFAM [Other parent extended family helpful with baby]

Module: supportivehelp_et2

Source: Growing Up in New Zealand (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R AND pregnancy not ending

Text: Baby's other parent's extended family (siblings, cousins, etc.)

Options:

1	Not available	Not available
2	Not at all helpful	Not at all helpful
3	Sometimes helpful	Sometimes helpful
4	Generally helpful	Generally helpful
5	Very helpful	Very helpful
6	Extremely helpful	Extremely helpful

Use: Ask EPSHOPFAM

Question: **supportivehelp_et2.EPSHFR** [Your friends helpful with baby]

Module: supportivehelp_et2

Source: Growing Up in New Zealand (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R AND pregnancy not ending

Text: Your friends

Options:

1	Not available	Not available
2	Not at all helpful	Not at all helpful
3	Sometimes helpful	Sometimes helpful
4	Generally helpful	Generally helpful
5	Very helpful	Very helpful
6	Extremely helpful	Extremely helpful

Use: Ask EPSHFR

Question: **supportivehelp_et2.EPSHBOOKS** [Books helpful with baby]

Module: supportivehelp_et2

Source: Growing Up in New Zealand (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R AND pregnancy not ending

Text: Books

Options:

1	Not available	Not available
2	Not at all helpful	Not at all helpful
3	Sometimes helpful	Sometimes helpful
4	Generally helpful	Generally helpful
5	Very helpful	Very helpful
6	Extremely helpful	Extremely helpful

Use: Ask EPSHBOOKS

Question: supportivehelp_et2.EPSHINT [Internet helpful with baby]

Module: supportivehelp_et2

Source: Growing Up in New Zealand (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1 | EVENTTRIGGER.EVENTBABY = 2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R AND pregnancy not ending

Text: Internet

Options:

1	Not available	Not available
2	Not at all helpful	Not at all helpful
3	Sometimes helpful	Sometimes helpful
4	Generally helpful	Generally helpful
5	Very helpful	Very helpful
6	Extremely helpful	Extremely helpful

Use: Ask EPSHINT

Display Note
SCREEN END

End

Birth Event-triggered Module (birth_et2.v01)

Start

if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended

Question: birth_et2.ENBCHNUM [Number of children]

Module: birth_et2

Source: UKHLS

Type: Number	Range: 1 .. 5
Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended

Text: We would like to ask some questions about your child(ren) aged 6 to 12 months. First, how many children do you have between the ages of 6 and 12 months? {if ff_etdceverint = 2}

We would like to ask some questions about your child(ren) who have turned 6 months old recently. First, how many of your children have turned 6 months old in the past month? {if ff_etdceverint = 1}

Use: Ask ENBCHNUM

if [ENBCHNUM > 1] // More than one child in age range

Question: birth_et2.ENBMULTI [Multiple birth]

Module: birth_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBCHNUM > 1] // More than one child in age range

Text: Were they born as part of a multiple birth such as twins or triplets?

Options:

1	Yes	Yes
2	No	No

Use: Ask ENBMULTI

loop for each child identified at ENBCHNUM

Name: Child Loop

Display Note

SCREEN START. Please display a row for each child reported at ENBNAME. Independent name and surname boxes should be displayed for each child:

Child 1 [NAME] [SURNAME]
 Child 2 [NAME] [SURNAME]
 Child 3 [NAME] [SURNAME]
 Child 4 [NAME] [SURNAME]
 Child 5 [NAME] [SURNAME]

Question: birth_et2.ENBFORENAME [Child forename]

Module: birth_et2

Source: ETDC Survey

Type: String	Length: 255		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child identified at ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Can you tell us the full name of your child {if ENBCHNUM = 1} names of your children if {ENBCHNUM > 1} ?

Question Box Label: Enter first name

Use: Ask ENBFORENAME

Question: birth_et2.ENBSURNAME [Child surname]

Module: birth_et2
Source: ETDC Survey

Type: String	Length: 255		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child identified at ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended

Question Box Label: Enter surname

Use: Ask ENBSURNAME

Display Note
SCREEN END

END LOOP (Child Loop)

if [ENBCHNUM > 1] // More than one child in age range

Question: birth_et2.CHILDPREAMBLE [Child preamble]

Module: birth_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBCHNUM > 1] // More than one child in age range

Text: Thank you. Now, we'd like to ask you some specific questions about each child individually.

Options:

1	Continue	Continue
---	----------	----------

Use: Ask CHILDPREAMBLE

loop for each child identified at ENBCHNUM
Name: Child Loop 2

Question: birth_et2.ENBSEX [Sex at birth]

Module: birth_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child identified at ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended

Text: At birth, was [CHILD NAME] described as...

Options:

1	Male	Male
2	Female	Female
3	Intersex	Intersex

Use: Ask ENBSEX

Display Note
SCREEN START

Question: birth_et2.ENBDOBD [Date of birth: day]

Module: birth_et2
Source: ETDC Survey

Scripting Use drop-down list of response options
Notes:

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child identified at ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended

Text: What is [CHILD NAME]'s date of birth?

Question Day
Box
Label:

Use: Ask ENBDOBD

Question: birth_et2.ENBDOBM [Date of birth: month]

Module: birth_et2
Source: ETDC Survey
Scripting Use drop-down list of response options
Notes:

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child identified at ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended

Question Box Label: Month

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask ENBDOBM

Question: birth_et2.ENBDOBY [Date of birth: year]

Module: birth_et2
Source: ETDC Survey
Scripting Limit list of response options to current and last year only.
Notes: Use drop-down list of response options

Type: Number	Range: 1900 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child identified at ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended

Question Year
Box
Label:

Use: Ask ENBDOBY

Hard Check: If (Date entered is in the future)// Do not allow future dates to be entered
Text
The date you have entered is in the future

Display Note
SCREEN END

Question: birth_et2.ENBBIO [Baby is R's biological child]

Module: birth_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child identified at ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Baby has turned 6 months old OR has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Can we just check, is [CHILD NAME] your biological child?

Options:

1	Yes	Yes
2	No	No

Use: Ask ENBBIO

END LOOP (Child Loop 2)

End

Baby Profile Event-triggered Module (babyprofile_et2.v01)

Start

if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

loop for each child enumerated via BIRTH.ENBCHNUM
Name: Child Profile Loop

Question: babyprofile_et2.ENBCDCOND [Child health]

Module: babyprofile_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Thinking now about [CHILD NAME], in general, would you say [CHILD NAME]'s health is...

Options:	1	Excellent	Excellent
	2	Very good	Very good
	3	Good	Good
	4	Fair	Fair
	5	Poor	Poor

Use: Ask ENBCDCOND

Question: babyprofile_et2.ENBDC [Diagnosed conditions]

Module: babyprofile_et2
Source: Early Life Cohort (ELC) Feasibility Study (adapted)
Scripting Code 96 is exclusive
Notes:

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Has [CHILD NAME] been diagnosed by a doctor or other health professional with any of the following conditions?

Please select all that apply

Options:	1	Eye/sight problems	Eye/sight problems
	2	Heart problems	Heart problems
	3	Skin problems	Skin problems
	4	Ear, nose or throat problems	Ear, nose or throat problems
	5	Hearing problems	Hearing problems
	6	Stomach and digestion problems	Stomach and digestion problems
	7	Bone problems	Bone problems
	8	Allergies and intolerances	Allergies and intolerances
	9	Breathing problems (including wheezing or asthma)	Breathing problems (including wheezing or asthma)
	10	Epilepsy (including fits)	Epilepsy (including fits)
	11	Blood disorders	Blood disorders
	12	Urinary and/or kidney problems	Urinary and/or kidney problems
	13	Diabetes	Diabetes
	14	Cerebral Palsy	Cerebral Palsy
	15	Genetic problems and chromosomal disorders	Genetic problems and chromosomal disorders
	16	Growth concerns (underweight or low muscle tone)	Growth concerns (underweight or low muscle tone)
	17	Health problems (unspecified/other)	Health problems (unspecified/other)
	18	Development problems (unspecified/other)	Development problems (unspecified/other)
	97	Other	Other
	96	None of these	None of these

Use: Ask ENBDC

if [ENBDC = 97] // Other condition

Question: **babyprofile_et2.ENBDCOTH** [Other diagnosed conditions]

Module: babyprofile_et2

Source: ETDC Survey

Type: String	Length: 255		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) &
 (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby
 between 6-12 months old AND pregnancy not ending/ended
 And if [ENBDC = 97] // Other condition

Text: What other condition is that?

Use: Ask ENBDCOTH

if [BIRTH.ENBBIO = 1 & ff_sex = 2]// R's biological child and R is female

Question: **babyprofile_et2.ENBBRFED** [Breastfeed]

Module: babyprofile_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [BIRTH.ENBBIO = 1 & ff_sex = 2] // R's biological child and R is female

Text: Did you breastfeed [CHILD NAME], even if only for a short time?

Options:	1	Yes	Yes
	2	No	No
	3	Currently breastfeeding	Currently breastfeeding

Use: Ask ENBBRFED

if [ENBBRFED = 1] // Breastfed

Display Note
SCREEN START. Arrange horizontally on screen with age first and unit second.

Question: **babyprofile_et2.ENBBRFEDEN** [Age breastfeeding stopped]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1 .. 52		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [BIRTH.ENBBIO = 1 & ff_sex = 2] // R's biological child and R is female
And if [ENBBRFED = 1] // Breastfed

Text: How old was [CHILD NAME] when you stopped breastfeeding them altogether?

Use: Ask ENBBRFEDEN

Question: **babyprofile_et2.ENBBRFEDENUNIT** [Age breastfeeding stopped: unit]

Module: babyprofile_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [BIRTH.ENBBIO = 1 & ff_sex = 2] // R's biological child and R is female
And if [ENBBRFED = 1] // Breastfed

Options:

1	Weeks	Weeks
2	Months	Months

Use: Ask ENBBRFEDENUNIT

Display Note
SCREEN END

if [ENBBRFED = 3] // Currently breastfeeding

Question: babyprofile_et2.ENBBRFEDCO [Breastfeeding continuation]

Module: babyprofile_et2
Source: Growing Up in New Zealand (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [BIRTH.ENBBIO = 1 & ff_sex = 2] // R's biological child and R is female
And if [ENBBRFED = 3] // Currently breastfeeding

Text: Ideally, how old will [CHILD NAME] be when you stop breastfeeding them?

Options:

1	I would like to stop now	I would like to stop now
2	12 months old	12 months old
3	18 months old	18 months old
4	24 months old	24 months old
5	Over 2 years old	Over 2 years old

Use: Ask ENBBRFEDCO

Question: babyprofile_et2.ENBWEAN [Weaning the baby]

Module: babyprofile_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Have you started the weaning process (introducing solid foods) with [CHILD NAME] yet?

Options:

1	Yes	Yes
2	No	No

Use: Ask ENBWEAN

if [ENBWEAN = 1]// Has started weaning process

Question: babyprofile_et2.ENBWEANA [Baby’s age when weaning]

Module: babyprofile_et2

Source: ETDC Survey

Type: Number	Range: 1 .. 36		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBWEAN = 1] // Has started weaning process

Text: How old was [CHILD NAME] when you started the weaning process?

Question Box Label: Months

Use: Ask ENBWEANA

Question: babyprofile_et2.ENBDDCARE [Involved in day-to-day care of baby]

Module: babyprofile_et2

Source: Growing Up in New Zealand

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: In general, how much of the time are you involved in the day-to-day care o [CHILD NAME], for example feeding, holding, changing?

Options:

1	Not much of the time	Not much of the time
2	Some of the time	Some of the time
3	Most of the time	Most of the time
4	All of the time	All of the time

Use: Ask ENBDDCARE

Question: babyprofile_et2.ENBDR [Directly responsible for baby]

Module: babyprofile_et2

Source: Growing Up in New Zealand (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: And in general, how much of the time are you directly responsible for [CHILD NAME], for example, in sole care of them, making babysitting arrangements, looking after them if they are sick?

Options:

1	Not much of the time	Not much of the time
2	Some of the time	Some of the time
3	Most of the time	Most of the time
4	All of the time	All of the time

Use: Ask ENBDR

Question: babyprofile_et2.ENBEVVAC [Ever vaccinated]

Module: babyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Has [CHILD NAME] ever received any vaccinations?

Options:

1	Yes	Yes
2	No	No

Use: Ask ENBEVVAC

if [ENBEVVAC = 1]// Child has been vaccinated

Question: **babypofile_et2.ENBVAC8WK** [Vaccinations at 8 weeks]

Module: babypofile_et2
Source: ETDC Survey
Scripting Notes: Code 96 is exclusive.

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBEVVAC = 1] // Child has been vaccinated

Text: Did they receive any of these vaccinations?

Please select all that apply

Options:	1	6-in-1 vaccine	6-in-1 vaccine
	2	Rotavirus vaccine	Rotavirus vaccine
	3	MenB vaccine	MenB vaccine
	96	None of these	None of these

Help: The 6-in-1 vaccine protects babies against 6 serious illnesses: diphtheria, hepatitis B, Hib (Haemophilus influenzae type b), polio, tetanus, whooping cough.

Use: Ask ENBVAC8WK

Question: **babypofile_et2.ENBVAC12WK** [Vaccinations at 12 weeks]

Module: babypofile_et2
Source: ETDC Survey
Scripting Notes: Code 96 is exclusive.

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBEVVAC = 1] // Child has been vaccinated

Text: And did they receive any of these vaccinations?

Please select all that apply

Options:

1	6-in-1 vaccine - second dose {if ENBVAC8WK = 1}	6-in-1 vaccine - second dose
2	Pneumococcal vaccine	Pneumococcal vaccine
3	Rotavirus vaccine - second dose {if ENBVAC8WK = 2}	Rotavirus vaccine - second dose
96	None of these	None of these

Use: Ask ENBVAC12WK

if [EPVAC8WK = 3 | EPVAC12WK = 1]// Has had 6-in-1 second dose OR MenB vaccine

Question: babyprofile_et2.ENBVAC16WK [Vaccinations at 16 weeks]

Module: babyprofile_et2
Source: ETDC Survey
Scripting Code 96 is exclusive.
Notes:

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBEVVAC = 1] // Child has been vaccinated
And if [EPVAC8WK = 3 | EPVAC12WK = 1] // Has had 6-in-1 second dose OR MenB vaccine

Text: Finally, did they receive any of these vaccinations?

Please select all that apply

Options:

1	6-in-1 vaccine - third dose {if EPVAC12WK = 1}	6-in-1 vaccine - third dose
2	MenB vaccine - second dose {if EPVAC8WK = 3}	MenB vaccine - second dose
96	None of these	None of these

Use: Ask ENBVAC16WK

if [(EPVAC8WK <> 96|DK|REF|MIS) & (EPVAC12WK <> 96|DK|REF|MIS)]// Child has received vaccinations

Question: babyprofile_et2.ENVACTO [Vaccinations at time offered]

Module: babyprofile_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBEVVAC = 1] // Child has been vaccinated
And if [(EPVAC8WK <> 96|DK|REF|MIS) & (EPVAC12WK <> 96|DK|REF|MIS)] // Child has received vaccinations

Text: Did [CHILD NAME] receive these vaccinations within the recommended time frame for each, based on when they were offered (e.g., 8 weeks, 12 weeks, or 16 weeks)?

Options:

1	Yes - all of them	Yes - all of them
2	Yes - some of them	Yes - some of them
3	No	No

Use: Ask ENVACTO

if [ENBEVVAC = 2] // Child has not been vaccinated

Question: babyprofile_et2.ENBVACFUT [Vaccinations in future]

Module: babyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBEVVAC = 2] // Child has not been vaccinated

Text: Are you planning for [CHILD NAME] to receive any vaccinations in the future?

Options:

1	Yes	Yes
2	No	No

Use: Ask ENBVACFUT

Question: babyprofile_et2.ENBRB [Have red book]

Module: babyprofile_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: A baby's early physical development is important for their future lives. We would like to know their early measurements if possible. When a baby is born, the parents are given a personal child health record by the NHS, which is used to record key developments in the baby's life. This book might be referred to as a "red book". Depending on where you live, or the age of your child, the personal child health record may have been a different colour – or you may have an online eRedbook. {if loop = 1}
Do you have a personal child health record (red book or eRedbook) for [CHILD NAME] ?

Options:

1	Yes	Yes
2	No	No

Use: Ask ENBRB

if [ENBRB = 1] // Has child's Red Book

Question: babyprofile_et2.ENBMEASURE [measurements imperial or metric]

Module: babyprofile_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book

Text: We would like you to provide weight and length for [CHILD NAME] that is recorded in the red book or eRedbook. Would you prefer to answer in inches and pounds or centimetres and kilograms?

Options:

1	Inches and pounds	Inches and pounds
2	Centimetres and kilograms	Centimetres and kilograms

Use: Ask ENBMEASURE

if [ENBMEASURE = 1] // Inches and pounds

Display Note
SCREEN START

Question: babyprofile_et2.ENBRBWPIMP [Weight pounds]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1 .. 40		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 1] // Inches and pounds

Text: What was the birthweight recorded in [CHILD NAME]'s red book or eRedbook?

Question Box Label: Pounds (to appear to the right of entry box)

Use: Ask ENBRBWPIMP

Question: babyprofile_et2.ENBRBWOIMP [Weight ounces]

Module: babyprofile_et2

Source: UKHLS

Scripting Notes: Have aligned horizontal to entry for RBWPIMP

Type: Number	Range: 0 .. 15		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 1] // Inches and pounds

Question Box Label: Ounces (to appear to the right of entry box)

Use: Ask ENBRBWOIMP

Display Note
SCREEN END

Display Note
SCREEN START

Question: babyprofile_et2.ENBBWLTMP [Weight pounds]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1 .. 40		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 1] // Inches and pounds

Text: And what was [CHILD NAME]'s most recent weight recorded in their red book or eRedbook?

Question Box Label: Pounds (to appear to the right of entry box)
Use: Ask ENBBWLTMP

Question: babyprofile_et2.ENBBWLTMO [Weight ounces]

Module: babyprofile_et2
Source: UKHLS
Scripting Notes: Have aligned horizontal to entry for RBWPIMP

Type: Number	Range: 0 .. 15		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 1] // Inches and pounds

Question Box Label: Ounces (to appear to the right of entry box)
Use: Ask ENBBWLTMO

Display Note
SCREEN END

Question: babyprofile_et2.RBHIMP [Height imperial]

Module: babyprofile_et2
Source: UKHLS
Scripting Notes: Display radio button “Length not known” which is a mutually exclusive

Type: Number	Range: 1 .. 38		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 1] // Inches and pounds

Text: What was [CHILD NAME]'s most recent length recorded in their red book or eRedbook?

Question Box Label: Inches (to appear to the right of entry box)
Use: Ask RBHIMP

if [ENBMEASURE = 2] // Centimetres and kilograms

Question: babyprofile_et2.ENBRBWKK [Weight kilograms]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1 .. 17		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 2] // Centimetres and kilograms

Text: What was the birthweight recorded in [CHILD NAME]'s red book or eRedbook?

Question Box Label: Kilograms (to appear to the right of entry box)

Use: Ask ENBRBWKK

Question: babyprofile_et2.ENBRBWOGO [Weight grams]

Module: babyprofile_et2

Source: UKHLS

Scripting Notes: Have aligned horizontal to entry for RBWKMET

Type: Number	Range: 0 .. 999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 2] // Centimetres and kilograms

Question Box Label: Grams (to appear to the right of entry box)

Use: Ask ENBRBWOGO

Question: **babyprofile_et2.ENBBWLTMK** [Weight kilograms]

Module: babyprofile_et2
Source: UKHLS

Type: Number	Range: 1 .. 17		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 2] // Centimetres and kilograms

Text: And what was [CHILD NAME]'s most recent weight recorded in their red book or eRedbook?

Question Box Label: Kilograms (to appear to the right of entry box)
Use: Ask ENBBWLTMK

Question: **babyprofile_et2.ENBBWLTMG** [Weight grams]

Module: babyprofile_et2
Source: UKHLS
Scripting Notes: Have aligned horizontal to entry for ENBBWLTMK

Type: Number	Range: 0 .. 999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 2] // Centimetres and kilograms

Question Box Label: Grams (to appear to the right of entry box)
Use: Ask ENBBWLTMG

Display Note
SCREEN END

Question: **babyprofile_et2.ENBRBHMET** [Length metric]

Module: babyprofile_et2
Source: UKHLS
Scripting Notes: Display radio button "Length not known" which is a mutually exclusive

Type: Number	Range: 1 .. 97		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book
And if [ENBMEASURE = 2] // Centimetres and kilograms

Text: What was [CHILD NAME]'s most recent length recorded in their red book or eRedbook?

Question Box Label: Centimetres (to appear to the right of entry box)

Use: Ask ENBRBHMET

Display Note
SCREEN START

Question: babyprofile_et2.ENBRBWEIDATED [Red book used day]

Module: babyprofile_et2
Source: UKHLS

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book

Text: What was the date in the book for this most recent measurement of weight?

Question Box Label: Day

Use: Ask ENBRBWEIDATED

Question: babyprofile_et2.ENBRBWEIDATEM [Red book used month]

Module: babyprofile_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book

Question Month
Box
Label:

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask ENBRBWEIDATEM

Question: babyprofile_et2.ENBRBWEIDATEY [Red book used year]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1000 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) &
 (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby
 between 6-12 months old AND pregnancy not ending/ended
 And if [ENBRB = 1] // Has child's Red Book

Question Year
Box
Label:

Use: Ask ENBRBWEIDATEY

Hard Check: If [Date entered is prior to date of birth]// Date entered is prior to date of birth
Text
The date you have entered is prior to [CHILD NAME]'s date of birth.

Hard check: If [Date entered is in the future]// Do not allow future dates to be entered
Text
The date you have entered is in the future.

Display Note
SCREEN END

Display Note
SCREEN START

Question: babyprofile_et2.ENBRBHEIDATED [Red book used day]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book

Text: What was the date in the book for this most recent measurement of length?

Question Box Label: Day

Use: Ask ENBRBHEIDATED

Question: babyprofile_et2.ENBRBHEIDATEM [Red book used month]

Module: babyprofile_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book

Question Box Label: Month

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask ENBRBHEIDATEM

Question: **babyprofile_et2.ENBRBHEIDATEY** [Red book used year]

Module: babyprofile_et2
Source: UKHLS

Type: Number	Range: 1000 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 1] // Has child's Red Book

Question Box Label: Year

Use: Ask ENBRBHEIDATEY

Hard Check: If [Date entered is prior to date of birth]// Date entered is prior to date of birth
Text
The date you have entered is prior to [CHILD NAME]'s date of birth.

Hard check: If [Date entered is in the future]// Do not allow future dates to be entered
Text
The date you have entered is in the future.

Display Note
SCREEN END

if [ENBRB = 2|DK|REF] // Does not have child's Red Book

Question: **babyprofile_et2.ENBMEASUREB** [measurements imperial or metric]

Module: babyprofile_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book

Text: We would like you to provide weight and length for [CHILD NAME] from memory as best as you can. Would you prefer to answer in inches and pounds or centimetres and kilograms?

Options:

1	Inches and pounds	Inches and pounds
2	Centimetres and kilograms	Centimetres and kilograms

Use: Ask ENBMEASUREB

if [ENBMEASUREB = 1] // Inches and pounds

Display Note
SCREEN START

Question: **babyprofile_et2.ENBMEMWPIMP** [Weight pounds]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1 .. 40		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 1] // Inches and pounds

Text: What was [CHILD NAME]'s birthweight?

Question Box Label: Pounds (to appear to the right of entry box)

Use: Ask ENBMEMWPIMP

Question: **babyprofile_et2.ENBMEMWOIMP** [Weight ounces]

Module: babyprofile_et2

Source: UKHLS

Scripting Notes: Have aligned horizontal to entry for ENBMEMWPIMP

Type: Number	Range: 0 .. 15		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 1] // Inches and pounds

Question Box Label: Ounces (to appear to the right of entry box)

Use: Ask ENBMEMWOIMP

Display Note
SCREEN END

Question: babyprofile_et2.ENBBWLTMMEMP [Weight pounds]

Module: babyprofile_et2
Source: UKHLS

Type: Number	Range: 1 .. 40		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 1] // Inches and pounds

Text: And what was [CHILD NAME]'s weight the last time they were measured?

Question Box Label: Pounds (to appear to the right of entry box)
Use: Ask ENBBWLTMMEMP

Question: babyprofile_et2.ENBBWLTMMEMO [Weight ounces]

Module: babyprofile_et2
Source: UKHLS

Scripting Notes: Have aligned horizontal to entry for ENBBWLTMMEMP

Type: Number	Range: 0 .. 15		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 1] // Inches and pounds

Question Box Label: Ounces (to appear to the right of entry box)
Use: Ask ENBBWLTMMEMO

Question: babyprofile_et2.MEMHIMP [Height imperial]

Module: babyprofile_et2
Source: UKHLS

Scripting Notes: Display radio button “Length not known” which is a mutually exclusive

Type: Number	Range: 1 .. 38		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 1] // Inches and pounds

Text: What was [CHILD NAME]'s length the last time they were measured?

Question Box Label: Inches (to appear to the right of entry box)

Box

Label:

Use: Ask MEMHIMP

if [ENBMEASUREB = 2] // Centimetres and kilograms

Display Note
SCREEN START

Question: babyprofile_et2.ENBMEMWKK [Weight kilograms]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1 .. 17		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 2] // Centimetres and kilograms

Text: What was [CHILD NAME]'s birthweight?

Question Box Label: Kilograms (to appear to the right of entry box)

Box

Label:

Use: Ask ENBMEMWKK

Question: babyprofile_et2.ENBMEMWKG [Weight grams]

Module: babyprofile_et2

Source: UKHLS

Scripting Notes: Have aligned horizontal to entry for ENBMEMWKK

Type: Number	Range: 0 .. 999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 2] // Centimetres and kilograms

Question Box Label: Grams (to appear to the right of entry box)

Use: Ask ENBMEMWKG

Display Note
SCREEN END

Display Note
SCREEN START

Question: babyprofile_et2.ENBBWLTMMEMK [Weight kilograms]

Module: babyprofile_et2
Source: UKHLS

Type: Number	Range: 1 .. 17		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 2] // Centimetres and kilograms

Text: And what was [CHILD NAME]'s weight the last time they were measured?

Question Box Label: Kilograms (to appear to the right of entry box)

Use: Ask ENBBWLTMMEMK

Question: babyprofile_et2.ENBBWLTMMEMG [Weight grams]

Module: babyprofile_et2
Source: UKHLS
Scripting Notes: Have aligned horizontal to entry for ENBBWLTMMEMK

Type: Number	Range: 0 .. 999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 2] // Centimetres and kilograms

Question Box Label: Grams (to appear to the right of entry box)

Use: Ask ENBBWLTMMEMG

Display Note
SCREEN END

Question: babyprofile_et2.ENBRBHMETMEM [Length metric]

Module: babyprofile_et2

Source: UKHLS

Scripting Notes: Display radio button “Length not known” which is a mutually exclusive

Type: Number	Range: 1 .. 97		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book
And if [ENBMEASUREB = 2] // Centimetres and kilograms

Text: What was [CHILD NAME]'s length the last time they were measured?

Question Box Label: Centimetres (to appear to the right of entry box)

Use: Ask ENBRBHMETMEM

Display Note
SCREEN START

Question: babyprofile_et2.ENBMEMWEIDATED [Weight measurement day]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book

Text: When was the last time [CHILD NAME]'s weight was measured?

Question Box Label: Day
Use: Ask ENBMEMWEIDATED

Question: babyprofile_et2.ENBMEMWEIDATEM [Weight measurement month]

Module: babyprofile_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book

Question Box Label: Month

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask ENBMEMWEIDATEM

Question: babyprofile_et2.ENBMEMWEIDATEY [Weight measurement year]

Module: babyprofile_et2
Source: UKHLS

Type: Number	Range: 1000 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book

Question Year
Box
Label:

Use: Ask ENBMEMWEIDATEY

Hard check: If [Date entered is in the future]// Do not allow future dates to be entered
Text
The date you have entered is in the future.

Display Note
SCREEN END

Display Note
SCREEN START

Question: babyprofile_et2.ENBMEMHEIDATED [Height measurement day]

Module: babyprofile_et2
Source: UKHLS

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) &
 (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby
 between 6-12 months old AND pregnancy not ending/ended
 And if [ENBRB = 2|DK|REF] // Does not have child's Red Book

Text: When was the last time [CHILD NAME]'s length was measured?

Question Day
Box
Label:

Use: Ask ENBMEMHEIDATED

Question: babyprofile_et2.ENBMEMHEIDATEM [Height measurement month]

Module: babyprofile_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) &
 (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby
 between 6-12 months old AND pregnancy not ending/ended
 And if [ENBRB = 2|DK|REF] // Does not have child's Red Book

Question Month
Box
Label:

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask ENBMEMHEIDATEM

Question: babyprofile_et2.ENBMEMHEIDATEY [Height measurement year]

Module: babyprofile_et2

Source: UKHLS

Type: Number	Range: 1000 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBRB = 2|DK|REF] // Does not have child's Red Book

Question Box Label: Year

Use: Ask ENBMEMHEIDATEY

Hard check: If [Date entered is in the future]// Do not allow future dates to be entered
Text
The date you have entered is in the future.

Display Note
SCREEN END

Question: babyprofile_et2.ENBSLEEP [Sleeping arrangements for baby]

Module: babyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Which of these best describes [CHILD NAME]'s usual sleeping arrangements at night? Do they...

Select one only

Options:	1	Have a cot/moses basket in parent(s) room	Have a cot/moses basket in parent(s) room
	2	Share a bed with parent(s)	Share a bed with parent(s)
	3	Sleep in sibling(s) room	Sleep in sibling(s) room
	4	Sleep in their own room	Sleep in their own room
	97	Other arrangement	Other arrangement

Use: Ask ENBSLEEP

if [ENBSLEEP = 97] // Other arrangement

Question: babyprofile_et2.ENBSLEEPOTH [Sleeping arrangements for baby: other]

Module: babyprofile_et2

Source: ETDC Survey

Type: String	Length: 800		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ENBSLEEP = 97] // Other arrangement

Text: What other arrangement is that?

Use: Ask ENBSLEEPOTH

Question: babyprofile_et2.ENBDUMMY [Dummy use]

Module: babyprofile_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Has [CHILD NAME] ever used a dummy?

Options:

1	Yes, currently	Yes, currently
2	Yes, in the past but not anymore	Yes, in the past but not anymore
3	No, never used	No, never used

Use: Ask ENBDUMMY

Question: babyprofile_et2.ENBACT [Activities with baby]

Module: babyprofile_et2
Source: ETDC Survey
Scripting Code 96 is exclusive
Notes:

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Have you ever attended any of the following activities with [CHILD NAME] ?

Please select all that apply

Options:

1	Parent and baby group	Parent and baby group
2	Playgroup	Playgroup
3	Baby classes	Baby classes
4	Library 'Rhyme Time' or story sessions	Library 'Rhyme Time' or story sessions
5	Spending time with family and/or friends	Spending time with family and/or friends
96	None of these	None of these

Use: Ask ENBACT

Question: babyprofile_et2.ENBCDCREAD [Parent reads to child]

Module: babyprofile_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: How often do you read to [CHILD NAME] ?

Options:

1	Every day	Every day
2	Several times a week	Several times a week
3	Once or twice a week	Once or twice a week
4	Once or twice a month	Once or twice a month
5	Less often	Less often
6	Not at all	Not at all

Use: Ask ENBCDCREAD

Question: babyprofile_et2.ENBCDDVPVM [Baby watching digital content]

Module: babyprofile_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated via BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Some parents use tablets, smartphones, and other digital devices to entertain or facilitate learning for their baby. How often do you use digital devices with [CHILD NAME] ?

Options:

1	Every day	Every day
2	At least once a week	At least once a week
3	At least once a month	At least once a month
4	Less often than once a month	Less often than once a month
5	Never	Never

Use: Ask ENBCDDVPVM

END LOOP (Child Profile Loop)

End

Infant Behaviour Event-triggered Module (infantbehaviour_et2.v01)

Start

if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

loop for each child enumerated at BIRTH.ENBCHNUM
Name: ENBCLMPRBCcondition

Question: infantbehaviour_et2.NBCLMPRBFH [Problems calming child]

Module: infantbehaviour_et2
Source: Adapted from GAINS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if ([EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: How easy or difficult is it for you to calm or soothe [CHILD'S NAME] when he/she is upset?

Options:	1	Very easy	Very easy
	2	Somewhat easy	Somewhat easy
	3	About average	About average
	4	Somewhat difficult	Somewhat difficult
	5	Very difficult	Very difficult

Use: Ask NBCLMPRBFH

Question: infantbehaviour_et2.NBFUSSFH [Amount of fussing or crying]

Module: infantbehaviour_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if ([EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: How often does [CHILD NAME] usually fuss and cry during a typical 24 hour period (e.g. yesterday)?

Options:	1	Most of the time	Most of the time
	2	Quite a bit of the time	Quite a bit of the time
	3	Some of the time	Some of the time
	4	Not very often	Not very often
	5	Rarely if at all	Rarely if at all

Use: Ask NBFUSSFH

Question: infantbehaviour_et2.NBSLEEPFH [Time for child to settle into sleep]

Module: infantbehaviour_et2
Source: GAINS

Type: Number	Range: 0 .. 180		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if ([EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: How long does it usually take you to settle [CHILD NAME] for his or her night time sleep once you have started the process?

Interviewer ENTER TIME IN MINUTES

Instruction:

Use: Ask NBSLEEPFH

Question: infantbehaviour_et2.NBWAKESFH [Number of times child wakes at night]

Module: infantbehaviour_et2

Source: GAINS

Type: Number	Range: 0 .. 20		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if ([EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: How many times does [CHILD NAME] usually wake him/herself up at night?

Interviewer ENTER NUMBER OF TIMES

Instruction:

Use: Ask NBWAKESFH

Display Note
SCREEN START. Arrange in table with response options listed horizontally as column headings and questions listed vertically as rows.

Question: infantbehaviour_et2.NBREFEATFH [Refuses to eat statement]

Module: infantbehaviour_et2

Source: Samara, M., Johnson, S., Lamberts, K., Marlow, N. & Wolke, D. (2010). Eating problems at age 6 years in a whole population sample of extremely preterm children. 'Developmental Medicine and Child Neurology', 52(2), e16-e22.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if ([EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: How true are the following statements about [CHILD NAME] ?

[CHILD NAME] refuses to eat.

Options:

1	Not true	Not true
2	Somewhat true	Somewhat true
3	Certainly true	Certainly true

Use: Ask NBREFEATFH

Question: infantbehaviour_et2.NBNOAPPFH [No appetite statement]

Module: infantbehaviour_et2

Source: Samara, M., Johnson, S., Lamberts, K., Marlow, N. & Wolke, D. (2010). Eating problems at age 6 years in a whole population sample of extremely preterm children. 'Developmental Medicine and Child Neurology', 52(2), e16-e22.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: [CHILD'S NAME] seems to have no appetite.

Options:

1	Not true	Not true
2	Somewhat true	Somewhat true
3	Certainly true	Certainly true

Use: Ask NBNOAPPFH

Display Note
SCREEN END

END LOOP (ENBCLMPRBCondition)

End

Infant Development Event-triggered Module (infantdevelopment_et2.v01)

Start

if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Loop for each child enumerated at BIRTH.ENBCHNUM
Name: Infant Development Loop

Display Note
SCREEN START. Display in grid format.

Question: infantdevelopment_et2.ENBIDSMILE [Baby smiles]

Module: infantdevelopment_et2
Source: Early Life Cohort (ELC) Feasibility Study

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: Loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: All children develop at their own pace. Please say whether [CHILD NAME] does each of the following things often, has only done it once or twice, or has not started to do this yet.

Smiles when you smile at them.

Options:	1	Often	Often
	2	Once or Twice	Once or Twice
	3	Not yet	Not yet

Use: Ask ENBIDSMILE

Question: infantdevelopment_et2.ENBIDSIT [Baby sits up without being supported]

Module: infantdevelopment_et2
Source: Early Life Cohort (ELC) Feasibility Study

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: Loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Can sit up without being supported.

Options:	1	Often	Often
	2	Once or Twice	Once or Twice
	3	Not yet	Not yet

Use: Ask ENBIDSIT

Question: infantdevelopment_et2.ENBIDSTAND [Baby stands up]

Module: infantdevelopment_et2
Source: Early Life Cohort (ELC) Feasibility Study

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: Loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Can stand up while holding onto something like furniture.

Options:

1	Often	Often
2	Once or Twice	Once or Twice
3	Not yet	Not yet

Use: Ask ENBIDSTAND

Question: infantdevelopment_et2.ENBIDHANDS [Baby puts hands together]

Module: infantdevelopment_et2

Source: Early Life Cohort (ELC) Feasibility Study

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: Loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Puts their hands together.

Options:

1	Often	Often
2	Once or Twice	Once or Twice
3	Not yet	Not yet

Use: Ask ENBIDHANDS

Question: infantdevelopment_et2.ENBIDGRAB [Baby grabs objects]

Module: infantdevelopment_et2

Source: Early Life Cohort (ELC) Feasibility Study

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: Loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Grabs objects using their whole hand.

Options:

1	Often	Often
2	Once or Twice	Once or Twice
3	Not yet	Not yet

Use: Ask ENBIDGRAB

Question: infantdevelopment_et2.ENBIDPICK [Baby picks up objects]

Module: infantdevelopment_et2
Source: Early Life Cohort (ELC) Feasibility Study

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: Loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Can pick up a small object using forefinger and thumb only.

Options:

1	Often	Often
2	Once or Twice	Once or Twice
3	Not yet	Not yet

Use: Ask ENBIDPICK

Question: infantdevelopment_et2.ENBIDPASS [Baby passes toys]

Module: infantdevelopment_et2
Source: Early Life Cohort (ELC) Feasibility Study

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: Loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Passes a toy back and forth from one hand to another.

Options:

1	Often	Often
2	Once or Twice	Once or Twice
3	Not yet	Not yet

Use: Ask ENBIDPASS

Question: infantdevelopment_et2.ENBIDWALK [Baby walks a few steps]

Module: infantdevelopment_et2
Source: Early Life Cohort (ELC) Feasibility Study

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: Loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Can walk a few steps on their own.

Options:	1	Often	Often
	2	Once or Twice	Once or Twice
	3	Not yet	Not yet

Use: Ask ENBIDWALK

Question: infantdevelopment_et2.ENBIDMOVE [Baby moves from one place to another]

Module: infantdevelopment_et2
Source: Early Life Cohort (ELC) Feasibility Study

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: Loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: If you put [CHILD NAME] down on the floor, can they move about from one place to another?

Options:	1	Often	Often
	2	Once or Twice	Once or Twice
	3	Not yet	Not yet

Use: Ask ENBIDMOVE

Display Note
SCREEN END

END LOOP (Infant Development Loop)

End

Relationship with Other Parent Event-triggered Module (otherparent_et2.v01)

Start

if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

loop for each child enumerated at BIRTH.ENBCHNUM
Name: Child Loop

Question: otherparent_et2.ETLCHLV [Baby lives with parent]

Module: otherparent_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Is [CHILD NAME] currently living with you?

Options:	1	Yes, all of the time	Yes, all of the time
	2	Yes, some of the time	Yes, some of the time
	3	No	No

Use: Ask ETLCHLV

if [ETLCHLV = 3] // Child does not live with R

Question: otherparent_et2.NRCLIVESADP [Non-resident child mostly lives with]

Module: otherparent_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ETLCHLV = 3] // Child does not live with R

Text: Who does [CHILD NAME] currently live with (for most of the time)?

Options:

1	A parent	A parent
2	Grandparent	Grandparent
3	Other relative	Other relative
4	In care	In care
5	Other	Other

Use: Ask NRCLIVESADP

END LOOP (Child Loop)

if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2]/
Currently pregnant or someone pregnant by R

Question: otherparent_et2.SAMEPARCHK [Same parent check]

Module: otherparent_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2] // Currently pregnant or someone pregnant by R

Text: So that we don't ask the same set of questions twice, can you tell us whether [CHILD NAME(S)] other parent is the same as your unborn baby's?

Options:

1	Yes - same parent	Yes - same parent
2	No - different parents	No - different parents

Use: Ask SAMEPARCHK

if [ff_partname <> MIS] // Fed-forward partner name is available

Question: otherparent_et2.NBOTHERPARNAME [Confirmation of baby's other parent]

Module: otherparent_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ff_partname <> MIS] // Fed-forward partner name is available

Text: In your last annual interview available on [ff_intdate], you mentioned [ff_partname] was your spouse/partner. We realise your circumstances may have changed since then. Can we just check if this is [CHILD NAME(S)] other parent?

Options:

1	Yes	Yes
2	No	No

Use: if (SAMEPARCHK = 1) compute NBOTHPARNAME = PREGNANCY.POTHPARNAME;
else ask

if [ff_partname = MIS | NBOTHPARNAME <> 1]// Fed-forward partner name is not available OR fed-forward partner is not other parent

Display Note
SCREEN START

Question: otherparent_et2.NBOTHPARNAMENEW [Baby's other parent forename]

Module: otherparent_et2
Source: ETDC Survey

Type: String	Length: 255		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ff_partname = MIS | NBOTHPARNAME <> 1] // Fed-forward partner name is not available OR fed-forward partner is not other parent

Text: Can you tell us the full name of [CHILD NAME(S)]'s other parent?

Question Box Label: Enter first name

Use: if (SAMEPARCHK = 1) compute NBOTHPARNAMENEW = POTHNAMENEW;
else ask

Question: otherparent_et2.NBOTHPARSNAMENEW [Baby's other parent surname]

Module: otherparent_et2
Source: ETDC Survey

Type: String	Length: 255		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ff_partname = MIS | NBOTHPARNAME <> 1] // Fed-forward partner name is not available OR fed-forward partner is not other parent

Question Box Label: Enter surname

Use: if (SAMEPARCHK = 1) compute NBOTHPARSNAMENEW = POTHSURNAMENEW;
else ask

Display Note
SCREEN END

Question: otherparent_et2.NBOTHERPARDOBDD [Other parent date of birth: day]

Module: otherparent_et2

Source: ETDC Survey

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ff_partname = MIS | NBOTHERPARNAME <> 1] // Fed-forward partner name is not available OR fed-forward partner is not other parent

Text: What is their date of birth?

Question Box Label: Day

Use: if (SAMEPARCHK = 1) compute NBOTHERPARDOBDD = PREGNANCY.POTHERDOBD;
else ask

Question: otherparent_et2.NBOTHERPARDOBM [Other parent date of birth: month]

Module: otherparent_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [ff_partname = MIS | NBOTHERPARNAME <> 1] // Fed-forward partner name is not available OR fed-forward partner is not other parent

Question Box Label: Month

Label:

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: if (SAMEPARCHK = 1) compute NBOTHPARDOBM = PREGNANCY.POTHDOBM;
else ask

Question: otherparent_et2.NBOTHPARDOBY [Other parent date of birth: year]

Module: otherparent_et2

Source: ETDC Survey

Type: Number	Range: 1900 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) &
(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between
6-12 months old AND pregnancy not ending/ended
And if [ff_partname = MIS | NBOTHPARNAME <> 1] // Fed-forward partner name is not available OR
fed-forward partner is not other parent

Question Box Label: Year

Use: if (SAMEPARCHK = 1) compute NBOTHPARDOBY = PREGNANCY.POTHDOBY;
else ask

Hard check: If [Date entered is in the future]// Do not allow future dates to be entered
Text
The date you have entered is in the future.

Display Note
SCREEN END

Question: otherparent_et2.NBLIVEWITH [Currently living with baby's other parent]

Module: otherparent_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended

Text: Do you and [PARENT NAME] currently live together?

Options:

1	Yes, all of the time	Yes, all of the time
2	Yes, some of the time	Yes, some of the time
4	No, other parent was sperm donor	No, other parent was sperm donor
5	No, other parent is deceased	No, other parent is deceased
3	No, they live elsewhere	No, they live elsewhere

Use: if (SAMEPARCHK = 1) compute NBLIVEWITH = PREGNANCY.PLIVEWITH;
else ask

if [NBLIVEWITH = 3] // Does not live with child's other parent

Question: otherparent_et2.NBINVOLV [Baby's other parent involved]

Module: otherparent_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVEWITH = 3] // Does not live with child's other parent

Text: Although you don't live together, is [PARENT NAME] involved in [CHILD NAME(S)]'s upbringing?

Options:

1	Yes	Yes
2	No	No

Use: Ask NBINVOLV

Question: otherparent_et2.NBNCRRRLIVED [Ever lived with baby's other parent]

Module: otherparent_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVEWITH = 3] // Does not live with child's other parent

Text: Have you and [PARENT NAME] ever lived together?

Options:	1	Yes	Yes
	2	No	No

Use: if (SAMEPARCHK = 1) compute NBNCRRLIVED = PREGNANCY.PNCRRLIVED;
else ask

if [NBLIVewith <> 5] // Other parent is not deceased

Question: otherparent_et2.NBREL1 [Marital status with baby's other parent]

Module: otherparent_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVewith <> 5] // Other parent is not deceased

Text: Are you currently or have you ever been married to or in a civil partnership with [PARENT NAME] ?

Options:	1	Yes - currently married / civil partners	Yes - currently married / civil partners
	2	Yes - previously married /civil partners	Yes - previously married /civil partners
	3	No - never married / civil partners	No - never married / civil partners

Use: if (SAMEPARCHK = 1) compute NBREL1 = PREGNANCY.PREL1;
else ask

if [NBREL1 = 3 & NBLIVewith = 3]// Never married / civil partnership with other parent AND baby's other parent lives elsewhere

Question: otherparent_et2.NBREL2 [Current relationship status with baby's other parent]

Module: otherparent_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBREL1 = 3 & NBLIVewith = 3] // Never married / civil partnership with other parent AND baby's other parent lives elsewhere

Text: Which of the following best describes your current relationship status to [PARENT NAME] ?

Options:

1	Romantically involved on a steady basis	Romantically involved on a steady basis
2	Involved in an on/off relationship	Involved in an on/off relationship
3	We are just friends	We are just friends
4	We do not have a relationship	We do not have a relationship

Use: if (SAMEPARCHK = 1) compute NBREL2 = PREGNANCY.PREL2;
else ask

if [NBLIVewith = 3 & (NBREL1 = 1 | NBREL2 = 1)]// Not living with other parent AND currently married/civil partnership or romantically involved on a steady basis

Question: otherparent_et2.NBNCRR11 [Intention to live with baby's other parent within 3 years]

Module: otherparent_et2
Source: HILDA (adapted)

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBREL1 = 3 & NBLIVewith = 3] // Never married / civil partnership with other parent AND baby's other parent lives elsewhere
And if [NBLIVewith = 3 & (NBREL1 = 1 | NBREL2 = 1)] // Not living with other parent AND currently married/civil partnership or romantically involved on a steady basis

Text: Do you intend to start living with [PARENT NAME] during the next three years?

Options:

1	Yes	Yes
2	No	No
3	Don't know	Don't know

Use: if (SAMEPARCHK = 1) compute NBNCRR11 = PREGNANCY.PRNCRR11;
else ask

if [NBREL2 = 1]// Romantically involved on a steady basis with other parent

Question: otherparent_et2.NBNCRR12 [Likelihood of marrying baby's other parent in future]

Module: otherparent_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBREL1 = 3 & NBLIVEWITH = 3] // Never married / civil partnership with other parent AND baby's other parent lives elsewhere
And if [NBREL2 = 1] // Romantically involved on a steady basis with other parent

Text: How likely is it that you and [PARENT NAME] will marry or form a civil partnership in the future?

Options:

1	Very likely	Very likely
2	Likely	Likely
3	Not sure	Not sure
4	Unlikely	Unlikely
5	Very unlikely	Very unlikely
6	Prefer not to disclose	Prefer not to disclose

Use: if (SAMEPARCHK = 1) compute NBNCR12 = PREGNANCY.PRNCRR12;
else ask

if [(NBLIVEWITH = 1|2) | NBREL2 = 1]// Currently lives all or some of the time with other parent OR currently romantically involved on a steady basis with other parent

loop for each child enumerated at BIRTH.ENBCHNUM
Name: Child loop

Question: otherparent_et2.NBCPLMP [How important decision are made in baby's life]

Module: otherparent_et2
Source: UKHLS

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each child enumerated at BIRTH.ENBCHNUM

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [(NBLIVEWITH = 1|2) | NBREL2 = 1] // Currently lives all or some of the time with other parent OR currently romantically involved on a steady basis with other parent

Text: When important decisions, such as relating to education or health, have to be made about [CHILD NAME]'s life, do you think that decisions will be made...

Options:

1	Mainly by me	Mainly by me
2	Mainly by other parent	Mainly by other parent
3	The other parent and I will have a roughly equal say	The other parent and I will have a roughly equal say
4	It will depend on the decision	It will depend on the decision
5	Not sure	Not sure

Use: Ask NBCPLMP

END LOOP (Child loop)

if [NBLIVewith = 3] // Does not live with other parent

if [NBREL1 <> 1 & NBREL2 <> 1] // Not currently married and not in steady romantic relationship with other parent

Question: otherparent_et2.ETRELEXBABY [Relationship with baby's non-resident parent]

Module: otherparent_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVewith = 3] // Does not live with other parent
And if [NBREL1 <> 1 & NBREL2 <> 1] // Not currently married and not in steady romantic relationship with other parent

Text: You told us you live apart from [PARENT NAME] . We would like to ask some questions about your co-parenting arrangements.

How would you describe your relationship with [PARENT NAME] at present?

Options:	1	Very friendly	Very friendly
	2	Quite friendly	Quite friendly
	3	Not very friendly	Not very friendly
	4	Very unfriendly	Very unfriendly
	5	Mixed - sometimes friendly, sometimes unfriendly	Mixed - sometimes friendly, sometimes unfriendly
	6	Never see them	Never see them

Use: if (SAMEPARCHK = 1) compute ETRELEXBABY = PREGNANCY.ETRELEXPREG;
else ask

Question: otherparent_et2.ETLIVARRBABY [Expected living arrangements for baby]

Module: otherparent_et2
Source: ETDC Survey

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVewith = 3] // Does not live with other parent

Text: We would like to ask some questions about your intended co-parenting arrangements. {if ETRELEXBABY = MIS}

Thinking only about overnight stays (not daytime contact), what are your expected living arrangements for your baby?

Select one only

Options:

1	They will stay overnight with me all of the time	They will stay overnight with me all of the time
2	They will stay overnight both at my home and the other parent's home	They will stay overnight both at my home and the other parent's home
3	They will stay overnight at home and each parent moves in or out	They will stay overnight at home and each parent moves in or out
4	They will not stay overnight with me	They will not stay overnight with me
97	Other arrangement	Other arrangement
5	Not sure	Not sure

Use: if (SAMEPARCHK = 1) compute ETLIVARRBABY = PREGNANCY.ETLIVARRPREG;
else ask

If [ETLIVARRBABY <> 1] // Not staying overnight all the time

Question: otherparent_et2.ETSEEKIDFREQBABYRESP [Frequency respondent expects to see baby]

Module: otherparent_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVEWITH = 3] // Does not live with other parent
And If [ETLIVARRBABY <> 1] // Not staying overnight all the time

Text: How often do you expect to see your baby?

Options:

1	Never	Never
2	A few times a year	A few times a year
3	Once a month or less	Once a month or less
4	Several times a month	Several times a month
9	Fortnightly	Fortnightly
5	About once a week	About once a week
6	Several times a week	Several times a week
7	Almost everyday	Almost everyday
8	Everyday	Everyday

Use: Ask ETSEEKIDFREQBABYRESP

Question: otherparent_et2.ETSEEKIDFREQBABY [Frequency expects other parent to see baby]

Module: otherparent_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVewith = 3] // Does not live with other parent

Text: How often do you expect [PARTNER NAME] to see your baby?

Options:

1	Never	Never
2	A few times a year	A few times a year
3	Once a month or less	Once a month or less
4	Several times a month	Several times a month
9	Fortnightly	Fortnightly
5	About once a week	About once a week
6	Several times a week	Several times a week
7	Almost everyday	Almost everyday
8	Everyday	Everyday

Use: if (SAMEPARCHK = 1) compute ETSEEKIDFREQBABY = PREGNANCY.ETSEEKIDFREQPREG;
else ask

if [ETSEEKIDFREQBABY > 3] // Expect to see child more than once a month

Question: otherparent_et2.ETSHARCARENRBABY [Expect shared care arrangement for baby]

Module: otherparent_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVewith = 3] // Does not live with other parent
And if [ETSEEKIDFREQBABY > 3] // Expect to see child more than once a month

Text: Do you expect to have a shared care or 50/50 care arrangement?

Options:

1	Yes	Yes
2	No	No

Use: if (SAMEPARCHK = 1) compute ETSHARCARENRBABY = PREGNANCY.ETSHARCARENRPREG;
else ask

Question: otherparent_et2.ETHOPESEEBABY [Hopes for contact with baby]

Module: otherparent_et2

Source: ETDC Survey

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVewith = 3] // Does not live with other parent

Text: Is the planned level of contact that you have with your baby what you hoped for?

Options:	1	Yes	Yes
	2	No, I would prefer more contact	No, I would prefer more contact
	3	No, I would prefer less contact	No, I would prefer less contact
	4	Not sure	Not sure

Use: Ask ETHOPESEEBABY

Question: otherparent_et2.ETHOPESEEOTHBABY [Other parent hopes for contact with baby]

Module: otherparent_et2

Source: ETDC Survey

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Has a baby between 6-12 months old AND pregnancy not ending/ended
And if [NBLIVewith = 3] // Does not live with other parent

Text: And is the planned level of contact what [PARTNER NAME] had hoped for?

Options:	1	Yes	Yes
	2	No - they would prefer more contact	No - they would prefer more contact
	3	No - they would prefer less contact	No - they would prefer less contact
	4	Not sure	Not sure

Use: if (SAMEPARCHK = 1) compute ETHOPESEEOTHBABY = PREGNANCY.ETHOPESEEOTHREG;
else ask

End

Relationship Status Event-trigger Module (relationshipstatus_et2.v01)

Start

if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2]// Pregnancy not ending/ended

if [(EVENTTRIGGER.EVENT = 6|7|8) & ff_partname <> MIS] // Reported relationship event with existing partner AND fed-forward partner name in not missing

Question: relationshipstatus_et2.PARTSAME [Same fed forward partner]

Module: relationshipstatus_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [(EVENTTRIGGER.EVENT = 6|7|8) & ff_partname <> MIS] // Reported relationship event with existing partner AND fed-forward partner name in not missing

Text: Thank you for telling us about the recent change in your relationship. Can we just check, is this [ff_partname] ?

Options:

1	Yes	Yes
2	No	No

Use: Ask PARTSAME

if [EVENTTRIGGER.EVENT = 5 | ((EVENTTRIGGER.EVENT = 6|7) & (ff_partname = MIS | PARTSAME = 2))]/
Reported change in relationship status and not same as previous partner

Display Note
SCREEN START

Question: relationshipstatus_et2.PARTFORENAME [Partner forename]

Module: relationshipstatus_et2
Source: ETDC Survey

Type: String	Length: 255		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [EVENTTRIGGER.EVENT = 5 | ((EVENTTRIGGER.EVENT = 6|7) & (ff_partname = MIS | PARTSAME = 2))] // Reported change in relationship status and not same as previous partner

Text: Can you tell us the full name of your partner?

Question ENTER FIRST NAME
Box
Label:

Use: Ask PARTFORENAME

Question: relationshipstatus_et2.PARTSURNAME [Partner surname]

Module: relationshipstatus_et2
Source: ETDC Survey

Type: String	Length: 255		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [EVENTTRIGGER.EVENT = 5 | ((EVENTTRIGGER.EVENT = 6|7) & (ff_partname = MIS | PARTSAME = 2))] // Reported change in relationship status and not same as previous partner

Question Box Label: ENTER SURNAME
Use: Ask PARTSURNAME

Display Note
SCREEN END

Display Start
SCREEN START

Question: relationshipstatus_et2.PARTDOBD [Partner date of birth: day]

Module: relationshipstatus_et2
Source: ETDC Survey

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [EVENTTRIGGER.EVENT = 5 | ((EVENTTRIGGER.EVENT = 6|7) & (ff_partname = MIS | PARTSAME = 2))] // Reported change in relationship status and not same as previous partner

Text: What is their date of birth?
Question Box Label: Day
Use: Ask PARTDOBD

Question: relationshipstatus_et2.PARTDOBM [Partner date of birth: month]

Module: relationshipstatus_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [EVENTTRIGGER.EVENT = 5 | ((EVENTTRIGGER.EVENT = 6|7) & (ff_partname = MIS | PARTSAME = 2))] // Reported change in relationship status and not same as previous partner

Question Box Label: Month

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask PARTDOBM

Question: relationshipstatus_et2.PARTDOBY [Partner date of birth: year]

Module: relationshipstatus_et2

Source: UKHLS

Type: Number	Range: 1900 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [EVENTTRIGGER.EVENT = 5 | ((EVENTTRIGGER.EVENT = 6|7) & (ff_partname = MIS | PARTSAME = 2))] // Reported change in relationship status and not same as previous partner

Question Year

Box

Label:

Use: Ask PARTDOBY

Hard Check: If (date entered is in the future)// Do not allow future dates to be entered
Text
The date you have entered is in the future.

Soft check: if (partner aged <16)// Partner is less than 16 years old
Text
You have indicated your partner is under 16. If this is correct, please continue.

Display Note
SCREEN END

if [EVENTTRIGGER.EVENT = 6]// Got engaged, got married, or started living with partner or stopped living with partner

Question: relationshipstatus_et2.RELCHANGE [Type of relationship change]

Module: relationshipstatus_et2

Source: ETDC Survey

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [EVENTTRIGGER.EVENT = 6] // Got engaged, got married, or started living with partner or stopped living with partner

Text: Which of the following events have you experienced recently?

Please select all that apply

Options:	1	Started living with partner	Started living with partner
	2	Got engaged	Got engaged
	3	Got married	Got married
	4	Stopped living with partner	Stopped living with partner

Use: Ask RELCHANGE

if [EVENTTRIGGER.EVENT = 8] // Split-up with partner

Question: relationshipstatus_et2.RELSTOP [Type of relationship ending]

Module: relationshipstatus_et2

Source: ETDC Survey

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [EVENTTRIGGER.EVENT = 8] // Split-up with partner

Text: Which of the following events have you experienced recently?

Please select all that apply

Options:	1	My partner and I separated	My partner and I separated
	2	My partner and I divorced / dissolved our Civil Partnership	My partner and I divorced / dissolved our Civil Partnership
	3	My partner and I stopped living together	My partner and I stopped living together

Use: Ask RELSTOP

if [EVENTTRIGGER.EVENT = 5 thru' 8]// Reported relationship event this wave

Question: relationshipstatus_et2.PARTDEPCHL [Dependent children with partner or ex-partner]

Module: relationshipstatus_et2

Source: ETDC Survey

Scripting Notes: Partner name can be filled from ff_partname if PARTSAME = 1 or PARTNAME if PARTSAME <> 1. If no name available, use 'current partner' or 'former partner' if EVENTTRIGGER.EVENT = 8.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [EVENTTRIGGER.EVENT = 5 thru' 8] // Reported relationship event this wave

Text: Do you have any dependent children under 16 years old with [PARTNER NAME] ?

Options:

1	Yes	Yes
2	No	No

Use: Ask PARTDEPCHL

Question: relationshipstatus_et2.RELSTATCHNG [Relationship change]

Module: relationshipstatus_et2

Source: ETDC Survey

Scripting Notes: This variable should capture all relationship events and can be multiple per R.

Type: multichoice	
Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended

Options:

1	Stopped living with partner	Stopped living with partner
2	Started living with partner	Started living with partner
3	New LAT relationship	New LAT relationship
4	New engagement	New engagement
5	New marriage / Civil partnership	New marriage / Civil partnership
6	Separated/divorced/dissolved civil partnership	Separated/divorced/dissolved civil partnership

Use: if (EVENTTRIGGER.EVENT = 7 | RELSTOP = 3) compute RELSTATCHNG = 1;
if (RELCHANGE = 1) compute RELSTATCHNG = 2;
if (EVENTTRIGGER.EVENT = 5) compute RELSTATCHNG = 3;
if (RELCHANGE = 2) compute RELSTATCHNG = 4;
if (RELCHANGE = 3) compute RELSTATCHNG = 5;
if (EVENTTRIGGER.EVENT = 8) compute RELSTATCHNG = 6;
if (RELCHANGE = 4) compute RELSTATCHNG = 1;
else compute RELSTATCHNG = MIS

if [RELSTATCHNG = 4|5|6] // Reported engagement or marriage or separation

Question: relationshipstatus_et2.ETRELLIV [Living with partner]

Module: relationshipstatus_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe:

if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELSTATCHNG = 4|5|6] // Reported engagement or marriage or separation

Text:

And are you and [PARTNER NAME] {if RELSTATCHNG = 4|5} your former partner {if RELSTATCHNG = 6} currently living together?

Options:

1	Yes	Yes
2	No	No

Use:

Ask ETRELLIV

End

Stopped Living with Partner Event-triggered Module (stopresident_et2.v01)

Start

if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)]// Stopped living with partner AND not decided to end pregnancy or prefer not to say

Question: stopresident_et2.ETWHOLV [Who left household]

Module: stopresident_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner AND not decided to end pregnancy or prefer not to say

Text: You told us you recently stopped living with your former {if RELATIONSHIPSTATUS.RELSTATCHNG = 6} partner. We would like to ask some questions about this.

Who moved out of the household?

Options:	1	My former {if RELATIONSHIPSTATUS.RELSTATCHNG = 6} partner moved out	My former {if RELATIONSHIPSTATUS.RELSTATCHNG = 6} partner moved out
	2	I moved out	I moved out
	3	We both moved out	We both moved out

Use: Ask ETWHOLV

if [RELATIONSHIPSTATUS.RELSTOP = 3]// Still in relationship with partner

if [ETWHOLV = 2|3] // R moved out

Question: stopresident_et2.ETMOVEWHY [Why started living apart together]

Module: stopresident_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner
AND not decided to end pregnancy or prefer not to say
And if [RELATIONSHIPSTATUS.RELSTOP = 3] // Still in relationship with partner
And if [ETWHOLV = 2|3] // R moved out

Text: Why did you move?

Select one only

Options:	3	Left to attend college or university	Left to attend college or university
	11	Returned home from college or university	Returned home from college or university
	6	Left for job	Left for job
	12	Financial reasons	Financial reasons
	9	To set up own home	To set up own home
	97	Other reason	Other reason

Use: Ask ETMOVEWHY

if [ETWHOLV = 1|3] // Partner moved out

Question: stopresident_et2.ETMOVEWHYP [Partner: why started living apart together]

Module: stopresident_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner
AND not decided to end pregnancy or prefer not to say
And if [RELATIONSHIPSTATUS.RELSTOP = 3] // Still in relationship with partner
And if [ETWHOLV = 1|3] // Partner moved out

Text: Why did your partner move?

Select one only

Options:	3	Left to attend college or university	Left to attend college or university
	11	Returned home from college or university	Returned home from college or university
	6	Left for job	Left for job
	12	Financial reasons	Financial reasons
	9	To set up own home	To set up own home
	13	They are living in an institution (care or nursing home, hospital, prison)	They are living in an institution (care or nursing home, hospital, prison)
	97	Other reason	Other reason

Use: Ask ETMOVEWHYP

if [RELATIONSHIPSTATUS.PARTDEPCHL = 1] // Has dependent child(ren) under 16 with partner or former partner

Question: stopresident_et2.ETMOVECHLWHO [Who dependent child with]

Module: stopresident_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner AND not decided to end pregnancy or prefer not to say
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1] // Has dependent child(ren) under 16 with partner or former partner

Text: And who did your child(ren) move in with?

You told us you have dependent child(ren) under 16 with your former [if RELATIONSHIPSTATUS.RELSTATCHNG = 6] partner. Who are your children currently living with?

Options:	1	With my former {if RELATIONSHIPSTATUS.RELSTATCHNG = 6} partner	With my former {if RELATIONSHIPSTATUS.RELSTATCHNG = 6} partner
	2	With me	With me
	3	Shared or 50/50 living arrangement	Shared or 50/50 living arrangement

Use: Ask ETMOVECHLWHO

if [ETWHOLV = 2|3] // R moved out

Question: stopresident_et2.ETMOVEWHERE [Where moved to]

Module: stopresident_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 2|3] // R moved out

Text: Where are you living now?

Options:	1	Other house/flat	Other house/flat
	2	Working away from home	Working away from home
	3	Halls of residence	Halls of residence
	4	Boarding school	Boarding school
	5	Prison	Prison
	8	Hospital	Hospital
	9	Care or nursing home	Care or nursing home
	10	Outside the UK	Outside the UK
	11	No fixed abode (hostel, sheltered housing, refuge)	No fixed abode (hostel, sheltered housing, refuge)
	97	Other type of accommodation	Other type of accommodation

if [ETMOVEWHERE = 1] // Moved to other house/flat

Question: stopresident_et2.HSOWND [House owned or rented]

Module: stopresident_et2

Source: BHPS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 2|3] // R moved out
And if [ETMOVEWHERE = 1] // Moved to other house/flat

Text: Does your household own this accommodation outright, is it being bought with a mortgage, is it rented or does it come rent-free?

Options:	1	Owned outright	Owned outright
	2	Being bought on a mortgage	Being bought on a mortgage
	3	Shared ownership (part-owned part-rented)	Shared ownership (part-owned part-rented)
	4	Rented	Rented
	5	Rent free	Rent free
	97	Other	Other

Help: Shared ownership includes co-ownership and equity sharing schemes: a share in the property is being bought. The occupier may never become the sole owner of the property but will receive a cash sum on leaving the scheme. Where accommodation is owned or part-owned by ex-spouse or separated spouse answer 'owned'. Do not count as rent-free cases where a rent would normally be paid but the whole amount is rebated (or paid direct to the landlord by the DWP through benefit payments). If you live in rent free accommodation owned by relatives answer 'rent free'.

Use: Ask HSOWND

if [HSOWND = 1|2|3|4] // Household not rent free

Question: stopresident_et2.OWNRENTNAME [Owns/rents accommodation]

Module: stopresident_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 2|3] // R moved out
And if [ETMOVEWHERE = 1] // Moved to other house/flat
And if [HSOWND = 1|2|3|4] // Household not rent free

Text: Is this accommodation **owned** {if HSOWND = 1|2|3} **rented** {if HSOWND = 4} in your name?

Options:

1	Yes	Yes
2	No	No

Help: If part owned with someone else, select 'Yes'.
Use: Ask OWNRENTNAME

if [OWNRENTNAME = 1] // Accommodation owned/rented in R's name

Question: stopresident_et2.ETMOVENEW [Moved with]

Module: stopresident_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 2|3] // R moved out
And if [ETMOVEWHERE = 1] // Moved to other house/flat
And if [HSOWND = 1|2|3|4] // Household not rent free
And if [OWNRENTNAME = 1] // Accommodation owned/rented in R's name

Text: Do you own {if HSOWND = 1|2|3} rent {if HSOWND = 4} this accommodation...

Options:

1	Alone	Alone
2	With someone else	With someone else

Use: Ask ETMOVENEW

if [OWNRENTNAME = 2] // Accommodation not owned/rented in R's name

Question: stopresident_et2.ETMOVEBILL [Pays rent/bills]

Module: stopresident_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 2|3] // R moved out
And if [ETMOVEWHERE = 1] // Moved to other house/flat
And if [HSOWND = 1|2|3|4] // Household not rent free
And if [OWNRENTNAME = 2] // Accommodation not owned/rented in R's name

Text: Do you provide any financial help for this household? This could include things like paying rent or helping out with bills.

Options:

1	Yes	Yes
2	No	No

Use: Ask ETMOVEBILL

Question: stopresident_et2.ETMOVELONG [Length of planned stay]

Module: stopresident_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner
AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 2|3] // R moved out
And if [ETMOVEWHERE <> 11] // Not with no fixed abode

Text: How long do you plan to live here?

Options:	1	A few weeks	A few weeks
	2	A few months	A few months
	3	6 months or more	6 months or more
	4	Undecided	Undecided

Use: Ask ETMOVELONG

Question: stopresident_et2.ETMOVEROOM [Has own bedroom]

Module: stopresident_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner
AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 2|3] // R moved out
And if [ETMOVEWHERE <> 11] // Not with no fixed abode

Text: Do you have a bedroom (on your own or shared) in this accommodation?

Options:	1	Yes	Yes
	2	No	No

Help: If you share a bedroom with someone else, please select 'Yes' here.

Use: Ask ETMOVEROOM

if [ETMOVECHLWHO = 2|3] // R moved with dependent children or shared arrangement

Question: stopresident_et2.ETMOVEROOMK [Child has own bedroom]

Module: stopresident_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 2|3] // R moved out
And if [ETMOVEWHERE <> 11] // Not with no fixed abode
And if [ETMOVECHLWHO = 2|3] // R moved with dependent children or shared arrangement

Text: And do all your children aged under 16 have a bedroom (on their own or shared) in this accommodation?

Options:

1	Yes	Yes
2	No	No

Help: If they share a bedroom, please select 'Yes' here.

Use: Ask ETMOVEROOMK

if [ETWHOLV = 1|3] // Partner moved out

Question: stopresident_et2.ETMOVEWHEREP [Where moved to]

Module: stopresident_et2

Source: UKHLS (adapted)

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 1|3] // Partner moved out

Text: Where is your former {if RELATIONSHIPSTATUS.RELSTATCHNG = 6} partner living now?

Options:

1	Other house/flat	Other house/flat
2	Working away from home	Working away from home
3	Halls of residence	Halls of residence
4	Boarding school	Boarding school
5	Prison	Prison
8	Hospital	Hospital
9	Care or nursing home	Care or nursing home
10	Outside the UK	Outside the UK
11	No fixed abode (hostel, sheltered housing, refuge)	No fixed abode (hostel, sheltered housing, refuge)
97	Other type of accommodation	Other type of accommodation
12	Not sure	Not sure

Use: Ask ETMOVEWHEREP

if [ETMOVEWHEREP = 1] // Moved to other house/flat

Question: stopresident_et2.ETMOVEWITHP [Who living with]

Module: stopresident_et2
Source: ETDC Survey
Scripting Notes: Code 5 is exclusive.

Type: multichoice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELSTATCHNG = 1 & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Stopped living with partner
AND not decided to end pregnancy or prefer not to say
And if [ETWHOLV = 1|3] // Partner moved out
And if [ETMOVEWHEREP = 1] // Moved to other house/flat

Text: Leaving aside children, who are they now living with?

Please select all that apply

Options:	1	With family	With family
	2	With friends	With friends
	3	With a partner	With a partner
	4	With someone else	With someone else
	5	Alone	Alone
	6	Not sure	Not sure

Use: Ask ETMOVEWITHP

End

Started Living with Partner Event-triggered Module (startresident_et2.v01)

Start

if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner

Question: startresident_et2.ETNCRRLIVED [Ever lived with current partner]

Module: startresident_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner

Text: You told us you recently started living with your partner/spouse. We would like to ask some questions about this.

Have you ever lived together before?

Options:	1	Yes	Yes
	2	No	No

Use: Ask ETNCRRLIVED

Question: startresident_et2.ETNCRRSPOUS [Current partner is spouse]

Module: startresident_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
Text: And is this person your spouse/civil partner?
Options:

1	Yes	Yes
2	No	No

Use: Ask ETNCRRSPOUS

if [ff_ncrr1 = 1] // Was in a relationship with someone outside the household at last mainstage wave

Question: startresident_et2.ETCURRPARTLAT [Current partner previously lived apart]

Module: startresident_et2
Source: UKHLS (adapted)

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
And if [ff_ncrr1 = 1] // Was in a relationship with someone outside the household at last mainstage wave
Text: Is this the same person you told us about in your last available annual interview or [ff_intdate] , that you were in a relationship but not living with?
Options:

1	Yes	Yes
2	No	No
3	Don't know	Don't know

Use: Ask ETCURRPARTLAT

Question: startresident_et2.ETWHOJOIN [Who joined household]

Module: startresident_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
Text: How have your living arrangements changed?

Options:

1	I moved in with my partner	I moved in with my partner
2	My partner moved in with me	My partner moved in with me
3	We moved in together somewhere else	We moved in together somewhere else

Use: Ask ETWHOJOIN

if [ETWHOJOIN = 1|3] // R moved in with partner or moved somewhere else

Question: startresident_et2.ETOTHHOUSE [What happened other accommodation]

Module: startresident_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
And if [ETWHOJOIN = 1|3] // R moved in with partner or moved somewhere else

Text: What happened with your previous accommodation after you moved?

Options:

1	Sold it	Sold it
2	Trying to sell	Trying to sell
3	Left empty for now	Left empty for now
4	Rented it out	Rented it out
5	I ended my rental agreement	I ended my rental agreement
6	I lived with my parents before	I lived with my parents before
7	I lived in a house-share before	I lived in a house-share before
8	Something else	Something else

Use: Ask ETOTHHOUSE

Question: startresident_et2.ETYNEW [Moved in together reason]

Module: startresident_et2

Source: UKHLS (adapted)

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner

Text: As a couple, did any of the following affect your decision to move in together?

Please select all that apply

Options:

1	Moved from college/university	Moved from college/university
2	Moved from an institution (for example, a care home, prison, or hospital)	Moved from an institution (for example, a care home, prison, or hospital)
3	Shared accommodation (for example, a house share)	Shared accommodation (for example, a house share)
4	For financial reasons	For financial reasons
5	For housing reasons	For housing reasons
6	Providing care/support for me or my partner	Providing care/support for me or my partner
7	For companionship/company	For companionship/company
8	Showing commitment in relationship	Showing commitment in relationship
9	To trial marriage	To trial marriage
10	To support dependents (for example, children, elderly relatives)	To support dependents (for example, children, elderly relatives)
97	Other	Other

Use: Ask ETYNEW

if [ETYNEW = 97] // Other reason

Question: startresident_et2.ETYNEWOTH [Other reason moved in together]

Module: startresident_et2

Source: ETDC Survey

Type: String	Length: 800		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
And if [ETYNEW = 97] // Other reason

Text: What other reason is that?

Use: Ask ETYNEWOTH

Question: startresident_et2.ETDCLIV [Definite decision to live together]

Module: startresident_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner

Text: Did you and your partner make a clear choice to live together, or did it just happen naturally?

Options:

1	We made a clear choice	We made a clear choice
2	It just happened naturally	It just happened naturally

Use: Ask ETDCLIV

if [ETDCLIV = 1] // Made clear choice to live together

Question: startresident_et2.ETDCLIVWHEN [How long planning to live together]

Module: startresident_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
And if [ETDCLIV = 1] // Made clear choice to live together

Text: How long had you been planning on living together?

Options:

1	Less than 3 months	Less than 3 months
2	4-12 months	4-12 months
3	More than a year	More than a year

Use: Ask ETDCLIVWHEN

Question: startresident_et2.ETMOTHR [Moved with others]

Module: startresident_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner

Text: Apart from your partner, is anyone else living in the household?

Options:

1	Yes - others in household	Yes - others in household
2	No - just us	No - just us

Use: Ask ETMOTHR

if [ETMOTHR = 1] // Others living in household

Question: startresident_et2.ETMVWITHCHLD [Who else in household]

Module: startresident_et2

Source: ETDC Survey

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
And if [ETMOTHR = 1] // Others living in household

Text: And what is the relationship of the other people to you?

Please select all that apply

Options:	1	Biological son/daughter	Biological son/daughter
	2	Adopted son/daughter	Adopted son/daughter
	3	Stepson/stepdaughter	Stepson/stepdaughter
	4	Biological parent	Biological parent
	5	Adoptive parent	Adoptive parent
	6	Step-parent	Step-parent
	7	Biological brother/sister	Biological brother/sister
	8	Half-brother/sister	Half-brother/sister
	9	Adopted brother/sister	Adopted brother/sister
	10	Step-brother/sister	Step-brother/sister
	11	Other relative	Other relative
	12	Other non-relative	Other non-relative

Use: Ask ETMVWITHCHLD

if [ETMVWITHCHLD = 1|2|3] // Lived with biological or adopted or step child(ren)

Question: startresident_et2.ETCHILDU16 [Dependent children under 16]

Module: startresident_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
And if [ETMOTHR = 1] // Others living in household
And if [ETMVWITHCHLD = 1|2|3] // Lived with biological or adopted or step child(ren)

Text: Are any of the children you live with under 16 years old?

Options:	1	Yes	Yes
	2	No	No

Use: Ask ETCHILDU16

Question: startresident_et2.ETHUBOSS [Expected household financial decisions]

Module: startresident_et2

Source: BHPS/UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner

Text: Now for some questions about who will do what in your household now you are living together. There are no right or wrong answers. We remind you that your answers will not be shared with your partner and all answers will be anonymised before the data is shared with researchers.

In your household, who do you expect will have the final say in big financial decisions?

Options:

1	You	You
2	Your partner	Your partner
3	Both have equal say	Both have equal say
97	Other	Other

Use: Ask ETHUBOSS

Question: startresident_et2.ETCOHADVS [Advantages of living as couple]

Module: startresident_et2

Source: BHPS/UKHLS (adapted)

Scripting Code 96 is exclusive.
Notes:

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner

Text: What do you think are the **advantages** of living together as a couple?

Please select all that apply

Options:

1	Get to know each other better	Get to know each other better
2	Support each other emotionally and practically	Support each other emotionally and practically
3	Someone to spend time with regularly	Someone to spend time with regularly
4	We feel committed to each other even without being married [If [ETNCRRSPOUS <> 1]	We feel committed to each other even without being married [If [ETNCRRSPOUS <> 1]
5	See if we're ready for bigger steps (like marriage or having kids) [If [ETNCRRSPOUS <> 1]	See if we're ready for bigger steps (like marriage or having kids) [If [ETNCRRSPOUS <> 1]
6	Easier to share day-to-day responsibilities	Easier to share day-to-day responsibilities
97	Other reason	Other reason
96	None of these	None of these

Use: Ask ETCOHADVS

if [ETCOHADVS = 97] // Other advantage

Question: startresident_et2.ETCOHADVSOTH [Other advantage]

Module: startresident_et2

Source: ETDC Survey

Type: String	Length: 800		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
And if [ETCOHADVS = 97] // Other advantage

Text: What other advantage is that?

Use: Ask ETCOHADVSOTH

Question: startresident_et2.ETCOHDISADVS [Disadvantages in living as couple]

Module: startresident_et2

Source: BHPS/UKHLS (adapted)

Scripting Notes: Code 96 is exclusive.

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner

Text: And what do you think are the **disadvantages** of living as a couple?

Please select all that apply

Options:	1	Less personal space or privacy	Less personal space or privacy
	2	Disagreements about money or household tasks	Disagreements about money or household tasks
	3	It can feel less secure	It can feel less secure
	4	Worries about what happens if we break up	Worries about what happens if we break up
	5	More pressure to make things work	More pressure to make things work
	97	Other reason	Other reason
	96	None of these	None of these

Use: Ask ETCOHDISADVS

if [ETCOHDISADVS = 97] // if [ETCOHDISADVS = 97]

Question: startresident_et2.ETCOHDISADVSOOTH [Other disadvantage]

Module: startresident_et2

Source: UKHLS

Type: String	Length: 800		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
And if [ETCOHDISADVS = 97] // if [ETCOHDISADVS = 97]

Text: What other disadvantage is that?

Use: Ask ETCOHDISADVSOOTH

Question: startresident_et2.ETCOHFUT [Future of relationship]

Module: startresident_et2

Source: UKHLS/BHPS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2] // Started living with partner
And If [ETNCRRSPOUS <> 1] // Not married to partner

Text: Thinking about the future, which statement do you think best fits your relationship right now?

Options:	1	We plan to get married	We plan to get married
	2	We might get married later	We might get married later
	3	We'll probably just keep living together	We'll probably just keep living together
	4	We haven't really thought about it yet	We haven't really thought about it yet
	97	Other	Other

Use: Ask ETCOHFUT

End

Non Co-Resident Relationships Event-triggered Module (newlat_et2.v01)

Start

if [RELATIONSHIPSTATUS.RELSTATCHNG = 3] // In an intimate ongoing relationship with someone outside the household

Question: newlat_et2.NCRRLIVEDLAT [Ever lived with LAT partner]

Module: newlat_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 3] // In an intimate ongoing relationship with someone outside the household

Text: You told us you have recently started a new relationship with someone living in a different household. We would like to ask some questions about this.

Have you ever lived together before?

Options:	1	Yes	Yes
	2	No	No

Use: Ask NCRRLIVEDLAT

Question: newlat_et2.NCRR5 [Sex of non co-resident partner]

Module: newlat_et2
Source: HILDA

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 3] // In an intimate ongoing relationship with someone outside the household

Text: Is your partner male or female?

Options:	1	Male	Male
	2	Female	Female

Use: Ask NCRR5

Question: newlat_et2.NCRR8 [Where partner lives]

Module: newlat_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 3] // In an intimate ongoing relationship with someone outside the household

Text: About how long would it take you to get to where your partner lives? Think about the time it usually takes door to door.

Options:	1	Less than 15 minutes	Less than 15 minutes
	2	Between 15 and 30 minutes	Between 15 and 30 minutes
	3	Between 30 minutes and 1 hour	Between 30 minutes and 1 hour
	4	Between 1 and 2 hours	Between 1 and 2 hours
	5	More than 2 hours	More than 2 hours

Use: Ask NCRR8

End

New Marital Event Event-trigger Module (maritalevent_et2.v01)

Start

if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage

Question: maritalevent_et2.ETENGINTRO [Engagement intro]

Module: maritalevent_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage

Text: You told us you have recently got engaged, {if RELATIONSHIPSTATUS.RELSTATCHNG = 4} married or entered a civil partnership, {if RELATIONSHIPSTATUS.RELSTATCHNG = 5} congratulations! We would like to ask some questions about this.

Options:

1

Continue

Continue

Use: Ask ETENGINTRO

if [RELATIONSHIPSTATUS.ETRELLIV = 2] // Not currently living together

Question: maritalevent_et2.ENGNCRRLIVED [Ever lived with engagement partner or spouse]

Module: maritalevent_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
And if [RELATIONSHIPSTATUS.ETRELLIV = 2] // Not currently living together

Text: Have you and [PARTNER NAME] ever lived together?

Options:

1

Yes

Yes

2

No

No

Use: Ask ENGNCRRLIVED

if [ff_ncrr1 = 1] // Was in a relationship with someone outside the household at last mainstage wave

Question: maritalevent_et2.ETCURRPARTLATB [Current partner lived apart]

Module: maritalevent_et2
Source: UKHLS (adapted)

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
And if [RELATIONSHIPSTATUS.ETRELLIV = 2] // Not currently living together
And if [ff_ncrr1 = 1] // Was in a relationship with someone outside the household at last mainstage wave

Text: Is this the same person you told us about in your last available annual interview or [ff_intdate], that you were in a relationship but not living with?

Options:

1	Yes	Yes
2	No	No
3	Don't know	Don't know

Use: if (ETCURRPARTLAT <> MIS) compute ETCURRPARTLATB = ETCURRPARTLAT;
else ask

Question: **maritalevent_et2.NCRR11** [Intention to live together within 3 years]

Module: maritalevent_et2

Source: HILDA

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
And if [RELATIONSHIPSTATUS.ETRELLIV = 2] // Not currently living together

Text: Do you intend to start living with [PARTNER NAME] during the next three years?

Options:

1	Yes	Yes
2	No	No

Use: Ask NCRR11

if [NCRR11 = 1]// Intend to start living together in next 3 years

Question: **maritalevent_et2.ENGCRR11WHEN** [When intend to live together]

Module: maritalevent_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
And if [RELATIONSHIPSTATUS.ETRELLIV = 2] // Not currently living together
And if [NCRR11 = 1] // Intend to start living together in next 3 years

Text: When do you intend to start living together?

Options:

1	Within 3 months	Within 3 months
2	Between 3 and 12 months	Between 3 and 12 months
3	12 months or more	12 months or more

Use: Ask ENGCRR11WHEN

Display Note
SCREEN START

Question: maritalevent_et2.NCRRM [Month relationship started]

Module: maritalevent_et2

Source: HILDA

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage

Text: In what month and year did this relationship start?

Question Month
Box
Label:

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask NCRRM

Question: maritalevent_et2.NCRRY4 [Year relationship started]

Module: maritalevent_et2

Source: HILDA

Type: Number	Range: 1900 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage

Question Year
Box
Label:

Use: Ask NCRRY4

Hard Check: If (Date entered is in the future)// Do not allow future dates to be entered
Text
The date you have entered is in the future

Display Note
SCREEN END

Question: **maritalevent_et2.ETENGWHY** [Reasons for getting engaged or married]

Module: maritalevent_et2
Source: ETDC Survey
Scripting Randomise the order of codes 1-9.
Notes:

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
Text: What are your main reasons for getting **engaged** {if RELATIONSHIPSTATUS.RELSTATCHNG = 4 & RELATIONSHIPSTATUS.RELSTATCHNG <> 5} **married** {if RELATIONSHIPSTATUS.RELSTATCHNG = 5} ?

Please select all that apply

Options:	1	Feels like the next step in our relationship	Feels like the next step in our relationship
	2	Show commitment to each other	Show commitment to each other
	3	Celebrate our love with family and friends	Celebrate our love with family and friends
	4	Financial security	Financial security
	5	Legal recognition (e.g., inheritance, benefits)	Legal recognition (e.g., inheritance, benefits)
	6	Provide stability for children	Provide stability for children
	7	Because of religious beliefs	Because of religious beliefs
	8	It is expected by society	It is expected by society
	9	It is expected by family	It is expected by family
	97	Other reason	Other reason

Use: Ask ETENGWHY

if [RELATIONSHIPSTATUS.RELSTATCHNG = 4 & RELATIONSHIPSTATUS.RELSTATCHNG <> 5]// New engagement and not new marriage

Question: **maritalevent_et2.ETENGSET** [Set date expect to marry]

Module: maritalevent_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
And if [RELATIONSHIPSTATUS.RELSTATCHNG = 4 & RELATIONSHIPSTATUS.RELSTATCHNG <> 5] // New engagement and not new marriage

Text: Have you decided when you want to get married?

Options:	1	Yes	Yes
	2	No	No

Use: Ask ETENGSET

if [ETENGSET = 1] // Has decided when to get married

Question: maritalevent_et2.ETENGWHEN [When expect to marry]

Module: maritalevent_et2
Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
And if [RELATIONSHIPSTATUS.RELSTATCHNG = 4 &
RELATIONSHIPSTATUS.RELSTATCHNG <> 5] // New engagement and not new marriage
And if [ETENGSET = 1] // Has decided when to get married

Text: When do you intend to get married?

Options:	1	Within the next year	Within the next year
	2	In the next 1 - 3 years	In the next 1 - 3 years
	3	More than 3 years' time	More than 3 years' time

Use: Ask ETENGWHEN

if [RELATIONSHIPSTATUS.RELSTATCHNG = 5] // New marriage

Display Note
SCREEN START

Question: maritalevent_et2.MARRIEDDATED [Date got married: day]

Module: maritalevent_et2
Source: ETDC Survey
Scripting Use drop-down list of response options.
Notes:

Type: Number	Range: 1 .. 31		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
And if [RELATIONSHIPSTATUS.RELSTATCHNG = 5] // New marriage

Text: When did you get married or enter a civil partnership?

Question Day
Box
Label:

Use: Ask MARRIEDDATED

Question: maritalevent_et2.MARRIEDDATEM [Date got married: month]

Module: maritalevent_et2
Source: ETDC Survey
Scripting Use drop-down list of response options.
Notes:

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
And if [RELATIONSHIPSTATUS.RELSTATCHNG = 5] // New marriage

Question Month
Box
Label:

Options:

1	January	January
2	February	February
3	March	March
4	April	April
5	May	May
6	June	June
7	July	July
8	August	August
9	September	September
10	October	October
11	November	November
12	December	December

Use: Ask MARRIEDDATEM

Question: maritalevent_et2.MARRIEDDATEY [Date got married: year]

Module: maritalevent_et2
Source: ETDC Survey
Scripting Use drop-down list of response options.
Notes: Limit responses to current year and previous year only.

Type: Number	Range: 1900 .. 9999		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 4|5] // New engagement or marriage
And if [RELATIONSHIPSTATUS.RELSTATCHNG = 5] // New marriage

Question Year
Box
Label:

Use: Ask MARRIEDDATEY

Hard Check: If (Date entered is in the future)// Do not allow future dates to be entered
Text
The date you have entered is in the future

Display Note
SCREEN END

Start

if [RELATIONSHIPSTATUS.RELSTATCHNG = 6] // Separated, divorced, or dissolved civil partnership

Question: separation_et2.ETSEPWHO [Whose decision to separate]

Module: separation_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 6] // Separated, divorced, or dissolved civil partnership

Text: We are sorry to hear you recently separated from {if RELATIONSHIPSTATUS.RELSTOP = 1} got divorced or dissolved a civil partnership with {if RELATIONSHIPSTATUS.RELSTOP = 2 & RELATIONSHIPSTATUS.RELSTOP <> 1} your ex-partner.

Would you say that separating {if RELATIONSHIPSTATUS.RELSTOP = 1} getting divorced or dissolving your partnership {if RELATIONSHIPSTATUS.RELSTOP = 2 & RELATIONSHIPSTATUS.RELSTOP <> 1} was...

Options:

1	My decision	My decision
2	My ex-partner's decision	My ex-partner's decision
3	Or a joint decision	Or a joint decision

Use: Ask ETSEPWHO

Question: separation_et2.ETSEPSEE [Foreseeability]

Module: separation_et2

Source: PAIRFAM (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 6] // Separated, divorced, or dissolved civil partnership

Text: Sometimes people expect a separation long before it happens, or it may come unexpectedly. To what extent did you expect this separation before it happened?

Options:

1	Completely expected	Completely expected
2	Somewhat expected	Somewhat expected
3	Neither expected nor unexpected	Neither expected nor unexpected
4	Somewhat unexpected	Somewhat unexpected
5	Completely unexpected	Completely unexpected

Use: Ask ETSEPSEE

Question: separation_et2.ETREASONSEPADP [Reasons for separation]

Module: separation_et2
Source: UKHLS (Adapted)

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 6] // Separated, divorced, or dissolved civil partnership

Text: We know that separations can be difficult and happen for many different reasons. Which of these reasons would you consider to explain why you **separated {if RELATIONSHIPSTATUS.RELSTOP = 1}** **got divorced or dissolved your civil partnership {if RELATIONSHIPSTATUS.RELSTOP = 1 & RELATIONSHIPSTATUS.RELSTOP <> 2}** ?

Please select all that apply

Options:	1	Money or financial problems (for example, a lack of money, or not having/losing work)	Money or financial problems (for example, a lack of money, or not having/losing work)
	2	We had grown apart	We had grown apart
	3	Lack of communication/did not talk	Lack of communication/did not talk
	4	Different expectations	Different expectations
	5	Pregnancy/birth of a child	Pregnancy/birth of a child
	6	Disagreement over parenting issues	Disagreement over parenting issues
	7	I/my ex-partner did not give enough time to family	I/my ex-partner did not give enough time to family
	8	Cheating/adultery/infidelity	Cheating/adultery/infidelity
	9	Violence or abuse in the relationship or household	Violence or abuse in the relationship or household
	10	Alcohol/drug/addiction problems	Alcohol/drug/addiction problems
	11	Mental illness/emotional issues/depression	Mental illness/emotional issues/depression
	97	Other	Other
	96	No reason	No reason

Use: Ask ETREASONSEPADP

Question: separation_et2.ETSEPFEEEL [Feel about separation]

Module: separation_et2
Source: PAIRFAM

Scripting Please display a horizontal five-point scale, numbered from 1 to 5 with end points labelled.
Notes:

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 6] // Separated, divorced, or dissolved civil partnership

Text: How do you feel now about your **separation {if RELATIONSHIPSTATUS.RELSTOP = 1}** **divorce or dissolved civil partnership {if RELATIONSHIPSTATUS.RELSTOP = 2 & RELATIONSHIPSTATUS.RELSTOP <> 1}** ?

Options:

1	Very good	Very good
2	2	2
3	3	3
4	4	4
5	Very bad	Very bad

Use: Ask ETSEPFEEEL

Question: separation_et2.CMSVCWHYADP [What support services are accessed for]

Module: separation_et2

Source: UKHLS

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 6] // Separated, divorced, or dissolved civil partnership

Text: Have you sought help from any of the below support services for issues you may have as a result of ending this relationship?

Please select all that apply

Options:

1	Financial support for myself	Financial support for myself
2	Financial support for my child(ren)	Financial support for my child(ren)
3	Mediation or relationship support	Mediation or relationship support
4	Child contact and/or living arrangements	Child contact and/or living arrangements
5	Domestic violence and abuse	Domestic violence and abuse
6	Child protection concerns	Child protection concerns
7	Counselling or mental health	Counselling or mental health
8	Other medical support	Other medical support
9	Divorce/separation	Divorce/separation
10	Housing	Housing
11	Support for children/young people	Support for children/young people
12	Drug or alcohol addiction	Drug or alcohol addiction
97	Other	Other

Use: Ask CMSVCWHYADP

Question: separation_et2.CMSVCCONADP [Consider using support service]

Module: separation_et2

Source: DWP

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 6] // Separated, divorced, or dissolved civil partnership

Text: How likely do you think it is that you'd access any of those types of support in the future?

Options:

1	Very likely	Very likely
2	Likely	Likely
3	Not sure	Not sure
4	Unlikely	Unlikely
5	Very unlikely	Very unlikely
6	Prefer not to disclose	Prefer not to disclose

Use: Ask CMSVCCONADP

End

Co-parenting Event-triggered Module (coparenting_et2.v01)

Start

if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2]// Pregnancy not ending/ended

if [(RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)) & (EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1)] // Has dependent children under 16 and not living with other parent AND has a baby between 6-12 months old

Question: coparenting_et2.PARCHK [Parent check]

Module: coparenting_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [(RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)) & (EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1)] // Has dependent children under 16 and not living with other parent AND has a baby between 6-12 months old

Text: Can we just check, is [PARTNER NAME] the parent of all your children aged between 6 and 12 months {if ff_etdceverint = 2} your child(ren) who have recently turned 6 months old {if ff_etdceverint = 1} ?

Options:

1	Yes	Yes
2	No	No

Use: Ask PARCHK

if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent

if [RELATIONSHIPSTATUS.RELSTATCHNG = 6] // Separated, divorced, or dissolved civil partnership

Question: coparenting_et2.ETRELEX [Relationship with child’s parent living elsewhere]

Module: coparenting_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent
And if [RELATIONSHIPSTATUS.RELSTATCHNG = 6] // Separated, divorced, or dissolved civil partnership

Text: You told us you have dependent child(ren) under 16 with [PARTNER NAME] . We would like to ask some questions about your co-parenting arrangements.

How would you describe your relationship with [PARTNER NAME] at present?

Options:	1	Very friendly	Very friendly
	2	Quite friendly	Quite friendly
	3	Not very friendly	Not very friendly
	4	Very unfriendly	Very unfriendly
	5	Mixed - sometimes friendly, sometimes unfriendly	Mixed - sometimes friendly, sometimes unfriendly
	6	Never see them	Never see them

Use: if (PARCHK = 1) compute ETRELEX = OTHERPARENT.ETRELEXBABY;
else ask

Question: coparenting_et2.ETLIVARR [Expected living arrangements]

Module: coparenting_et2
Source: ETDC Survey

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent

Text: You told us you have dependent child(ren) under 16 with [PARTNER NAME] . We would like to ask some questions about your co-parenting arrangements. {if RELATIONSHIPSTATUS.RELSTATCHNG <> 6}

Thinking only about overnight stays (not daytime contact), what are your expected living arrangements for your child(ren)?

Select one only

Options:

1	They will stay overnight with me all of the time	They will stay overnight with me all of the time
2	They will stay overnight both at my home and the other parent's home	They will stay overnight both at my home and the other parent's home
3	They will stay overnight at home and each parent moves in or out	They will stay overnight at home and each parent moves in or out
4	They will not stay overnight with me	They will not stay overnight with me
97	Other arrangement	Other arrangement
5	Not sure	Not sure

Use: if (PARCHK = 1) compute ETLIVARR = OTHERPARENT.ETLIVARRBABY;
else ask

If [ETLIVARR <> 1] // Not staying overnight all the time with respondent

Question: coparenting_et2.ETSEEKIDFREQRESP [Frequency respondent expects to see child]

Module: coparenting_et2
Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent
And If [ETLIVARR <> 1] // Not staying overnight all the time with respondent

Text: How often do you expect to see your child(ren)?

Options:

1	Never	Never
2	A few times a year	A few times a year
3	Once a month or less	Once a month or less
4	Several times a month	Several times a month
9	Fortnightly	Fortnightly
5	About once a week	About once a week
6	Several times a week	Several times a week
7	Almost everyday	Almost everyday
8	Everyday	Everyday

Use: Ask ETSEEKIDFREQRESP

Question: coparenting_et2.ETSEEKIDFREQ [Frequency expects other parent to see child]

Module: coparenting_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent

Text: How often do you expect [PARTNER NAME] to see your child(ren)?

Options:

1	Never	Never
2	A few times a year	A few times a year
3	Once a month or less	Once a month or less
4	Several times a month	Several times a month
9	Fortnightly	Fortnightly
5	About once a week	About once a week
6	Several times a week	Several times a week
7	Almost everyday	Almost everyday
8	Everyday	Everyday

Use: if (PARCHK = 1) compute ETSEEKIDFREQ = OTHERPARENT.ETSEEKIDFREQBABY;
else ask

if [ETSEEKIDFREQ > 3] // Expect to see child more than once a month

Question: coparenting_et2.ETSHARCARENR [Expect shared care arrangement]

Module: coparenting_et2
Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent
And if [ETSEEKIDFREQ > 3] // Expect to see child more than once a month

Text: Do you expect to have a shared care or 50/50 care arrangement?

Options:

1	Yes	Yes
2	No	No

Use: if (PARCHK = 1) compute ETSHARCARENR = OTHERPARENT.ETSHARCARENR;
else ask

if [ETLIVARR <> 1] // Not staying overnight with respondent

Question: coparenting_et2.ETSEEKIDNRC2RESP [How often expect remote contact with child(ren)]

Module: coparenting_et2

Source: UKHLS

Type: choice
Don't know: -1 Refused: -2 Inapplicable: -8 Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent
And If [ETLIVARR <> 1] // Not staying overnight with respondent

Text: How often do you expect to have contact through letters or cards, phone or video calls, emails and messaging, via social media or through gaming, with your child(ren)?

Options:

1	Several times a day	Several times a day
2	Daily	Daily
3	Several times per week	Several times per week
4	At least once per week	At least once per week
5	Several times per month	Several times per month
6	At least once per month	At least once per month
7	Less often	Less often
8	Never	Never

Use: Ask ETSEEKIDNRC2RESP

Question: coparenting_et2.ETSEEKIDNRC2 [How often expect other parent remote contact child]

Module: coparenting_et2

Source: UKHLS (adapted)

Type: choice
Don't know: -1 Refused: -2 Inapplicable: -8 Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent

Text: How often do you expect [PARTNER NAME] to have contact through letters or cards, phone or video calls, emails and messaging, via social media or through gaming, with your child(ren)?

Options:

1	Several times a day	Several times a day
2	Daily	Daily
3	Several times per week	Several times per week
4	At least once per week	At least once per week
5	Several times per month	Several times per month
6	At least once per month	At least once per month
7	Less often	Less often
8	Never	Never

Use: Ask ETSEEKIDNRC2

Question: coparenting_et2.ETHOPESEE [Hopes for contact]

Module: coparenting_et2

Source: ETDC Survey

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent

Text: Is the planned level of contact that you have with your child(ren) what you hoped for?

Options:

1	Yes	Yes
2	No, would prefer more contact	No, would prefer more contact
3	No, would prefer less contact	No, would prefer less contact
4	Not sure	Not sure

Use: if (PARCHK = 1) compute ETHOPESEE = OTHERPARENT.ETHOPESEEBABY;
else ask

Question: coparenting_et2.ETHOPESEEOTH [Other parent hopes for contact]

Module: coparenting_et2

Source: ETDC Survey

Type: choice		
Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Pregnancy not ending/ended
And if [RELATIONSHIPSTATUS.PARTDEPCHL = 1 & (RELATIONSHIPSTATUS.ETRELLIV = 2 | RELATIONSHIPSTATUS.RELSTATCHNG = 3)] // Has dependent children under 16 AND not living with other parent

Text: And is the planned level of contact that [PARTNER NAME] will have, what they had hoped for?

Options:	1	Yes	Yes
	2	No, would prefer more contact	No, would prefer more contact
	3	No, would prefer less contact	No, would prefer less contact
	4	Not sure	Not sure
Use:	Ask ETHOPESEEOTH		

End

Parental Employment Event-trigger Module (parentalemployment_et2.v01)

Start

if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended

Question: parentalemployment_et2.JBSTATADPPREG [Most important economic activity]

Module: parentalemployment_et2

Source: BHPS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended

Text: Now, we have some questions about your employment.

Which of these best describes your current employment situation?

Select one only

Options:	1	Self-employed	Self-employed
	2	In paid employment (full- or part-time)	Paid employment(ft/pt)
	3	Unemployed	Unemployed
	4	Retired	Retired
	16	On maternity/paternity leave	On maternity/paternity leave
	6	Looking after family or home	Family care or home
	7	Full-time student	Full-time student
	8	Long-term sick or disabled	LT sick or disabled
	97	Doing something else	Doing something else

Use: if (EMPLOYMENT.JBSTATADP <> MIS) compute JBSTATADPPREG = EMPLOYMENT.JBSTATADP; else ask

if [(JBSTATADPPREG = 1|2|7) & (((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2)] // current employment situation is paid employment (full- or part-time) OR self-employed OR full-time student AND currently pregnant or someone pregnant by R

Question: parentalemployment_et2.EPLEAVE [Planning taking leave]

Module: parentalemployment_et2

Source: Growing Up in New Zealand

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [(JBSTATADPPREG = 1|2|7) & (((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2)] // current employment situation is paid employment (full- or part-time) OR self-employed OR full-time student AND currently pregnant or someone pregnant by R

Text: Now, we have some questions about your employment. {if EMPLOYMENT.JBSTATADP <> MIS}

Are you planning to take any leave from (self-)employment or school when the baby is born?

Options:	1	Yes	Yes
	2	No	No

Use: Ask EPLEAVE

if [EPLEAVE = 1] // Planning to take leave from employment or school when baby is born

Question: parentalemployment_et2.EPCONWORK [Continue working or studying after child is born]

Module: parentalemployment_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [(JBSTATADPPREG = 1|2|7) & (((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2)] // current employment situation is paid employment (full- or part-time) OR self-employed OR full-time student AND currently pregnant or someone pregnant by R
And if [EPLEAVE = 1] // Planning to take leave from employment or school when baby is born

Text: Do you expect to return to work – either full-time, part-time or self-employed – or return to school, at some stage after the child is born?

Options:	1	Yes	Yes
	2	No	No

Use: Ask EPCONWORK

if [(JBSTATADPPREG = 1|2|7) & (EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1)]// current employment situation is paid employment (full- or part-time) OR self-employed OR full-time student AND Has a baby between 6-12 months

Question: parentalemployment_et2.ENBPL [Parental leave taken]

Module: parentalemployment_et2
Source: ETDC Survey
Scripting Notes: If more than one child between 6-12 months, fill all names here.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [(JBSTATADPPREG = 1|2|7) & (EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1)] // current employment situation is paid employment (full- or part-time) OR self-employed OR full-time student AND Has a baby between 6-12 months

Text: Did you take any leave from (self-)employment or school since [CHILD NAME(S)] was born?

Options:	1	Yes	Yes
	2	No	No

Use: Ask ENBPL

if [ENBPL = 1] // Parental leave taken

Question: parentalemployment_et2.ENBPLD [Parental leave duration]

Module: parentalemployment_et2
Source: ETDC Survey

Type: Number	Range: 1 .. 12		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [(JBSTATADPPREG = 1|2|7) & (EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1)] // current employment situation is paid employment (full- or part-time) OR self-employed OR full-time student AND Has a baby between 6-12 months
And if [ENBPL = 1] // Parental leave taken

Text: For how long did you take leave?

Question Box Label: Months

Use: Ask ENBPLD

Question: parentalemployment_et2.EPAGE [Child's age when starts/return to work/school]

Module: parentalemployment_et2

Source: UKHLS (adapted)

Type: Number	Range: 0 .. 99		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if (((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) |
EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) &
(PREGNANCY.EPCONTPADP <> 2|3|4) // Currently pregnant or someone is pregnant by R or
child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy
not ending/ended
And if [(JBSTATADPPREG = 1|2|7) & (EVENTTRIGGER.EVENT = 16 |
EVENTTRIGGER.EVENTBABY = 1)] // current employment situation is paid employment (full- or
part-time) OR self-employed OR full-time student AND Has a baby between 6-12 months
And if [ENBPL = 1] // Parental leave taken

Text: How old was [CHILD NAME(S)] at the time you returned to work or study?

Question Box Label: Age

Use: Ask EPAGE

Question: parentalemployment_et2.EPAGEUNITS [Child's age when parent starts/return to work/school units]

Module: parentalemployment_et2

Source: UKHLS (adapted)

Scripting Notes: Use drop-down list of response options

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if (((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) |
EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) &
(PREGNANCY.EPCONTPADP <> 2|3|4) // Currently pregnant or someone is pregnant by R or
child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy
not ending/ended
And if [(JBSTATADPPREG = 1|2|7) & (EVENTTRIGGER.EVENT = 16 |
EVENTTRIGGER.EVENTBABY = 1)] // current employment situation is paid employment (full- or
part-time) OR self-employed OR full-time student AND Has a baby between 6-12 months
And if [ENBPL = 1] // Parental leave taken

Options:	1	Weeks	Weeks
	2	Months	Months

Use: Ask EPAGEUNITS

Soft check: if (EPAGE < 24 & EPAGEUNITS = 1)// Less than 24 weeks

Text
You said you returned to work when your child was [EPAGE] [EPAGEUNITS] old.

Soft check: if (EPAGE < 6 & EPAGEUNITS = 2)// Less than 6 months

Text

You said you returned to work when your child was [EPAGE] [EPAGEUNITS] old.

Soft check: if (EPAGE > 18 & EPAGEUNITS = 2)// Greater than 18 months

Text

You said you returned to work when your child was [EPAGE] [EPAGEUNITS] old.

Display Note

SCREEN END

if [JBSTATADPPREG = 3] // Current employment situation is unemployed

Question: parentalemployment_et2.EPSEEK [Actively seeking employment]

Module: parentalemployment_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) |
EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) &
(PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child
has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not
ending/ended
And if [JBSTATADPPREG = 3] // Current employment situation is unemployed

Text: Will you continue to actively seek employment until you secure a position?

Options:

1	Yes	Yes
2	No	No

Use: Ask EPSEEK

if [(JBSTATADPPREG = 4|16|6|8|97) | EPSEEK = 2]// Current employment status is retired or parental leave or
looking after family/home or long-term sick/disabled or doing something else OR won't actively seek employment

Question: parentalemployment_et2.EPSTRTWORK [Start working after child is born]

Module: parentalemployment_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) |
EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) &
(PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child
has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not
ending/ended
And if [(JBSTATADPPREG = 4|16|6|8|97) | EPSEEK = 2] // Current employment status is retired or
parental leave or looking after family/home or long-term sick/disabled or doing something else OR
won't actively seek employment

Text: Do you expect to start/return to work - either full-time, part-time or self-employed - at some time in the
future?

Options:

1	Yes	Yes
2	No	No
3	Maybe	Maybe

Use: Ask EPSTRTWORK

if [JBSTATADPPREG = 16 & (EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1)]// Currently on parental leave AND has a child aged between 6-12 months

Question: parentalemployment_et2.ENBPLPLAN [Total parental leave planned]

Module: parentalemployment_et2

Source: ETDC Survey

Type: Number	Range: 1 .. 24		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [JBSTATADPPREG = 16 & (EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1)] // Currently on parental leave AND has a child aged between 6-12 months

Text: How many months will your parental leave be in total, including time you have already taken?

Question Months
Box
Label:

Use: Ask ENBPLPLAN

if [EPCONWORK = 1 | (EPSTRTWORK = 1|3)]// Expects to start/return to work

if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2)]
// Currently pregnant or someone is pregnant by R

Display Note
SCREEN START

Question: parentalemployment_et2.EPAGEPREG [Child's age when starts/return to work/school]

Module: parentalemployment_et2

Source: Growing Up in New Zealand

Type: Number	Range: 0 .. 99		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) |
EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) &
(PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or
child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy
not ending/ended
And if [EPCONWORK = 1 | (EPSTRTWORK = 1|3)] // Expects to start/return to work
And if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) |
EVENTTRIGGER.EVENTBABY = 2)] // Currently pregnant or someone is pregnant by R

Text: How old do you expect your unborn child to be when you start or return to paid work, either full-
time, part-time or self-employed, or go back to school?

Question Box Label: Age

Use: Ask EPAGEPREG

Question: parentalemployment_et2.EPAGEPREGUNITS [Child's age when parent starts/return to work/school units]

Module: parentalemployment_et2

Source: Growing Up in New Zealand (adapted)

Scripting Notes: Use drop-down list of response options

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) |
EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) &
(PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or
child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy
not ending/ended
And if [EPCONWORK = 1 | (EPSTRTWORK = 1|3)] // Expects to start/return to work
And if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) |
EVENTTRIGGER.EVENTBABY = 2)] // Currently pregnant or someone is pregnant by R

Text: Is that weeks, months or years?

Options:

1	Weeks	Weeks
2	Months	Months
3	Years	Years

Use: Ask EPAGEPREGUNITS

Soft check: if (EPAGEPREG < 24 & EPAGEPREGUNITS = 1)// Less than 24 weeks

Text
You said you plan to start/return to work when your child is [EPAGEPREG] [EPAGEPREGUNITS] old.

Soft check: if (EPAGEPREG < 6 & EPAGEPREGUNITS = 2)// Less than 6 months

Text
You said you plan to start/return to work when your child is [EPAGEPREG] [EPAGEPREGUNITS] old.

Soft check: if (EPAGEPREG > 18 & EPAGEPREGUNITS = 2)// Greater than 18 months

Text
You said you plan to start/return to work when your child is [EPAGEPREG] [EPAGEPREGUNITS] old.

Soft check: if (EPAGEPREG > 5 & EPAGEPREGUNITS = 3)// Greater than 5 years

Text
You said you plan to start/return to work when your child is [EPAGEPREG] [EPAGEPREGUNITS] old.

if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & EPAGEPREG = MIS]// Has a baby between 6-12 months AND not asked age of unborn baby when plans to return to work

Question: parentalemployment_et2.EPAGERET [Child’s age when starts/return to work/school]

Module: parentalemployment_et2

Source: Growing Up in New Zealand

Type: Number	Range: 0 .. 99		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [EPCONWORK = 1 | (EPSTRTWORK = 1|3)] // Expects to start/return to work
And if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & EPAGEPREG = MIS] // Has a baby between 6-12 months AND not asked age of unborn baby when plans to return to work

Text: How old do you expect [CHILD NAME(S)] to be when you start or return to paid work, either full-time, part-time or self-employed, or go back to school?

Question Box Label: Age

Use: Ask EPAGERET

Question: parentalemployment_et2.EPAGERETUNITS [Child’s age when parent starts/return to work/school units]

Module: parentalemployment_et2

Source: Growing Up in New Zealand (adapted)

Scripting Notes: Use drop-down list of response options

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [EPCONWORK = 1 | (EPSTRTWORK = 1|3)] // Expects to start/return to work
And if [(EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1) & EPAGEPREG = MIS] // Has a baby between 6-12 months AND not asked age of unborn baby when plans to return to work

Text: Is that weeks, months or years?

Options:

1	Weeks	Weeks
2	Months	Months
3	Years	Years

Use: Ask EPAGERETUNITS

Soft check: if (EPAGERET < 24 & EPAGERETUNITS = 1)// Less than 24 weeks

Text

You said you plan to start/return to work when your child is [EPAGERET] [EPAGERETUNITS] old.

Soft check: if (EPAGERET < 6 & EPAGERETUNITS = 2)// Less than 6 months

Text

You said you plan to start/return to work when your child is [EPAGERET] [EPAGERETUNITS] old.

Soft check: if (EPAGERET > 18 & EPAGERETUNITS = 2)// Greater than 18 months

Text

You said you plan to start/return to work when your child is [EPAGERET] [EPAGERETUNITS] old.

Soft check: if (EPAGERET > 5 & EPAGERETUNITS = 3)// Greater than 5 years

Text

You said you plan to start/return to work when your child is [EPAGERET] [EPAGERETUNITS] old.

Display Note

SCREEN END

Question: parentalemployment_et2.MLWKAFPT [New parent: actual work FT or PT in future]

Module: parentalemployment_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [EPCONWORK = 1 | (EPSTRTWORK = 1|3)] // Expects to start/return to work

Text: When you start/return to work, will you be working full-time or part-time, where part-time is working less than 30 hours a week?

Options:

1	Full-time	Full-time
2	Part-time	Part-time
3	Not sure	Not sure

Use: Ask MLWKAFPT

Question: parentalemployment_et2.ENBPLWORKSSELF [Work status in the future]

Module: parentalemployment_et2

Source: UKHLS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [EPCONWORK = 1 | (EPSTRTWORK = 1|3)] // Expects to start/return to work

Text: When you start/return to work, will this be as an employee or self-employed?

Options:	1	Employee	Employee
	2	Self-employed	Self-employed

Use: Ask ENBPLWORKSSELF

if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2)]/
Currently pregnant or someone is pregnant by R

Question: parentalemployment_et2.EPCCINT [Childcare intentions]

Module: parentalemployment_et2

Source: UKHLS (adapted)

Scripting Code 96 is exclusive.

Notes:

Type: multichoice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended
And if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENTBABY = 2)] // Currently pregnant or someone is pregnant by R

Text: Do you plan to use any of the following types of childcare during you unborn {if (EVENTTRIGGER.EVENT = 10|11) | EVENTTRIGGER.EVENTBABY = 2} baby's first three years of life?

Please select all that apply

Options:	1	Playgroup or pre-school	Playgroup or pre-school
	2	Day nursery or workplace creche	Day nursery or workplace creche
	3	Nursery school	Nursery school
	4	Nursery class attached to a primary or infant's school	Nursery class attached to a primary or infant's school
	5	The child's grandparent(s)	The child's grandparent(s)
	6	My ex-husband/wife/partner/the child's non-resident parent	My ex-husband/wife/partner/the child's non-resident parent
	7	Child's brother or sister	Child's brother or sister
	8	Other relative(s)	Other relative(s)
	9	Childminder	Childminder
	10	Nanny or au pair or childcarer in the home	Nanny or au pair or childcarer in the home
	11	Friends or neighbours	Friends or neighbours
	12	Other non-relatives (including babysitters)	Other non-relatives (including babysitters)
	96	None of these	None of these

Use: Ask EPCCINT

loop for each code selected at EPCCINT
 Name: EPCCINTAGECondition

Display Note
 SCREEN START

Question: parentalemployment_et2.EPCCINAGE [Childcare intentions age]

Module: parentalemployment_et2

Source: UKHLS (adapted)

Type: Number	Range: 0 .. 99		
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each code selected at EPCCINT

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended

Text: At what age do you expect the baby will begin being looked after by [EPCCINT] ?

Question Box Label: Age

Use: Ask EPCCINAGE

Question: parentalemployment_et2.EPCCINAGEUNITS [Childcare intentions age units]

Module: parentalemployment_et2

Source: UKHLS (adapted)

Scripting Notes: Use drop-down list of response options

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

In Loops: loop for each code selected at EPCCINT

Universe: if [(((EVENTTRIGGER.EVENT = 10|11) & PREGNANCY.STILLPREG = 1) | EVENTTRIGGER.EVENT = 16 | EVENTTRIGGER.EVENTBABY = 1|2) & (PREGNANCY.EPCONTPADP <> 2|3|4)] // Currently pregnant or someone is pregnant by R or child has turned 6 months old or first survey and reported 6-12 month old child AND pregnancy not ending/ended

Text: Is that weeks, months or years?

Options:	1	Weeks	Weeks
	2	Months	Months
	3	Years	Years

Use: Ask EPCCINAGEUNITS

Soft check: if (EPCCINAGE < 24 & EPCCINAGEUNITS = 1)// Less than 24 weeks

Text
You said they will start attending at [EPCCINAGE] [EPCCINAGEUNITS] old.

Soft check: if (EPCCINAGE < 6 & EPCCINAGEUNITS= 2)// Less than 6 months

Text
You said they will start attending at [EPCCINAGE] [EPCCINAGEUNITS] old.

Soft check: if (EPCCINAGE > 18 & EPCCINAGEUNITS = 2)// Greater than 18 months

Text
You said they will start attending at [EPCCINAGE] [EPCCINAGEUNITS] old.

Soft check: if (EPCCINAGE > 5 & EPCCINAGEUNITS = 3)// Greater than 5 years

Text
You said they will start attending at [EPCCINAGE] [EPCCINAGEUNITS] old.

Display Note
SCREEN END

END LOOP (EPCCINTAGECondition)

End

Fertility Intentions Event-triggered Module (fertilityintentions_et2.v01)

Start
if [RELATIONSHIPSTATUS.RELSTATCHNG = 2|4|5] // Reported started living with partner or got engaged or new marriage/civil partnership

Question: fertilityintentions_et2.LCHMOR [Likely have more children]

Module: fertilityintentions_et2

Source: BHPS

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2|4|5] // Reported started living with partner or got engaged or new marriage/civil partnership

Text: Thinking about your plans for the future, do you think you will have any (more) children?

Options:	1	Yes	Yes
	2	Self/partner currently pregnant	Self/partner currently pregnant
	3	No	No

Use: Ask LCHMOR

End

Perceived Stress Event-triggered Module (perceivedstress_et2.v01)

Start

if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Display Note
SCREEN START. Display in grid format

Question: perceivedstress_et2.ETPERSTRESSR [Perceived stress - relationship change]

Module: perceivedstress_et2

Source: Elo et al. (2003) adapted

Scripting Notes: Please display a five-point scale, numbered from 1 to 5 with end points labelled.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Stress means a situation in which a person feels tense, restless, nervous or anxious or is unable to sleep at night because his/her mind is troubled all the time. How stressful have you found...

This relationship status change? {if EVENTTRIGGER. EVENT = 5 | 6 | 7 | 8}

Options:

1	Not at all	Not at all
2	2	2
3	3	3
4	4	4
5	Very much	Very much

Use: Ask ETPERSTRESSR

Question: **perceivedstress_et2.ETPERSTRESSC** [Perceived stress - child 6 months]

Module: perceivedstress_et2

Source: Elo et al. (2003) adapted

Scripting Notes: Please display a five-point scale, numbered from 1 to 5 with end points labelled.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Your child turning 6 months? {if EVENTTRIGGER.EVENT = 16} Being a parent of a 6-12 month old baby? {if EVENTTRIGGER.EVENTBABY = 1}

Options:

1	Not at all	Not at all
2	2	2
3	3	3
4	4	4
5	Very much	Very much

Use: Ask ETPERSTRESSC

Question: **perceivedstress_et2.ETPERSTRESSP** [Perceived stress - pregnant or expecting]

Module: perceivedstress_et2

Source: Elo et al. (2003) adapted

Scripting Notes: Please display a five-point scale, numbered from 1 to 5 with end points labelled.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Being pregnant or expecting a baby? {if (EVENTTRIGGER.EVENT = 10 | 11) | EVENTTRIGGER.EVENTBABY = 2}

Options:

1	Not at all	Not at all
2	2	2
3	3	3
4	4	4
5	Very much	Very much

Use: Ask ETPERSTRESSP

Display Note
SCREEN END

End

Finances Event-triggered Module (finances_et2.v01)

Start

if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Question: finances_et2.ETHHFINCHNG [Subjective effect on household finances]

Module: finances_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Text: We are interested in understanding how the event(s) you have experienced have affected you. In what way, if any, has your household income been affected by the life event(s) you described?

Options:

1	It has gone up	It has gone up
2	It has not changed	It has not changed
3	It has gone down	It has gone down

Use: Ask ETHHFINCHNG

Question: finances_et2.ETHHFINNOW [Subjective financial situation – current]

Module: finances_et2

Source: UKHLS (adapted)

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe:

if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Text:

How well would you say your household is managing financially these days?

Options:

1	Living comfortably	Living comfortably
2	Doing alright	Doing alright
3	Just about getting by	Just about getting by
4	Finding it quite difficult	Finding it quite difficult
5	Finding it very difficult	Finding it very difficult

Use:

Ask ETHHFINNOW

End

GHQ Event-triggered Module (ghq_et2.v01)

Start

if [(((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Question: ghq_et2.GHQA [GHQ: concentration]

Module:

ghq_et2

Source:

UKHLS W1 Self-Completion Questionnaire

Scripting Notes:

GL Assessment - who own the copyright to the GHQ - now require us to include a copyright notice and logo when we use their questions.
Please display the copyright notice and logo on-screen.
Copyright notice is: Copyright © 2017-2024 GL Assessment. Logo will be supplied.

Type: choice	Refused: -2	Inapplicable: -8	Missing: -9
--------------	-------------	------------------	-------------

Universe:

if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text:

The next questions are about how you have been feeling over the last few weeks.

Have you recently been able to concentrate on whatever you're doing?

Options:

1	Better than usual	Better than usual
2	Same as usual	Same as usual
3	Less than usual	Less than usual
4	Much less than usual	Much less than usual

Use:

Ask GHQA

Question: ghq_et2.GHQB [GHQ: loss of sleep]

Page 139 of 149

Module: ghq_et2
Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently lost much sleep over worry?

Options:

1	Not at all	Not at all
2	No more than usual	No more than usual
3	Rather more than usual	Rather more than usual
4	Much more than usual	Much more than usual

Use: Ask GHQB

Question: ghq_et2.GHQC [GHQ: playing a useful role]

Module: ghq_et2
Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently felt that you were playing a useful part in things?

Options:

1	More so than usual	More so than usual
2	Same as usual	Same as usual
3	Less so than usual	Less so than usual
4	Much less than usual	Much less than usual

Use: Ask GHQC

Question: ghq_et2.GHQD [GHQ: capable of making decisions]

Module: ghq_et2
Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently felt capable of making decisions about things?

Options:

1	More so than usual	More so than usual
2	Same as usual	Same as usual
3	Less so than usual	Less so than usual
4	Much less capable	Much less capable

Use: Ask GHQD

Question: ghq_et2.GHQE [GHQ: constantly under strain]

Module: ghq_et2
Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently felt constantly under strain?

Options:

1	Not at all	Not at all
2	No more than usual	No more than usual
3	Rather more than usual	Rather more than usual
4	Much more than usual	Much more than usual

Use: Ask GHQE

Question: ghq_et2.GHQF [GHQ: problem overcoming difficulties]

Module: ghq_et2
Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently felt you couldn't overcome your difficulties?

Options:

1	Not at all	Not at all
2	No more than usual	No more than usual
3	Rather more than usual	Rather more than usual
4	Much more than usual	Much more than usual

Use: Ask GHQF

Question: ghq_et2.GHQG [GHQ: enjoy day-to-day activities]

Module: ghq_et2
Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently been able to enjoy your normal day-to-day activities?

Options:

1	More so than usual	More so than usual
2	Same as usual	Same as usual
3	Less so than usual	Less so than usual
4	Much less than usual	Much less than usual

Use: Ask GHQG

Question: ghq_et2.GHQH [GHQ: ability to face problems]

Module: ghq_et2
Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently been able to face up to problems?

Options:

1	More so than usual	More so than usual
2	Same as usual	Same as usual
3	Less able than usual	Less able than usual
4	Much less able	Much less able

Use: Ask GHQH

Question: ghq_et2.GHQI [GHQ: unhappy or depressed]

Module: ghq_et2
Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently been feeling unhappy or depressed?

Options:

1	Not at all	Not at all
2	No more than usual	No more than usual
3	Rather more than usual	Rather more than usual
4	Much more than usual	Much more than usual

Use: Ask GHQI

Question: ghq_et2.GHQJ [GHQ: losing confidence]

Module: ghq_et2

Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently been losing confidence in yourself?

Options:

1	Not at all	Not at all
2	No more than usual	No more than usual
3	Rather more than usual	Rather more than usual
4	Much more than usual	Much more than usual

Use: Ask GHQJ

Question: ghq_et2.GHQK [GHQ: believe worthless]

Module: ghq_et2

Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently been thinking of yourself as a worthless person?

Options:

1	Not at all	Not at all
2	No more than usual	No more than usual
3	Rather more than usual	Rather more than usual
4	Much more than usual	Much more than usual

Use: Ask GHQK

Question: ghq_et2.GHQL [GHQ: general happiness]

Module: ghq_et2
Source: UKHLS W1 Self-Completion Questionnaire

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event AND pregnancy not ending/ended

Text: Have you recently been feeling reasonably happy, all things considered?

Options:

1	More so than usual	More so than usual
2	About the same as usual	About the same as usual
3	Less so than usual	Less so than usual
4	Much less than usual	Much less than usual

Use: Ask GHQL

End

Relationship Satisfaction Event-triggered
Module (relationshipsatisfaction_et2.v01)

Start

if [RELATIONSHIPSTATUS.RELSTATCHNG = 2|3|4|5] // Reported cohabitation or new LAT relationship or engagement or marriage this wave

Question: relationshipsatisfaction_et2.SCRELHAPPYADP [Degree of happiness in the relationship]

Module: relationshipsatisfaction_et2
Source: LAT survey, UKHLS adapted

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2|3|4|5] // Reported cohabitation or new LAT relationship or engagement or marriage this wave

Text: The responses below represent different degrees of happiness in your relationship. The middle point, "happy", represents the degree of happiness of most relationships. Please select the answer that best describes the degree of happiness, all things considered, of your relationship.

Options:

1	Extremely unhappy	Extremely unhappy
2	Fairly unhappy	Fairly unhappy
3	A little unhappy	A little unhappy
4	Happy	Happy
5	Very happy	Very happy
6	Extremely happy	Extremely happy
7	Perfect	Perfect

Use: Ask SCRELHAPPYADP

if [RELATIONSHIPSTATUS.RELSTATCHNG = 3] // Reported new LAT relationship

Question: relationshipsatisfaction_et2.SCLATHAPPY [Degree of happiness with living apart (lat)]

Module: relationshipsatisfaction_et2
Source: LAT Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [RELATIONSHIPSTATUS.RELSTATCHNG = 2|3|4|5] // Reported cohabitation or new LAT relationship or engagement or marriage this wave
And if [RELATIONSHIPSTATUS.RELSTATCHNG = 3] // Reported new LAT relationship
Text: And how happy are you about living apart?

Options:

1	Extremely unhappy	Extremely unhappy
2	Fairly unhappy	Fairly unhappy
3	A little unhappy	A little unhappy
4	Happy	Happy
5	Very happy	Very happy
6	Extremely happy	Extremely happy
7	Perfect	Perfect

Use: Ask SCLATHAPPY

End

Life Satisfaction Event-triggered Modul (lifesatisfaction_et2.v01)

Start

if [(((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Question: lifesatisfaction_et2.SCLFSATO [Satisfaction with life overall]

Module: lifesatisfaction_et2

Source: UKHLS W1 Self-Completion Questionnaire

Scripting Notes: Please display the associated numeric value alongside each response option.

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Text: Currently, how satisfied or dissatisfied are you with your life overall?

Options:

1	Completely dissatisfied	Completely dissatisfied
2	Mostly dissatisfied	Mostly dissatisfied
3	Somewhat dissatisfied	Somewhat dissatisfied
4	Neither satisfied nor dissatisfied	Neither satisfied nor dissatisfied
5	Somewhat satisfied	Somewhat satisfied
6	Mostly satisfied	Mostly satisfied
7	Completely satisfied	Completely satisfied

Use: Ask SCLFSATO

Question: lifesatisfaction_et2.LIFESATPAST [Overall life satisfaction – past]

Module: lifesatisfaction_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Text: How does your overall life satisfaction compare with this time last year?

Options:

1	More satisfied	More satisfied
2	About the same	About the same
3	Less satisfied	Less satisfied

Use: Ask LIFESATPAST

Display Note
SCREEN START. Display in grid format.

Question: lifesatisfaction_et2.ETLIFESATINC [Importance in life: future household income]

Module: lifesatisfaction_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Text: We are interested in your thoughts about the future now things have changed. When you think about the future, how important are the following things for you?

The income of your household

Options:	1	Very important	Very important
	2	Important	Important
	3	Not very important	Not very important
	4	Not at all important	Not at all important

Use: Ask ETLIFESATINC

Question: lifesatisfaction_et2.ETLIFESATHEALTH [Importance in life: future health]

Module: lifesatisfaction_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Text: Your health

Options:	1	Very important	Very important
	2	Important	Important
	3	Not very important	Not very important
	4	Not at all important	Not at all important

Use: Ask ETLIFESATHEALTH

Question: lifesatisfaction_et2.ETLIFESATHOUS [Importance in life: future housing]

Module: lifesatisfaction_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Text: Your house/flat

Options:

1	Very important	Very important
2	Important	Important
3	Not very important	Not very important
4	Not at all important	Not at all important

Use: Ask ETLIFESATHOUS

Question: lifesatisfaction_et2.ETLIFESATJOB [Importance in life: future job]

Module: lifesatisfaction_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Text: Your job

Options:

1	Very important	Very important
2	Important	Important
3	Not very important	Not very important
4	Not at all important	Not at all important

Use: Ask ETLIFESATJOB

Question: lifesatisfaction_et2.ETLIFESATLEIS [Importance in life: future leisure time]

Module: lifesatisfaction_et2

Source: ETDC Survey

Type: choice			
Don't know: -1	Refused: -2	Inapplicable: -8	Missing: -9

Universe: if [((EVENTTRIGGER.EVENT = 5|6|7|8|10|11|16) | (EVENTTRIGGER.EVENTBABY = 1|2)) & (PREGNANCY.EPCONTPADP <> 2|3|4) & PREGNANCY.STILLPREG <> 2] // Experienced a family event and happy to answer questions AND pregnancy not ending/ended

Text: The amount of leisure time you have

Options:

1	Very important	Very important
2	Important	Important
3	Not very important	Not very important
4	Not at all important	Not at all important

Use: Ask ETLIFESATLEIS

